

U P H O L S T E R Y C A T A L O G



COLORWORKS™ IN THE OFFICE

UNICOR is pleased to announce a new program for color coordinating your upholstered furniture products. Whether you are decorating one office, or an entire floor of offices, ColorWorks™ makes it easy to put together a magnificent palette of fabrics that work together.

From traditional prints and solids to contemporary motifs and brights, UNICOR's ColorWorks™ upholstery program takes the guess work out of matching fabrics. ColorWorks™ was created with mixing and matching in mind, so that these fabrics can be used to build a diverse and attractive color scheme through the entire office.

WHAT'S INSIDE

This brochure will introduce you to the versatile ColorWorks™ program by displaying a summary of each its component collections. They include a FedFast Strings Collection, the Anywhere Strings & Office Strings Collections I, II, III, and No Strings Attached Leather Collection. Easy to reference specifications and care information are provided for each collection. As you review the collections, you will quickly see why we call it ColorWorks™. Each and every color range and

pattern was carefully selected to coordinate with each other, and the spectrum format makes the process simple.

ORDERING IS SIMPLE

This brochure of photo color cards was created to assist in fabric and leather selections when specifying UNICOR seating. Each photo color card collection in this brochure represents an actual sample card you can order to view and touch. To order a sample card, call the UNICOR Customer Service Center, **800-827-3168**, or go to **www.unicor.gov** on line. Use the stock numbers listed under the collection name when ordering.

Upholstery memo samples (6" x 6") are available by contacting the UNICOR upholstery vendor, Mayer-Paetz, Inc. Leather samples are available through the UNICOR contract vendor, Spinneybeck. See specific instructions on each collection for ordering details.

NOTE: Each collection has a pricing group associated to that specific card. These pricing groups correspond to the pricing in the Overture Seating Price List.

F E D F A S T
S T R I N G S
C O L L E C T I O N

U P H O L S T E R Y
S T A N D A R D P R I C I N G
G R O U P 1


L E A T H E R
P R I C E U P G R A D E

The UNICOR FedFast Strings Collection consists of three patterns with five coordinating colorways. The colors chosen are classic with a progressive direction.

Combined with one leather choice, this collection gives you the variety to create a complementary environment with a quick, order-to-delivery timeframe.



COMPANION
7578 Navy



LEATHER
7540 Black



FEDFAST
STRINGS
COLLECTION




FOUNDATION
3500 Wine




FOUNDATION
3511 Sapphire




COMPANION
7578 Navy




FOUNDATION
3501 Ebony



LEATHER
7540 Black



CARAT
7612 Granite



CXO SEAT PANEL
0301 Black Web



CXO BACK PANEL
0301 Black Web



FREEDOM CHAIR
00 Black Weave

FEDFAST STRINGS COLLECTION

SPECIFICATIONS

STANDARD PRICING GROUP 1

PATTERN 54"	FIBER CONTENT	WEIGHT/LIN. YD.	PATTERN REPEAT	FINISH	SURFACE ABRASION WYZENBEEK	TENSILE STRENGTH	LIGHT-FASTNESS	FLAMMABILITY	CLEANING CODE
FOUNDATION	100% Polyester	13.5 oz.	None	Teflon	Exceeds 1,000,000 Double Rubs	Warp 368 Lbs. Fill 339 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260 ASTM E-84	WS
COMPANION	52% Nylon 48% Polyester	9 oz.	H 2" V 2"	Teflon	Exceeds 159,000 Double Rubs	Warp 140 Lbs. Fill 180 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
CARAT	52% Nylon 48% Polyester	9 oz.	H .75" V .85"	Teflon	Exceeds 159,000 Double Rubs	Warp 140 Lbs. Fill 180 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS




A Division of Mayer-Paetz Inc.

Phone (317) 267-2626
Fax (317) 267-2629

- **WS: Water/Solvent Cleaner** - Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product follow instructions carefully and clean only in a well ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.



- All patterns should be upholstered as shown on the card.



Fabric "UP THE ROLL" or "REGULAR" Position



Fabric "RAILROADED" or "TOP TO SELVAGE" Position

- There may be variation between printed photographs and actual fabric samples. Actual sample can be obtained from our fabric contractor by faxing your request to (317) 267-2629. The sample will be mailed the next business day. If express service is required, please include your Federal Express account number.
- UNICOR's fabrics far exceed ACT (Association of Contract Textiles) commercial standards.

FEDFAST NO STRINGS ATTACHED LEATHER COLLECTION

SPECIFICATIONS

PRICE UPGRADE LEATHER

PATTERN	FIBER CONTENT	WEIGHT/LIN. YD.	PATTERN REPEAT	FINISH	SURFACE ABRASION WYZENBEEK	TENSILE STRENGTH	LIGHT-FASTNESS	FLAMMABILITY	CLEANING CODE
LEATHER	Aniline dyed leather	2.75 oz./sq. ft.	None	Breathable Protective Finish	Abrasion: 1,000+ cycles Flex: 60,000 cycles	150 Lbs.	Exceeds 72 Hrs.	Cal. 117-E	W



Phone (800) 482-7777
Fax (716) 446-2396

- **W: Water-Based Cleaner** - Spot clean, using the foam only from a water based cleaning agent such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest a small area before proceeding.
- All patterns should be upholstered as shown on the card.

- There may be variation between printed photographs and actual leather samples. Actual sample can be obtained from our leather contractor by faxing your request to (716) 446-2396. The sample will be mailed the next business day. If express service is required, please include your Federal Express account number.
- UNICOR's fabrics far exceed ACT (Association of Contract Textiles) commercial standards.



ANYWHERE STRINGS COLLECTION I

STANDARD PRICING
GROUP 1

This collection may stand alone, however the total offering lends itself to any environment with crossover coordination from the FedFast Strings Collection through the Anywhere Strings Collection III. The broad spectrum of this collection, combined with the UNICOR Chords Stock Panel Fabric Program, allows customers to accessorize any facility with relative ease.

Anywhere Strings Collection I has been designed in the same basic color sequence based on the color spectrum-red, burgundy, plum, blue, green, gold, beige, granite, and black. Shades of these colors vary in each Collection.

Anywhere Strings I is a color coordinated collection of 36 sku's with colors in a classic, yet progressive direction. The color ranges and patterns were designed to coordinate with all collections for simple cross over applications.

Special consideration was given for task seating performance with all 8 patterns exceeding a minimum of 80,000 to as much as 1,000,000 double rubs.

All patterns are treated with Teflon finish for stain repelling and ease of cleaning.



CELEBRATION
7591 Burgundy



CELEBRATION
7591 Burgundy



CAPE
7600 Ruby



FOUNDATION
3500 Wine



COMPANION
7576 Burgundy



CROSTOWN
7643 Burgundy




CLARITY
7623 Garnet



CAPE
7604 Ivy



FOUNDATION
3513 Sherwood




COMPANION
7581 Ivy



CLEMATIS
7634 Sherwood




CROSTOWN
7647 Ivy



CLARITY
7624 Tourmaline



CLEMATIS
7633 Sun Glow



CAPE
7603 Cornsilk




FOUNDATION
3526 Cornsilk




COMPANION
7577 Khaki



CROSTOWN
7644 Sun Shade



CARAT
7613 Cornsilk



CARAT
7615 Plum



CAPE
7602 Royal Flush



FOUNDATION
3512 Merlot



CROSSTOWN
7646 Plum



COMPANION
7580 Plum



CLEMATIS
7640 Burgundy



CAPE
7605 Cadet



FOUNDATION
3511 Sapphire



CROSSTOWN
7645 Sapphire




COMPANION
7578 Navy



CELEBRATION
7589 Navy



CARAT
7614 Sapphire



CELEBRATION
7590 Granite




CAPE
7601 Graphite




FOUNDATION
3501 Ebony



CARAT
7612 Granite



COMPANION
7575 Granite



CLARITY
7625 Onyx

ANYWHERE STRINGS COLLECTION I

SPECIFICATIONS

STANDARD PRICING
GROUP 1

PATTERN 54"	FIBER CONTENT	WEIGHT/ LIN. YD.	PATTERN REPEAT	FINISH	SURFACE ABRASION WYZENBEEK	TENSILE STRENGTH	LIGHT-FASTNESS	FLAMMABILITY	CLEANING CODE
CAPE	54% Nylon 46% Polyester	9 oz.	None	Teflon	Exceeds 174,000 Double Rubs	Warp 130 Lbs. Fill 150 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
CARAT	52% Nylon 48% Polyester	9 oz.	H .75" V .85"	Teflon	Exceeds 159,000 Double Rubs	Warp 120 Lbs. Fill 140 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
CELEBRATION	52% Nylon 48% Polyester	9 oz.	H 8" V 5"	Teflon	Exceeds 108,000 Double Rubs	Warp 110 Lbs. Fill 150 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
CLARITY	52% Olefin 48% Polyester	7.8 oz.	H .5625" V .8878"	Teflon	Exceeds 80,000 Double Rubs	Warp 120 Lbs. Fill 180 Lbs.	Exceeds 60 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	W
CLEMATIS	60% Polyester 40% Olefin	10.3 oz.	H 7.5" V 15"	Teflon	Exceeds 100,000 Double Rubs	Warp 222 Lbs. Fill 225 Lbs.	Exceeds 60 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
COMPANION	52% Nylon 48% Polyester	9 oz.	H 2" V 2"	Teflon	Exceeds 159,000 Double Rubs	Warp 140 Lbs. Fill 180 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
CROSSTOWN Shown Railroaded	52% Nylon 48% Polyester	9 oz.	H 0" V .5"	Teflon	Exceeds 162,000 Double Rubs	Warp 130 Lbs. Fill 150 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
FOUNDATION	100% Polyester	13.5 oz.	None	Teflon	Exceeds 1,000,000 Double Rubs	Warp 368 Lbs. Fill 339 Lbs.	Exceeds 60 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260 ASTM -84	WS

MAYER
FABRICS



A Division of Mayer-Paetz Inc.

Phone (317) 267-2626
Fax (317) 267-2629

■ **W: Water-Based Cleaner** - Spot clean, using the foam only from a water based cleaning agent such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest a small area before proceeding.

■ **WS: Water/Solvent Cleaner** - Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product follow instructions carefully and clean only in a well ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.

■ All patterns should be upholstered as shown on the card.



Fabric "UP THE ROLL" or
"REGULAR" Position



Fabric "RAILROADED" or
"TOP TO SELVAGE" Position

■ There may be variation between printed photographs and actual fabric samples. Actual sample can be obtained from our fabric contractor by faxing your request to (317) 267-2629. The sample will be mailed the next business day. If express service is required, please include your Federal Express account number.

■ UNICOR's fabrics far exceed ACT (Association of Contract Textiles) commercial standards.




O F F I C E
S T R I N G S
C O L L E C T I O N I I

STANDARD PRICING
GROUP 2

This collection stands alone, however the total offering lends itself to any environment with crossover coordination from the FedFast Strings Collection through the Anywhere Strings Collection III. The broad spectrum of this collection, combined with the UNICOR Chords Stock Panel Fabric Program, allows customers to accessorize any facility with relative ease.

Office Strings II is a coordinated collection of 36 sku's with colors classic in nature with a progressive direction. The color ranges and patterns are designed to coordinate easily. All collections are sampled in the same basic color spectrum rotation for simple coordination by UNICOR customers.

Special consideration was given for durable performance with all 11 patterns exceeding 50,000 to 765,000 double rubs.



MONSOON FR
7750 Wine Swirl




MONSOON FR
7750 Wine Swirl



DIAMONIQUE
7701 Bordeaux




WOOLTEX
7916 Burgundy



PERSPECTIVE FR
7760 Brick



INTERLOCHEN
7712 Plum



CHARLESTON
7670 Royal Flush



MAYA
7733 Jungle



DECADE CREPE
7773 Brick



WOOLTEX
7918 Ivy



CHARLESTON
7667 Forest



DIAMONIQUE
7703 Malachite



INTERLOCHEN
7715 Meadow



MONSOON FR
7751 Desert Storm



WOOLTEX
7919 Black Gold



DECADE CREPE
7771 Butterscotch



INTERLOCHEN
7714 Sandstone



MAYA
7731 Parchment




DECADE ORION
7786 Spun Straw



JIGSAW
7970 Vineyard




MAYA
7732 Lagoon




DECADE CREPE
7778 Iris



DECADE ORION
7787 Royal Plum



CHELSEA
7691 Grape



MONSOON FR
7753 Tropical Punch



WOOLTEX
7917 Cadet




DECADE ORION
7783 Sapphire




INTERLOCHEN
7711 Parade Blue



CHARLESTON
7668 Atlantic



MONSOON FR
7752 Stormy Sky



PERSPECTIVE FR
7762 Indigo



JIGSAW
7971 Shadow



DIAMONIQUE
7700 Cafe



DECADE CREPE
7777 Ebony



CHELSEA
7690 Expresso



CHARLESTON
7669 Granite



INTERLOCHEN
7713 Granite

OFFICE STRINGS COLLECTION II

SPECIFICATIONS

STANDARD PRICING
GROUP 2

PATTERN 54"	FIBER CONTENT	WEIGHT/LIN. YD.	PATTERN REPEAT	FINISH	SURFACE ABRASION WYZENBEEK	TENSILE STRENGTH	LIGHT-FASTNESS	FLAMMABILITY	CLEANING CODE
CHELSEA	54% Polyester 27% Acrylic 19% Olefin	11 oz.	H 6.75" V 6.75"	Teflon	Exceeds 50,000 Double Rubs	Warp 187 Lbs. Fill 98 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
CHARLESTON	52% Polyester 48% Acrylic	10.14 oz.	H 6.75" V 11.75"	Teflon	Exceeds 50,000 Double Rubs	Warp 134 Lbs. Fill 144 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
DECADE CREPE	100% Infinity Nylon	11.2 oz.	None	NA	Exceeds 765,000 Double Rubs	Warp 210 Lbs. Fill 160 Lbs.	Exceeds 200 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
DIAMONIQUE	65% Nylon 35% Olefin	10 oz.	H 5" V .75"	Teflon	Exceeds 100,000 Double Rubs	Warp 331 Lbs. Fill 166 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
INTERLOCHEN Shown Railroaded	60% Polyester 40% Trace Olefin	10.5 oz.	H 2" V .75"	Teflon	Exceeds 100,000 Double Rubs	Warp 91 Lbs. Fill 100 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
JIGSAW	53% Acrylic 47% Polyester	12.41 oz.	H 6.75" V 13.5"	Teflon	Exceeds 60,000 Double Rubs	Warp 180 Lbs. Fill 118 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
MONSOON FR	100% FR Polypropylene	11 oz.	H 13.5" V 5"	Fire Retardant	Exceeds 63,000 Double Rubs	Warp 112 Lbs. Fill 161 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
PERSPECTIVE FR	100% FR Polypropylene	11.45 oz.	H 1.69" V 3.10"	Fire Retardant	Exceeds 50,000 Double Rubs	Warp 157 Lbs. Fill 161 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
WOOLTEX	40% Polyester 33% Olefin 16% Wool 11% Nylon	9.3 oz.	None	Teflon	Exceeds 100,000 Double Rubs	Warp 147 Lbs. Fill 153 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
DECADE ORION	100% Infinity Nylon	12.3 oz.	H 5" V .5"	NA	Exceeds 765,000 Double Rubs	Warp 200 Lbs. Fill 200 Lbs.	Exceeds 200 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
MAYA	84% Polyester 16% Olefin	10.74 oz.	None	Teflon	Exceeds 50,000 Double Rubs	Warp 210 Lbs. Fill 214 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS

**MAYER
FABRICS**

A Division of Mayer-Paetz Inc.

Phone (317) 267-2626
Fax (317) 267-2629

- **WS: Water/Solvent Cleaner** - Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product follow instructions carefully and clean only in a well ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.
- All patterns should be upholstered as shown on the card.



Fabric "UP THE ROLL" or
"REGULAR" Position



Fabric "RAILROADED" or
"TOP TO SELVAGE" Position

- There may be variation between printed photographs and actual fabric samples. Actual sample can be obtained from our fabric contractor by faxing your request to (317) 267-2629. The sample will be mailed the next business day. If express service is required, please include your Federal Express account number.
- UNICOR's fabrics far exceed ACT (Association of Contract Textiles) commercial standards.



O F F I C E
S T R I N G S
C O L L E C T I O N I I I

PRICE UPGRADE
GROUP 3

This collection stands alone, however the total offering lends itself to any environment with crossover coordination from the FedFast Strings Collection through the Anywhere Strings Collection III. The broad spectrum of this collection, combined with the UNICOR Chords Stock Panel Fabric Program, allows customers to accessorize any facility with relative ease.

Office Strings Collection III offers a color coordinated collection of 30 sku's in 6 general color schemes. The colors are proven classics with a progressive directional nature. The color schemes were developed with a similar sequence as Anywhere Strings I & Office Strings II. Teal and Olive color families were infused to add a more developed color pallet. Special effort was given to utilize multiple patterns. All the collections are sampled in the same basic color spectrum rotation for simple coordination by UNICOR customers.


Special consideration was given for durable performance with 6 of 9 patterns exceeding a minimum of 50,000 double rubs up to as many as 500,000 double rubs.



PAGEANT
7842 Cayenne



PAGEANT
7842 Cayenne




COMPASS
7802 Cayenne



GIOVANNI
7812 Wine



ARIA
7794 Robin



MASTERTEX
7831 Burgundy



RENNIE
7853 Willow



COMPASS
7804 Meadow



GIOVANNI
7815 Verdigris



MASTERTEX
7834 Moss



PAGEANT
7843 Meadow



PAGEANT
7841 Sun Glow



COMPASS
7801 Sun Glow




GIOVANNI
7811 Sun Shade



PINSTRIPLE
8713 Flaxen



MASTERTEX
7833 Gold Ore




RENNIE
7851 Navy




LATITUDE
7822 Parade Blue



GIOVANNI
7814 Blue Plum



MASTERTEX
7832 Plum



COMPASS
7803 Royal Flush



PAGEANT
7844 Aquamarine



GIOVANNI
7813 Aegean



TRAVERSE
7861 Aquamarine



ARIA
7792 Blue Jay



LATITUDE
7824 Spruce



LATITUDE
7823 Sandstone



RENNIE
7852 Gold Ore



PINSTRIPED
8725 Granite



ARIA
7793 Raven



TRAVERSE
7860 Night Life

OFFICE STRINGS COLLECTION III

SPECIFICATIONS

**PRICE UPGRADE
GROUP 3**

PATTERN 54"	FIBER CONTENT	WEIGHT/LIN. YD.	PATTERN REPEAT	FINISH	SURFACE ABRASION WYZENBEEK	TENSILE STRENGTH	LIGHT-FASTNESS	FLAMMABILITY	CLEANING CODE
ARIA	100% Nylon 17% Stretch	17 oz.	None	Teflon	Exceeds 500,000 Double Rubs	Warp 277 Lbs. Fill 233 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
COMPASS	52% Cotton 48% Polyester	11 oz.	H 1.15" V 1.15"	Teflon	Exceeds 39,000 Double Rubs	Warp 109.5 Lbs. Fill 108 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	S
GIOVANNI Shown Railroaded	75% Polyester 25% Rayon	13 oz.	H 5" V 5"	Teflon	Exceeds 50,000 Double Rubs	Warp 285 Lbs. Fill 196 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
LATITUDE	44% Polyester 36% Rayon 18% Wool 2% Nylon	11.67 oz.	H 6.75" V 12"	Teflon	Exceeds 50,000 Double Rubs	Warp 235 Lbs. Fill 162 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
MASTERTEX	86% Polyester 9% Wool 5% Rayon	12.4 oz.	None	Teflon	Exceeds 40,000 Double Rubs	Warp 126 Lbs. Fill 127 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
PAGEANT	52% Polyester 48% Rayon	11 oz.	H 6.75" V 7.82"	Teflon	Exceeds 45,000 Double Rubs	Warp 102 Lbs. Fill 112 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	S
PINSTRIPED	50% Polyester 50% Cotton	11.21 oz.	H .3125" V 0"	Teflon	Exceeds 50,000 Double Rubs	Warp 114 Lbs. Fill 66 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	S
RENNIE	40% Polyester 33% Olefin 16% Wool 11% Nylon	9 oz.	H 13.5" V 14.5"	Teflon	Exceeds 100,000 Double Rubs	Warp 162 Lbs. Fill 151 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
TRAVERSE	52% Cotton 48% Polyester	10.76 oz.	H 1.125" V 1.19"	Teflon	Exceeds 57,000 Double Rubs	Warp 109.5 Lbs. Fill 108 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	S


**MAYER
FABRICS**



A Division of Mayer-Paetz Inc.

Phone (317) 267-2626
Fax (317) 267-2629

- **W: Water-Based Cleaner** - Spot clean, using the foam only from a water based cleaning agent such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest a small area before proceeding.
- **WS: Water/Solvent Cleaner** - Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product follow instructions carefully and clean only in a well ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.
- All patterns should be upholstered as shown on the card.



Fabric "UP THE ROLL" or "REGULAR" Position



Fabric "RAILROADED" or "TOP TO SELVAGE" Position

- There may be variation between printed photographs and actual fabric samples. Actual sample can be obtained from our fabric contractor by faxing your request to (317) 267-2629. The sample will be mailed the next business day. If express service is required, please include your Federal Express account number.
- UNICOR's fabrics far exceed ACT (Association of Contract Textiles) commercial standards.



A N Y W H E R E
S T R I N G S
C O L L E C T I O N I I I

PRICE UPGRADE
GROUP 3

This collection stands alone, however the total offering lends itself to any environment with crossover coordination from the FedFast Office Strings Collection through this Anywhere Strings Collection. The broad spectrum of this collection, combined with the UNICOR Chords Stock Panel Fabric Program, allows customers to accessorize any facility with relative ease.

Anywhere Strings Collection III is a color coordinated collection of 40 sku's in 6 general color schemes. The colors are generally classic, with a slant toward the progressive direction. This will facilitate hospitality, office or any multiple use area application.

The colors are laid out in the same general color spectrum sequence as the other Collections. A special effort was made to utilize several patterns.

Special consideration was given for durable performance with all 8 patterns exceeding 30,000 to 57,000 double rubs.



PARK AVENUE
7680 Fiesta




PLAZA
7744 Sangria



PARK AVENUE
7680 Fiesta



PARK AVENUE
7682 Sangria



IN MOTION
7886 Coral



LADDER
7912 Sangria



NEBULA
7878 Tabasco



PISCES
7935 Cayenne



KEYNOTE
7897 Red



RAGTIME
7657 Fiesta



PISCES
7937 India Spice



PISCES
7938 Plum



IN MOTION
7890 Grape



PLAZA
7741 Royal



IN MOTION
7888 Twilight



LADDER
7910 Thistle



NEBULA
7880 Iris




KEYNOTE
7899 Grape



PARK AVENUE
7678 Vineyard



RAGTIME
7658 Parade Blue



LADDER
7911 Red Navy



LADDER
7908 Meadow



IN MOTION
7887 Green



LADDER
7906 Jewel Blue



PISCES
7933 Emerald



NEBULA
7879 Copper



NEBULA
7877 Grass



RAGTIME
7655 Meadow



KEYNOTE
7898 Pear



KEYNOTE
7900 Teal




PARK AVENUE
7679 Autumn



LADDER
7907 Metallic



IN MOTION
7885 Metal



RAGTIME
7659 Sundown



PARK AVENUE
7681 Sundown



PLAZA
7742 Khaki




PISCES
7936 Granite



PISCES
7934 Sun Shade



RAGTIME
7656 Sun Glow



IN MOTION
7889 Mist



NEBULA
7876 Earth

ANYWHERE STRINGS COLLECTION III

SPECIFICATIONS

**PRICE UPGRADE
GROUP 3**

PATTERN 54"	FIBER CONTENT	WEIGHT/ LIN. YD.	PATTERN REPEAT	FINISH	SURFACE ABRASION WYZENBEEK	TENSILE STRENGTH	LIGHT- FASTNESS	FLAMMABILITY	CLEANING CODE
IN MOTION Shown Railroaded	58% Cotton 42% Polyester	12.15 oz.	H 12.39" V 6.76"	Teflon	Exceeds 51,000 Double Rubs	Warp 375 Lbs. Fill 105 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
KEYNOTE Shown Railroaded	62% Cotton 38% Polyester	13.59 oz.	H .625" V 1.12"	Teflon	Exceeds 51,000 Double Rubs	Warp 375 Lbs. Fill 105 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
LADDER Shown Railroaded	58% Cotton 42% Polyester	12.15 oz.	H .31" V .56"	Teflon	Exceeds 57,000 Double Rubs	Warp 275 Lbs. Fill 105 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
NEBULA	100% Terratex Polyester 100% Recycled	17.5 oz.	H .172" V .25"	NA	Exceeds 45,000 Double Rubs	Warp 450 Lbs. Fill 200 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260 ASTM E-84	WS
PARK AVENUE Shown Railroaded	58% Cotton 42% Polyester	12.15 oz.	H 1.3" V .28"	Teflon	Exceeds 39,000 Double Rubs	Warp 278 Lbs. Fill 101 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
PISCES	100% Terratex Polyester 100% Recycled	12.8 oz.	H 14.5" V 6.75" Non Matching	NA	Exceeds 35,000 Double Rubs	Warp 280 Lbs. Fill 230 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260 ASTM E-84	WS
PLAZA	89% Trace Olefin 11% Polyester	17.16 oz.	None	Teflon	Exceeds 30,000 Double Rubs	Warp 100 Lbs. Fill 60 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS
RAGTIME Shown Railroaded	58% Cotton 42% Polyester	12.15 oz.	H 1.52" V .25"	Teflon	Exceeds 51,000 Double Rubs	Warp 276 Lbs. Fill 105 Lbs.	Exceeds 40 Hrs.	Cal. 117-E UFAC BIFMA NFPA 260	WS


**MAYER
FABRICS**

A Division of Mayer-Paetz Inc.


Phone (317) 267-2626
Fax (317) 267-2629

- **WS: Water/Solvent Cleaner** - Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product follow instructions carefully and clean only in a well ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.

- All patterns should be upholstered as shown on the card.



Fabric "UP THE ROLL" or
"REGULAR" Position



Fabric "RAILROADED" or
"TOP TO SELVAGE" Position

- There may be variation between printed photographs and actual fabric samples. Actual sample can be obtained from our fabric contractor by faxing your request to (317) 267-2629. The sample will be mailed the next business day. If express service is required, please include your Federal Express account number.

- UNICOR's fabrics far exceed ACT (Association of Contract Textiles) commercial standards.



C O L O R W O R K S A V A I L A B L E

GROUP 1

CAPE
CARAT
CELEBRATION
CLARITY
CLEMATIS
COMPANION
CROSSTOWN
FOUNDATION

GROUP 2

CHELSEA
CHARLESTON
DECADE CREPE
DIAMONIQUE
INTERLOCHEN
JIGSAW
MONSOON FR
PERSPECTIVE FR
WOOLTEX
DECADE ORION
MAYA
CARESSA/VINYL
DURAWEAWE FR
ELECTRON
LINKS
TAJ
CONSTRUCTURE

GROUP 3

ARIA
COMPASS
GIOVANNI
LATITUDE
MASTERTEX
PAGEANT
PINSTRIPE
PLAZA
RENNIE
TRAVERSE
ARMOUR
ARMOUR II
COSMOS
EVITA
LABYRINTH
MATRIX
MENTOR
MYTH
PRISMA
REGENCY
STRATUM
TREVI
IN MOTION

KEYNOTE
LADDER
NEBULA
PARK AVENUE
PISCES
RAGTIME
AVON
BOARDWALK
CHECKERS
DIAMONDS
GARDEN GATE
GEM
JAZZ
LEGEND
PARK PLACE
SUEDE
TEMPO
TRACERY

P A T T E R N S B Y P R I C E G R O U P

GROUP 4

BENEFIT
 BOOMERANG
 BULLS EYE
 CARESSA SUEDE
 CATHEDRAL
 CONCENSUS
 CORNUCOPIA
 DAMASK
 DENOMINATOR
 FILLIGREE
 FRAMEWORK
 GINGER
 HONEYCOMB
 JEKYLL & HYDE
 METRIC
 OSTRICH
 PORTFOLIO
 RADIANCE
 RADIANCE
 PERFORATED
 SANTA ANA
 TELEGRAPH
 TUSCANY
 VIEWPOINT

GROUP 5

ACCORD MEZZANO
 A NEW ERA MONACO
 ANTIQUE NOTION FR
 ARBOR NUANCE FR
 BRANCH OUT PINPOINT FR
 CHATEAU RESOLUTION
 CITY LIGHTS RHYTHM FR
 DUET TANGENT FR
 FANTAILS SAVANNAH X
 FULL CIRCLE SIDE BY SIDE
 GOTHIC TILES SMART SUEDE
 GREENBRIAR SPIRIT X
 HARLEQUIN SQUARE ROOT X
 HARMONY SWIZZLE
 HOLLYWOOD
 SQUARES SYMMETRY
 LEAFAGE SYNCOPATION X
 LUMINA VILLA
 LYRIC WASTE NOT
 METALLIC
 FUSION WILDWOOD

GROUP 6

ARTESIAN KILIM FR
 ASCENT MERGER FR
 CASA NEWPORT
 CHORUS STRIPE FR
 BRUSHED
 METALS OASIS FR
 BURNISHED
 METAL QUINTESSENCE
 DABBLE SERENADE
 DAZZLE SHIMMER
 DELIGHT SPA
 DETAIL VIRTUALLY
 DITTO VIRTUALLY
 ETCHED
 METALS SUEDE
 FACETS FR WALDORF
 GREENHOUSE
 FR WINDOWS FR
 GUMBALLS WOOL CREPE
 ZEUS/
 ZEUS STRIPE

TO VIEW THIS COLLECTION,
 CONTACT YOUR SALES REPRESENTATIVE.

NO STRINGS
ATTACHED
LEATHER
COLLECTION

PRICE UPGRADE
LEATHER

With the choice of 10 different colors, our leather comes in two grain textures: Volo has a slightly raised texture while the Verona grain is more pronounced.



BEIGE
7542



GRAY
7543



BURGUNDY
7541




TAN
7544



BLUE
7547



CLAY
7545



GREEN
7548



BROWN
7546



BLACK*
7540



HUNTER GREEN
7549

* FedFast colors

NO STRINGS ATTACHED
LEATHER COLLECTION

SPECIFICATIONS

PRICE UPGRADE
LEATHER

PATTERN	FIBER CONTENT	WEIGHT/LIN. YD.	PATTERN REPEAT	FINISH	SURFACE ABRASION WYZENBEEK	TENSILE STRENGTH	LIGHT-FASTNESS	FLAMMABILITY	CLEANING CODE
LEATHER	Aniline dyed leather	2.75 oz./sq. ft.	None	Breathable Protective Finish	Abrasion: 1,000+ cycles Flex: 60,000 cycles	150 Lbs.	Exceeds 72 Hrs.	Cal. 117-E	W

Spinneybeck

Phone (800) 482-7777
Fax (716) 446-2396

- **W: Water-Based Cleaner** - Spot clean, using the foam only from a water based cleaning agent such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest a small area before proceeding.
- All patterns should be upholstered as shown on the card.



- There may be variation between printed photographs and actual samples. Actual sample can be obtained from our leather contractor by faxing your request to (716) 446-2396. The sample will be mailed the next business day. If express service is required, please include your Federal Express account number.
- UNICOR's fabrics far exceed ACT (Association of Contract Textiles) commercial standards.



U.S. Department of Justice

UNICOR

Federal Prison Industries, Inc.

320 First Street, N.W.
Washington, DC 20534

