

A C O M P L E T E L I N E O F E Y E W E A R



U.S. Department of Justice

UNICOR

Federal Prison Industries, Inc.

502-98

eye WEAR


In today's economic environment, Federal eye care recipients need quality eyewear at an affordable price. **UNICOR's** exciting line of prescription and safety eyewear answers that need with an array of quality lenses and frames that combine the distinctive styling and innovative design features typically found only in exclusive boutiques.

C O N T E N T S

Womens Prescription Frames.....	4
Mens Prescription Frames	6
Unisex Prescription Frames	12

Frame styles featured on front cover are numbers **L8019**, **VIVA 683**, and **ANNABELLE** (from top down).

Frame style featured on the right is number **L8019**.





UNICOR offers a complete line of eyewear. Our prescription and safety-prescription lenses are offered in men's, women's and unisex styles, and are available in single-vision, bi-focal, tri-focal and oversized versions. Traditional glass lenses are offered, as are lighter plastics and polycarbonates which may be ordered with protective, scratch-resistant coatings. And, of course, you can personalize your eyewear with a variety of tints and frames.

UNICOR manufactures your order to the highest industry standards of quality. Only the finest quality materials are used. Using state-of-the-art manufacturing techniques, UNICOR carefully grinds all prescription lenses. Each pair of eyeglasses undergoes nine quality assurance inspections during the manufacturing process to assure conformation to:

- American National Standards Institute (ANSI) Standard Z80.1 & Z87.1
- Part 19101.33 of the Occupational Safety and Health Administration (OSHA) Regulations.

Computerized equipment is used to ensure each lens perfectly matches each prescription. Each is shipped with an automated lensometer printout of the prescription to assure you, the customer, your prescription has been accurately filled.

Complementing our prescription frames and lenses, UNICOR also offers a full line of safety, non-prescription eyewear, including industrial face shields, chipping and welding goggles, and safety glasses in both dress and industrial frames. At UNICOR we offer protective eyewear for virtually every eye-threatening situation in the workplace.

The new Federal Prison Industries "Escape Proof Guarantee" — We take great pride in teaching a good work ethic and marketable job skills in order to produce high quality goods and services for our customers. We are committed to your complete and continual satisfaction. If, at any time, an item we have provided does not entirely meet your expectations, we will cheerfully and promptly repair or replace it, entirely at our expense. Contact the Optics Laboratory Customer Service at (919) 575-4672.

W O M E N S

I 503

53-18/135, 56-18/140

Blue Marble.

Factory Assembled With Spring Hinge
Temples Indicated



Tiffany

53-16/135

Rose, Blue Brown

Factory Assembled With Spring Hinge
Temples Indicated



DRESS



6021

54-18/135, 56-18/140

Brown Marble, Burgundy Marble, Rose Marble

Factory Assembled With Spring Hinge Temples Indicated

DRESS



KIRSTEN

47-16/130, 49-16/130, 51-16/135, 53-16/140

Rose, Blue, Brown

Factory Assembled with Spring Hinge Temps

DRESS



1503

53-18/135, 56-18/140

Blue Marble, Gray Brown, Lt. Brown

Factory Assembled With Spring Hinge Temples Indicated

DRESS



ANNABELLE

50-18/135, 52-18/140, 54-18/140

Brown, Violet

Factory Assembled — No Temple Changes

SAFETY



EX153

53-16/135, 55-16/140

Tortoise, Red, Blue

Factory Assembled With Temples Indicated

CS91 Optional Side Shields

DRESS



FC 309

53-13/15, 56-13/15

135MM, 140MM

Blue, Brown

CS81 Optional Side Shields



83/84

50-18/20/22, 52-20/22/24, 54-22/24
Small-140MM, Medium-150MM, 145MM, Large-150MM
Cable Temples: 165MM
Smoke
8384 Side Shields

M


E

N

S

TM 6U

50-20/22, 52-20/22, 54-20/22
135MM, 140MM, 145MM, 150MM
Gold, Gunmetal, Silver
Cable Temples: 155-160-165MM (No Gunmetal)
SS74 Side Shields
Universal Bridge



SAFETY



DG-5

53-15/17, 56-15/17
140MM, 145MM, 150MM
Grey Fade, Pecan

SAFETY



DG-4 I

58-15/145, 58-17/145, 60-17/150
Bronze, Charcoal, Goldtone, Gunmetal
Factory Assembled — No Temple Changes

SAFETY



DG-19

55-14, 58-16
140MM, 145MM, 150MM
Spring Hinge Temples (Except With Perm SS)
Brown Fade, Grey Fade
SS73 Side Shields

SAFETY



DG-24

48-20/22, 50-20/22/24, 52-20/22/24
135MM, 140MM, 145MM, 150MM
Goldtone, Gunmetal
Cable Temples: 150-155-160-165MM
SS20 Side Shields

SAFETY



DG-40

58-13/145, 60-15/150
Bronze, Charcoal, Goldtone, Gunmetal
Factory Assembled — No Temple Changes
SS40 Side Shields

SAFETY



DG-23

48-22, 50-22, 52-22
135MM, 140MM, 145MM, 150MM
Goldtone, Gunmetal
Cable Temples: 150-155-160-165MM
SS20 Side Shields

SAFETY



WF 74 I

54-18/140, 56-18/145, 58-18/150
Sienna, Gold, Pewter,
Spring Hinge Temples

DRESS



806P

54-18/140, 57-18/145, 60-18 /150
Brown Demi, Grey Demi, Tortoise
Spring Hinge Temples

SAFETY



043

53-18/145, 55-18/145
Brown, Gray
Factory Assembled — No Temple Changes

DRESS



FRED

52-18/135, 54-18/140
Grey, Brown
Factory Assembled — No Temple Changes

SAFETY



PC-2

55-14/16, 58-14/16
140MM, 145MM, 150MM
Hightop Grey, Bostonian Brown, Sandalfoot
CS73 Side Shields

DRESS



SAVVY 66

55-17/135, 57-17/145
Black/Shiny Gold, Demi-Amber/Tortoise, Gunmetal
Factory Assembled with Spring Hinge Temps

SAFETY



FC-404

54-17/1, 57-17
Tortoise, Demi-Grey, Demi-Brown
Adjustable Nose Pads

SAFETY



SC-900


54-14, 56-15, 58-16
145MM with Permanent Molded Side Shields
Tan (Only Available Color)

DRESS



B3063

52-18/140, 54-18/140
Gold, Gunmetal
Factory Assembled with Spring Hinge Temps



DRESS



1026

54-18/140, 56-18/145
Brown Fade, Gray Fade
Factory Assembled with Spring Hinge Temps

SAFETY



EX-252

55-15/140, 58-15/145, 61-15/145
Goldtone, Tortoise, Grey, Black
Factory Assembled with Spring Hinge Temps
No Temple Changes
CS82 Side Shields Available

DRESS



L8005

54-16/140, 57-16/145
Gold, Gunmetal
Factory Assembled with Spring Hinge Temps

DRESS



RICARDO

54-18/140, 56-18/140, 58-18/145
Yellow-Gold, Light Gunmetal, Yellow Tortoise
Factory Assembled with Spring Hinge Temps

DRESS



L803 I

53-17/140, 56-17/145
Gold-Brown, Gunmetal
Factory Assembled with Spring Hinge Temps

DRESS



L8019

54-18/140, 56-18/145, 59-18/150, 62-18/150
Gold/Grey Marble, Demi-Amber Gold
Factory Assembled with Spring Hinge Temps

SAFETY



PCI

54-14/16, 56-14/16, 58-16
135MM, 140MM, 145MM, 150MM
Gold, Pewter, Silver
Cable Temples: 150-155-160-165MM
SS20 Side Shields (No Cables In Pewter)

SAFETY



PCI U

54-14/16, 56-14/16, 58-16
135MM, 140MM, 145MM, 150MM
Gold, Pewter, Silver
Cable Temples: 150-155-160-165MM
SS20 Side Shields (No Cables In Pewter)

SAFETY



73/74

46-18, 46-20/22, 48-20/22/24/26
Small-140MM, Medium-150MM, Large-155MM
Smoke (Only Available Color)
Cable Temples: 165MM
7374 Side Shields

SAFETY



TM-6

50-20/22, 52-20/22/24, 54-20/22/24
135MM, 140MM, 145MM, 150MM
Gold, Gunmetal, Silver
Cable Temples: 155MM, 160MM, 165MM (No Gunmetal)
SS74 Side Shields

SAFETY



83/84

50-18/20/22, 52-20/22/24, 54-22/24
Small-140MM, Medium-150MM, Large-155MM
Cable Temples: 165MM
Smoke (Only Available Color)
8384 Side Shields

SAFETY



TM-6U

50-20/22, 52-20/22/24, 54-20/22/24
135MM, 140MM, 145MM, 150MM
Gold, Gunmetal, Silver
Cable Temples: 155MM, 160MM, 165MM (No Gunmetal)
SS74 Side Shields, Universal Bridge

SAFETY



74/74-VF

48-23, 50-24, Veri-Fit (Saddle Bridge)
Small-140MM, Medium-150MM, Large-155MM
Cable Temples: 165MM
Smoke (Only Available Color)
7374 Side Shields

SAFETY



DG-60

57-15/145, 60-15/150
Demi-Amber, Brown, Gray
Factory Assembled with Spring Hinge Temps
SS41 Side Shields

SAFETY



WESTON

56-15/17, 58-15/17,
140MM, 145MM
Wine, French Sand, Slate

SAFETY



TM-10

50-20, 52-20/22, 54-20/22
135MM, 140MM, 145MM, 150MM
Gold, Gunmetal, Silver
Cable Temples: 155MM, 160MM, 165MM (No Gunmetal)
SS74 Side Shields

SAFETY



016

54-15/140, 56-15/140, 58-15/140
Gold, Demi-Amber-Gold, Gunmetal
Factory Assembled with Spring Hinge Temps

SAFETY



RX MOUNT

48-20 Gas Mask Insert
Silver

SAFETY



PC-8U

54-18/20, 56-18/20, 58-20
135MM, 140MM, 145MM, 150MM
Gold, Pewter, Silver
CS74 Side Shields



SAFETY



PC-205

53-16, 55-16/18, 57-18
135MM, 140MM, 145MM, 150MM
Tortoise, Demi-Blonde, Lavender

SOME THINGS TO REMEMBER WHEN ORDERING FROM THIS CATALOG.

Ordering UNICOR Eyewear products is easy. UNICOR offers competitive pricing and ships directly from its Butner, North Carolina factory. No competitive bids are necessary. You can purchase UNICOR eyewear with your I.M.P.A.C.® *Visa Card or a U.S. Government purchase order. See the inside back cover of this catalog for ordering instructions.

SAFETY



PC-250

54-16/140, 56-16, 18/145, 58-18/145
Gold, Pewter, Tortoise, Brown
Factory Assembled — No Temple Changes
CS74 Side Shields

Sizes: Lens sizes ("Eye") are listed opposite their corresponding bridge sizes ("Dbl"). Unless otherwise noted, "Temple" and "Cable Temple" lengths are independent listings and not tied to any specific lens or bridge size. All measurements are in millimeters.

*IMPAC ® is a registered servicemark owned by Rocky Mountain BankCard System and used by UNICOR under authorization of Rocky Mountain BankCard System.

U
N
I
S

BERKELEY

50-18/135, 52-18/140

Yellow Red Marble, Yellow Demi-Amber,
Yellow-Demi-Blonde

Factory Assembled with Spring Hinge Temps

DRESS




VIVA 683

48-19/135, 50-19/140

Antique Gold, Antique Pewter,
Demi-Amber-Gold, Mattie Black

Factory Assembled with Spring Hinge Temps

DRESS



S
E
X

DRESS



SABER

54-16/140, 56-16/145
Burgundy, Demi-Amber, Black
Factory Assembled — No Temple Changes

SAFETY



PC-25 I

50-19/135, 53-19/140, 56-19/145
Goldtone, Pewter, Tortoise, Rose
Factory Assembled with Temples Indicated
CS90 Optional Side Shields

DRESS



ZODIAC

46-24/140
Tortoise, Brown, Gray
Factory Assembled — No Temple Changes

SAFETY



FC-70 I

51-19/135, 53-19/140, 55-19/145
Gold, Tortoise, Black
Factory Assembled — No Temple Changes
CS90 Side Shields

SAFETY



PC-20 I

52-16, 55-16/18, 58-18
135MM, 140MM, 145MM, 150MM
Tortoise, Wine, Blue
Spring Hinge Temples, CS78 Side Shields

SAFETY



ZIMSPEC

Small and Large
Crystal
No Temples — Sports Frame
Includes Head Strap

DRESS



KELLY

52-19/140, 54-19/145
Brown, Wine, Tortoise, Crystal
Factory Assembled — No Temple Changes

SAFETY



RX3003

54-19/135 (Only Available Size)
Blue, Red, Mauve, White/Black, Patriot,
Neon/Black Purple/Green
Adjustable Temples with Perm Side Shields



Measure a bifocal segment to the edge of the lower eyelid, and a trifocal segment to a point one-half the distance between the top edge of the lower eyelid and the lower edge of the pupil.

Segment heights should be measured using the same frame style and eyesize that is being ordered. However, if the patient's chosen frame style is not available with the proper eyesize, the required segment height may be calculated using a sample frame of the same style being ordered. To do this, measure the segment height of the sample frame. If the sample frame is *smaller* than the frame being ordered, *add* one-half the difference between the eyesizes of the two frames. If the sample frame is *larger*, *subtract* this difference.

Example: Frame DG-24 frame is ordered in a 48mm eyesize, but the only Style 7 frame on hand has a 52mm eyesize. You can calculate the needed segment height by subtracting (because the sample frame is *larger* than the frame being ordered) one-half the *difference* between the two eyesizes, or 2mm, (52mm-48mm=4mm; 4mmx1/2=2mm).

Current Multifocal Wearers: If the patient is being refitted with multifocal lenses and is happy with the current segment height, note where the top edge of the segment is positioned relative to the lower edge of the eyelid. This must be done (A) with the glasses on; (B) the patient's head *level* and looking *straight ahead*; and (C) viewed from directly in front of, and on the same level as the patient. This same procedure can be used for trifocals (which are normally positioned higher than bifocals to allow for the intermediate segment).

Using a Segment Measurer: Secure the segment measuring device to the upper and lower eyewires of the new frames and read the measurement directly from the gradations (in millimeters) marked on the clear plastic strip, taking care that the patient is properly positioned as noted above.

SOME THINGS TO REMEMBER WHEN ORDERING FROM THIS CATALOG.

Ordering UNICOR Eyewear products is easy. UNICOR offers competitive pricing and ships directly from its Butner, North Carolina factory. No competitive bids are necessary. You can purchase UNICOR eyewear with your I.M.P.A.C.® *Visa Card or a U.S. Government purchase order. See the inside back cover of this catalog for ordering instructions.

Sizes: Lens sizes ("Eye") are listed opposite their corresponding bridge sizes ("Dbl"). Unless otherwise noted, "Temple" and "Cable Temple" lengths are independent listings and not tied to any specific lens or bridge size. All measurements are in millimeters.

*IMPAC® is a registered servicemark owned by Rocky Mountain BankCard System and used by UNICOR under authorization of Rocky Mountain BankCard System.

HOW TO FILL OUT YOUR ORDER FORM

A - LEAVE BLANK

This part will be filled in by the factory.

B - CUSTOMER (BILL TO)

Name and address of organization or customer whom UNICOR will invoice.

C - PATIENT INFORMATION

Name of patient including identification number, if available.

D - SHIP TO ADDRESS

Address to which eyewear will be sent.

E - DISTANCE PRESCRIPTION

For left and right eye (filled in by the examining physician). Enter all single and multifocal lens prescriptions here. Note: Decentration (in DEC out) is optional and can be calculated in our laboratory.

F - SEGMENT INSTRUCTIONS FOR MULTIFOCAL LENSES (VERY IMPORTANT)

Enter near add power for right and left eye (supplied by examining physician), segment height, (see measurement instructions below), and segment type (circle or write-in the type of bifocal you are ordering).

G - PUPILLARY WIDTH (MONOCULAR) MEASUREMENT

For all multifocal prescriptions, enter measurements for both distance and near pupillary widths; single vision prescriptions need enter only the distance or near pupillary width, whichever is appropriate.

H - LENS TINTS

Specify both color and density, (eg., Brown #3) and any desired special coatings (eg., scratch coat).

I - LENS MATERIAL

Specify if lenses are to be fabricated in glass or plastic. Special lens materials should be specified in "Special Instructions." (Section L).

J - LENS THICKNESS

Specify lens thickness desired.

K - FRAME INFORMATION

Enter Frame Style Number and other frame information from the UNICOR catalog.

L - SPECIAL INSTRUCTIONS

Check if ordering only lenses or frames; or if "Ship to" address is different from "Customer (bill to)" address.

M - Please sign and date your order and mail it to the address at the top of the form. Information about UNICOR's waiver policy is available upon request.

HOW TO ORDER

UNICOR is happy to take your phone, fax, mail, and Internet orders.

BY PHONE

Use your government credit card and call our Optics Laboratory at (919) 575-2050

BY FAX

Fax your purchase orders and credit card orders to: (919) 575-6280.

BY MAIL

Mail your purchase orders and credit card orders to: **OPTICS LAB**

FCI Butner

Old NC Highway 75

Butner, NC 27509

BY INTERNET

We're on the World Wide Web, ready to take your electronic order. See us at www.unicor.gov.

ESCAPE PROOF GUARANTEE

We take great pride in teaching inmates a good work ethic and marketable job skills in order to produce high quality goods and services for our customers. We are committed to your continual satisfaction. If, at any time, an item we have provided does not entirely meet your expectations, we will cheerfully and promptly repair or replace it, entirely at our expense.

		UNICOR, Federal Prison Industries, Inc. Federal Correctional Institution Box 767 Butner, NC 27509-0767 919-575-2050 (FTS 629-8508) FAX (919) 575-6280			JOB NUMBER		
CUSTOMER'S TRAY NO.		ARRIVAL DATE		TRAY NUMBER			
CUSTOMER (BILL TO):							
CITY			STATE		ZIP		
COST BREAKDOWN — LENSES			PATIENT INFORMATION				
FRAME							
EXTRA			SHIP TO ADDRESS				
EXTRA							
CASE							
TOTAL							
DISTANCE	R	SPHERE	CYLINDER	AXIS	PRISM	DIRECTION	IN DEC OUT
	L						
ADD	R	HEIGHT	SEGMENT INSTRUCTIONS	WIDTH	INSET	PUPILLARY WIDTH	
	L	R		R	R	DIST	NEAR
		L		L	L	R	L
		GLASS	STRAIGHT TOP	EXECUTIVE TYPE	ROUND	TRIFOCAL AND TYPE	STANDARD THICKNESS
		PLASTIC					<input type="checkbox"/>
			28		22		INDUSTRIAL THICKNESS 3.0 MM <input type="checkbox"/>
		FRAME OR SHAPE	COLOR	EYE SIZE	BRIDGE SIZE	TEMPLE LENGTH AND STYLE	
SPECIAL INSTRUCTIONS							
() LENS ONLY () FRAMES ONLY () MAILING INSTRUCTIONS							
TOP COPY: UNICOR FILE COPY SECOND COPY: PRODUCTION COPY THIRD COPY: QA COPY FOURTH COPY: CUSTOMER'S COPY							
SIGNATURE				DATE			

To better serve you, our Federal customers, UNICOR has a staff of sales representatives covering territories across the United States. Our representatives are in the field to help you with your purchasing needs and assist you with your UNICOR orders. They also conduct procurement seminars, and can arrange for expert assistance with technical products and services such as systems furniture, interior signage and metal shelving.

* Sales Representatives may be contacted through their pagers by dialing (800) 759-8888 and the PIN # beside their name.

WESTERN REGION CENTRAL REGION EASTERN REGION NATIONAL CAPITAL REGION

Alaska, California, Guam, Hawaii, Idaho, Montana, Nevada, Washington, Asia

Arizona, Arkansas, Colorado, Iowa, Kansas, Louisiana, Minnesota, Missouri, Nebraska, New Mexico, North Dakota, Oklahoma, South Dakota, Texas, Utah, Wyoming

Alabama, Connecticut, Florida, Georgia, Illinois, Indiana, Kentucky, Maine, Massachusetts, Michigan, Mississippi, New Hampshire, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Rhode Island, South Carolina, Tennessee, Vermont, Wisconsin, Europe

District of Columbia, Delaware, Maryland, Virginia, West Virginia, Puerto Rico,

SOUTHERN CALIFORNIA SALES OFFICE

ROD WATKINS
Regional Sales Manager
Tel: (562) 626-7891
Fax: (562) 626-7782
Pager: (888) 938-7221
rwatkins@central.unicor.gov
UNICOR, Code 05
800 Seal Beach Blvd. Bldg. 22
Naval Weapons Station
Seal Beach, CA 90740-5000

WESTERN SALES OFFICE

5701 8th Street
Camp Parks
Dublin, CA 94568
Tel (510) 676-9467
Fax (510) 676-9580
PAULA JONES * 249-7275
pjones@central.unicor.gov

NORTHWEST SALES OFFICE

1314 South Central Avenue
Suite 100
Kent, WA 98032
Tel (253) 931-7576/7585
Fax (253) 931-7610
PAULA THRUSH * 249-7280
pthrush@central.unicor.gov

SOUTHWEST SHOWROOM

UNICOR/ Suite 300
9191 Towne Centre Drive
San Diego, CA 92122
Tel (619) 535-8266
Fax (619) 535-9366
PAULA COLE * 824-9733
pcole@central.unicor.gov

For more information about UNICOR products or services contact Customer Service Center (800) 827-3168

CENTRAL REGION SALES OFFICE

RITA FOXFORD
Regional Sales Manager
Tel: (817) 782-4702
Fax: (817) 782-4701
Pager: * 249-7288
rfoxford@central.unicor.gov
FMC, Carswell
P.O. Box 27066
J Street, Bldg. 3000
Fort Worth, TX 76127
Tel (817) 782-4700
Fax (817) 782-4701
MARK ZSCHOCH * 249-7287
(817) 782-4704
mzschoch@central.unicor.gov

ROCKY MOUNTAIN SALES OFFICE

8110 Industrial Avenue
USAF Academy, CO 80840
Tel (719) 333-3623
Fax (719) 333-4404
ARLEEN KINDER * 249-7285
akinder@central.unicor.gov

SOUTH CENTRAL SALES OFFICE UNICOR/FTC

P.O. Box 898802
7410 South McArthur
Oklahoma City, OK 73189-8802
Tel (405) 680-4018
Fax (405) 680-4075
JIM EISENHOUR * 249-7279
jeisen@central.unicor.gov

SOUTH TEXAS SALES OFFICE

SA-ALC, Bldg. 171, Suite 051
485 Quentin Roosevelt Road
Kelly AFB, Texas 78241
Fax (210) 925-2397
JAMES LEONARD * 120-4714
Tel (210) 925-2394
jleonard@central.unicor.gov
JEANNIE TREVINO * 249-7284
Tel (210) 925-2396
jtrevino@central.unicor.gov

EASTERN REGION SALES OFFICE

JOE SCARANTINO
Regional Sales Manager
Tel: (919) 575-9240
Fax: (919) 575-6857
Pager: * 249-7276
jscaran@central.unicor.gov
P.O. Box 277, FPC
Old Highway 75
Butner, NC 27509-0277

SOUTHEAST SALES OFFICE

USP Atlanta
601 McDonough Boulevard, S.E.
Atlanta, GA 30315
Tel (404) 331-0825
Fax (404) 331-0826
FRED ROACH * 249-7278
fredr@central.unicor.gov

FLORIDA SALES OFFICE

FCC Coleman
P.O. Box 1109
Coleman, FL 33521-1109
Tel (352) 330-3244
Fax (352) 330-3249
SAM CROWELL * 249-7051
scrowell@central.unicor.gov

GULF COAST SALES OFFICE

P.O. Box 2985, Suite 200
201 St. Micheal Street
Mobile, AL 36652
Tel (334) 441-6775
Fax (334) 441-6776
TERRY HENDERSON * 249-7282
thenders@central.unicor.gov

NEW ENGLAND SALES OFFICE

11 Barksdale Street
Bldg. 1614 (Base Supply)
Hanscom AFB, MA 01731-1637
Tel (781) 377-4348
Fax (781) 377-4404
DAN HALL * 249-7054
dhall@central.unicor.gov

NORTHEAST SALES OFFICE

FCI Fort Dix
Box 38, Doughboy Loop
Fort Dix, NJ 08640
Tel (609) 723-1100 ext. 354
Fax (609) 723-6228
BOB DAVIE * 249-7281
rdavie@central.unicor.gov

GREAT LAKES SALES OFFICE

UNICOR/USP Terre Haute
4200 Bureau Rd. North
Terre Haute, IN 47802-8128
Tel (812) 234-0067
Fax (812) 234-0138
BOB KILLEBREW * 249-7283
bkillebr@central.unicor.gov

NATIONAL CAPITAL REGION SALES OFFICE & SHOWROOM

GRAYLYN ARNOLD
Regional Sales Manager
Tel: (202) 305-3958
Pager: * (888) 912-0657
garnold@central.unicor.gov
320 First Street, N.W.
Washington, DC 20534
Fax (202) 305-7350

MARGE BYRUM * 612-6596
(202) 305-3949
mbyrum@central.unicor.gov

RONN COHEN * 119-0471
(202) 305-3941
rcohen@central.unicor.gov

KEN GOULD * 119-0465
(202) 305-3951
kgould@central.unicor.gov

MARK MILLER * 119-0472
(202) 305-3939
mmiller@central.unicor.gov

ERNEST MOY * 119-0467
(202) 305-3947
emoy@central.unicor.gov

VANESSA MOY * 119-0468
(202) 305-3953
vmoy@central.unicor.gov

HOWARD SCHAEFER * 119-0469
(202) 305-3953
hschaeff@central.unicor.gov

RUDY SZOLLAR * 220-5054
(202) 305-3902
rszollar@central.unicor.gov

ALICE WARD * 119-0473
(202) 305-3943
award@central.unicor.gov

DIRECTOR OF SALES, MARKETING & CUSTOMER SERVICE
WENDELL CHANDLER
Tel: (202) 305-3931
Fax: (202) 305-7350
Pager: (888) 938-7224

DEPUTY DIRECTOR, SALES & MARKETING
SHEILA RICHARDSON
Tel: (202) 305-3956
Fax: (202) 305-3557
Pager: (888) 614-1299

DEPUTY DIRECTOR, CUSTOMER SERVICE
GINGER SMITH
Tel: (800) 827-3168, ext. 3001
Fax: (606) 254-9692
Pager: (800) 895-7686

