

Accessories Spec Sheet

Ergonomic Office Accessories


June 2025

Version 2.3




6G Keyboard Shelves


Keyboard Shelf w/ Mouse Platform
900 Standard



Keyboard Shelf w/ Mouse Platform
950 Standard Compact



Keyboard Shelf w/o Mouse Platform
(Available in Standard and Compact)



ACCESSORIES Features

- Intuitive height adjustment that requires no locks, levers or controls
- Dial-a-tilt positioning that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk

Notes:

- All keyboard mechanisms offer 0° - 15° tilt for low-risk typing postures
- 7" height adjustment, 1.75" above track to 5.25" below track

| Product Number | Price | Color | Keyboard Platform | Mouse Platform | Palm Support | Track Length |
|--|-------|-------|-------------------|----------------|------------------------------------|--------------|
| EK6G90090S18 | \$ | Black | 19"W x 10.63"D | 8.5" dia. Clip | 19" Gel w/ synthetic leather cover | 18" |
| EK6G90090S22 | | | | | | 22" |
| Keyboard Shelf w/ 6G Mechanism, 900 Standard Platform, Mouse Platform and Gel Palm Support | | | | | | |


| | | | | | | |
|--|----|-------|--------------|----------------|------------------------------------|-----|
| EK6G95090S22 | \$ | Black | 19"W x 8.4"D | 8.5" dia. Clip | 19" Gel w/ synthetic leather cover | 22" |
| Keyboard Shelf w/ 6G Mechanism, 950 Standard Compact Platform, Mouse Platform and Gel Palm Support | | | | | | |

| | | | | | | |
|---|----|-------|----------------|-----|------------------------------------|-----|
| EK6G550SMP2522 | \$ | Black | 25"W x 10.63"D | N/A | 25" Gel w/ synthetic leather cover | 22" |
| EK6GW550SMP2522 | | White | | | | |
| Keyboard Shelf w/ 6G Mechanism, 550 Big Compact Platform and Gel Palm Support | | | | | | |

| | | | | | | |
|---|----|-------|----------------|-----|------------------------------------|-----|
| EK6G500SMP2722 | \$ | Black | 27"W x 10.63"D | N/A | 27" Gel w/ synthetic leather cover | 22" |
| EK6GW500SMP2722 | | White | | | | |
| Keyboard Shelf w/ 6G Mechanism, 500 Big Platform and Gel Palm Support | | | | | | |

6G Float Table Keyboard Shelves

Keyboard Shelf



ONLY FOR FLOAT TABLES

| Product Number | Price | Keyboard Platform | Palm Support | Track Length | Weight | Color |
|-----------------|-------|-------------------|-----------------|--------------|--------|-------|
| EK6FB259F125 | \$ | 25"W x 9"D | 19" Foam | 12.5" | 15" | Black |
| EK6FW259F125 | \$ | 25"W x 9"D | 19" Foam | 12.5" | 15" | White |
| EK6FB550F2514 | \$ | 25"W x 14"D | 25" Foam | 14" | 15" | Black |
| EK6FB500F2714 | \$ | 27"W x 14"D | 27" Foam | 14" | 15" | Black |
| EK6FB259G125 | \$ | 25"W x 9"D | 19" Gel | 12.5" | 15" | Black |
| EK6FW259G125 | \$ | 25"W x 9"D | 19" Gel | 12.5" | 15" | White |
| EK6FB550G2514 | \$ | 25"W x 14"D | 25" Gel | 14" | 15" | Black |
| EK6FB500G2714 | \$ | 27"W x 14"D | 27" Gel | 14" | 15" | Black |
| EK6FB259S125 | \$ | 25"W x 9"D | 19" Slim | 12.5" | 15" | Black |
| EK6FW259S125 | \$ | 25"W x 9"D | 19" Slim | 12.5" | 15" | White |
| EK6FB550SMP2514 | \$ | 25"W x 14"D | 19" and 5" Slim | 14" | 15" | Black |
| EK6FW550SMP2514 | \$ | 25"W x 14"D | 19" and 5" Slim | 14" | 15" | White |
| EK6FB500SMP2714 | \$ | 27"W x 14"D | 19" and 7" Slim | 14" | 15" | Black |
| EK6FW500SMP2714 | \$ | 27"W x 14"D | 19" and 7" Slim | 14" | 15" | White |

ACCESSORIES Features


- Intuitive height adjustment that requires no locks, levers or controls
- Dial-a-tilt positioning that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk

Notes:


- All keyboard mechanisms offer 0° - 15° tilt for low-risk typing postures
- 7" height adjustment, 1.75" above track to 5.25" below track

Element Disc LED Light w/ Dimmer


w/ Universal Slatwall Mount




w/ 2-Piece Clamp On Mount



w/ Desktop Base



w/ Tech Base



| Product Number | Price | Mount / Base | Color |
|----------------|-------|-----------------------------|--------|
| ELEECTSB | \$ | w/ Universal Slatwall Mount | Black |
| ELEECTSS | \$ | | Silver |
| ELEECTSW | \$ | | White |

| | | | |
|----------|----|---------------------------|--------|
| ELEECTKB | \$ | w/ 2-Piece Clamp On Mount | Black |
| ELEECTKS | \$ | | Silver |
| ELEECTKW | \$ | | White |

| | | | |
|----------|----|----------------------------|--------|
| ELEECTBB | \$ | w/ Desktop Base (Standard) | Black |
| ELEECTBS | \$ | | Silver |
| ELEECTBW | \$ | | White |

| | | | |
|----------|----|---|--------|
| ELEECTXB | \$ | w/ Tech Base (1 USB + 1 AC Power ports) | Black |
| ELEECTXS | \$ | | Silver |
| ELEECTXW | \$ | | White |

ACCESSORIES Features


- 5 watt Hi-Output MCX LED with dimmer control for seven levels of adjustable light output
- Perfect internal counterbalance provides fingertip adjustability
- Made of up to 81% recycled and 99% recyclable content
- Heat-dispersing design provides unique, modern aesthetic
- Designed to easily fit under overhead bins and on virtually any desktop work space
- Tech Base has 1 USB outlet and 1 three-pronged power outlet
- Energy Star Rated

Notes:

- Two-piece clamp requires minimum .25" clearance between desk and wall or panel
- Universal slatwall mount adjusts to fit most standard slatwalls
- Desktop base is 8" in diameter

Horizon Lights

Horizon LED Light w/ Dimmer



| Product Number | Price | Mount / Base | Color |
|----------------|-------|--------------|--------|
| H2BEB | \$ | Desktop Base | Black |
| H2BES | \$ | | Silver |
| H2BEW | \$ | | White |

ACCESSORIES Features

- 7.5 watt Thin-Film LED with touch dimmer control for complete control of light output
- Internal counterbalance provides effortless positioning
- Even plane of illumination casts just one shadow, removing visual clutter
- No button interface prevents dirt and liquid from entering the fixture
- 8" diameter base
- Energy Star 2.0 Rated

Nova Disc LED Lights w/ Dimmer

ACCESSORIES Features

w/ Clamp Mount



w/ Desktop Base




- Made of up to 50% recycled and 70% recyclable content
- “Forever Hinges” allow effortless movement while ensuring stability and product longevity
- Occupancy sensor automatically turns off light when no movement is detected, conserving energy
- 7W LED with touch dimming to easily adjust brightness from 14% to 100%
- Energy Star Rated

| Product Number | Price | Mount / Base | Color |
|----------------|-------|----------------|-------|
| NV3ECG | \$ | w/ Clamp Mount | Gray |
| NV3ECB | \$ | | Black |
| NV3ECW | \$ | | White |

| | | | |
|--------|----|-----------------|-------|
| NV3EBG | \$ | w/ Desktop Base | Gray |
| NV3EBB | \$ | | Black |
| NV3EBW | \$ | | White |


CPU Holders

CPU Bracket




1

CPU Holder



2

CPU Holder



ONLY FOR FLOAT TABLES


| Product Number | Price | Description | Color | Ship Weight |
|----------------|-------|-------------|--------|-------------|
| FCBB | \$ | CPU Bracket | Black | 1 lb. |
| FCBS | \$ | | Silver | 1 lb. |
| FCBW | \$ | | White | 1 lb. |

| # | Product Number | Price | CPU Size | Color | Max Weight | Ship Weight |
|---|----------------|-------|-----------------------|-------|------------|-------------|
| 1 | ECPU200 | \$ | 1 - 5"W x 12"H | Black | 15 lb. | 10 lb. |
| 2 | CPU600 | \$ | 3.5 - 9"W x 12 - 20"H | Black | 50 lb. | 12 lb. |

ACCESSORIES Features

- Under-the-desk track provides easy access or convenient stowing
- One-touch 360° swivel motion provides effortless access to cables, ports and drives
- Helps prevent awkward postures that could lead to injury
- Promotes longer CPU life by allowing CPUs to stay cool and vent freely
- Elevates CPUs off the floor where dust build-up and other hazards can damage valuable computer equipment
- CPU Holders ship with mounting bracket for Casegood products. If ordering for a Float Table, CPU Bracket (FCBB, FCBS, FCBW) must be ordered as well


Lock: Core



| Product Number | Price | Description | Ship Weight |
|---------------------|-------|-----------------------|-------------|
| LCN100TA - LCN449TA | \$ | Locks Core Nickel | 1 lb. |
| LOX101-323 | \$ | Locks Core | 1 lb. |
| LOX0236-LOX0270 | \$ | Locks Core Timberline | 1 lb. |

w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|----------------|-------|---|------------------------------|---------------------------------|
| X8ABTSETB12 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Bracket (1 Monitor) & Straight Link / Dynamic Link Arm | Bolt Thru | Silver w/ Gray Trim |
| X8ABTBETB12 | \$ | | | Black w/ Black Trim |
| X8ABTWETB12 | \$ | | | Polished Aluminum w/ White Trim |
| X8ACMSETB12 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X8ACMBETB12 | \$ | | | Black w/ Black Trim |
| X8ACMWETB12 | \$ | | | Polished Aluminum w/ White Trim |

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360° Portrait/Landscape Rotation





+30° / -15° Tilt



180° Left/Right Pan





90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|----------------|-------|--|------------------------------|---------------------------------|
| X8BBTSETBETB12 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) & 2 Straight Link / Dynamic Link Arms | Bolt Thru | Silver w/ Gray Trim |
| X8BBTBETBETB12 | \$ | | | Black w/ Black Trim |
| X8BBTWETBETB12 | \$ | | | Polished Aluminum w/ White Trim |
| X8BCMSETBETB12 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X8BCMBETBETB12 | \$ | | | Black w/ Black Trim |
| X8BCMWETBETB12 | \$ | | | Polished Aluminum w/ White Trim |

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360° Portrait/Landscape Rotation





+30° / -15° Tilt




180° Left/Right Pan




90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount



w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|-------------------|-------|---|------------------------------|---------------------------------|
| X8CBTSNTBETBETB12 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors) 2 Straight Link / Dynamic Link Arms & 1 No Link (Tilt Mount Only) | Bolt Thru | Silver w/ Gray Trim |
| X8CBTBNTBETBETB12 | \$ | | | Black w/ Black Trim |
| X8CBTWNTBETBETB12 | \$ | | | Polished Aluminum w/ White Trim |
| X8CCMSNTBETBETB12 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X8CCMBNTBETBETB12 | \$ | | | Black w/ Black Trim |
| X8CCMWNTBETBETB12 | \$ | | | Polished Aluminum w/ White Trim |


ACCESSORIES Features

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360° Portrait/Landscape Rotation




+30° / -15° Tilt



180° Left/Right Pan





90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|-------------------|-------|--|------------------------------|---------------------|
| X8CBTSNTBJTBJTB12 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors), 2 Straight Link / Straight Link Arms & 1 No Link (Tilt Mount Only) | Bolt Thru | Silver w/ Gray Trim |
| X8CBTBNTBJTBJTB12 | \$ | | | Black w/ Black Trim |
| X8CCMSNTBJTBJTB12 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X8CCMBNTBJTBJTB12 | \$ | | | Black w/ Black Trim |

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360° Portrait/Landscape Rotation




+30° / -15° Tilt




180° Left/Right Pan




90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount



w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|----------------|-------|--|---------------------------------|------------------------------------|
| X8BBSJTBJTB24 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (4 Monitors) 2 Straight Link / Straight Link Arms over 2 Straight Link / Straight Link Arms | Bolt Thru | Silver w/ Gray Trim |
| X8BBTBJTBJTB24 | \$ | | | Black w/ Black Trim |
| X8BBTWJTBJTB24 | \$ | | | Polished Aluminum w/ White Trim |
| X8BCMSJTBJTB24 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X8BCMBJTBJTB24 | \$ | | | Black w/ Black Trim |
| X8BCMWTBJTB24 | \$ | | | Polished Aluminum w/ White Trim |


ACCESSORIES Features

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lb.


360°
Portrait/Landscape
Rotation





+30° / -15°
Tilt




180°
Left/Right Pan




90°, 180° Stop
or 360° Rotation



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|----------------|-------|--|---------------------------------|------------------------------------|
| X1ABTSETB12 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) 2 Straight Link / Dynamic Link Arms | Bolt Thru | Silver w/ Gray Trim |
| X1ABTBETB12 | \$ | | | Black w/ Black Trim |
| X1ABTWETB12 | \$ | | | Polished Aluminum w/ White Trim |
| X1ACMSETB12 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X1ACMBETB12 | \$ | | | Black w/ Black Trim |
| X1ACMWETB12 | \$ | | | Polished Aluminum w/ White Trim |

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one 20-48 lb. monitor


360°
Portrait/Landscape
Rotation





+30° / -15°
Tilt




180°
Left/Right Pan




90°, 180° Stop
or 360° Rotation



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|----------------|-------|---|------------------------------|---------------------------------|
| X1BBTSETBETB12 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) 2 Straight Link / Dynamic Link Arms | Bolt Thru | Silver w/ Gray Trim |
| X1BBTBETBETB12 | \$ | | | Black w/ Black Trim |
| X1BBTWETBETB12 | \$ | | | Polished Aluminum w/ White Trim |
| X1BCMSETBETB12 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X1BCMBETBETB12 | \$ | | | Black w/ Black Trim |
| X1BCMWETBETB12 | \$ | | | Polished Aluminum w/ White Trim |

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one 20-48 lb. monitor


360° Portrait/Landscape Rotation




+30° / -15° Tilt




180° Left/Right Pan




90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount



w/ Two-Piece, Low-Profile Clamp




| Product Number | Price | Description | Mount | Color |
|-------------------|-------|--|------------------------------|---------------------------------|
| X1CBTSNTBETBETB12 | \$ | M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors) 2 Straight Link/ Dynamic Link Arms & 1 No Link (Tilt Mount Only) | Bolt Thru | Silver w/ Gray Trim |
| X1CBTBNTBETBETB12 | \$ | | | Black w/ Black Trim |
| X1CBTWNTBETBETB12 | \$ | | | Polished Aluminum w/ White Trim |
| X1CCMSNTBETBETB12 | \$ | | Two-Piece, Low-Profile Clamp | Silver w/ Gray Trim |
| X1CCMBNTBETBETB12 | \$ | | | Black w/ Black Trim |
| X1CCMWNTBETBETB12 | \$ | | | Polished Aluminum w/ White Trim |


ACCESSORIES Features

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one 20-48 lb. monitor


360° Portrait/Landscape Rotation




+30° / -15° Tilt




180° Left/Right Pan




90°, 180° Stop or 360° Rotation




Cable Management - Small



Cable Management - Large



Cable Management - Slim



- NeatLinks channels can be installed in countless configurations to accommodate each user and unique work environment
- Install using just two screws or mounting tape – countless configurations to accommodate each user and unique work environment
- The textured surface hides fingerprints, while curved, finger-friendly angles at the ends of each channel eases routing and allows visual access


Notes:

- Mounting tape attachment can support up to 8 lb. of equipment
- For optimal use, power strips and ballasts should be stored in large diameter (3.6") channels and cables routed through small-diameter (2.6") channels

| Product Number | Price | Description | Diameter | Length | Color | Shipping Weight |
|----------------|-------|--|----------|--------|-------|-----------------|
| NL17SB | \$ | NeatLinks Cable Management - Small 17" | 2.6" | 17" | Black | 1 lb. |
| NL17SG | \$ | | | | Gray | |
| NL17LB | \$ | NeatLinks Cable Management - Large 17" | 3.6" | 17" | Black | |
| NL17LG | \$ | | | | Gray | |
| NL24SB | \$ | NeatLinks Cable Management - Small 24" | 2.6" | 24" | Black | |
| NL24SG | \$ | | | | Gray | |
| NL24LB | \$ | NeatLinks Cable Management - Large 24" | 3.6" | 24" | Black | |
| NL24LG | \$ | | | | Gray | |

| Product Number | Price | Description | Width | Depth | Length | Color | Shipping Weight |
|----------------|-------|-----------------------------------|-------|-------|--------|-------|-----------------|
| NLSSW | \$ | NeatLinks Cable Management - Slim | 2.75" | 0.5" | 20.5" | White | 1 lb. |
| NLSSB | \$ | | | | | Black | |
| NLSSG | \$ | | | | | Gray | |


NeatTech Cable Management



- Provides simple and easy access to cables
- Hangs conveniently on the back of Tables and Desks to protect cables and prevent tripping hazard

| Product Number | Price | Description | Width | Depth | Length | Color | Shipping Weight |
|----------------|-------|--------------------------------|-------|-------|--------|------------------|-----------------|
| NT1SBB | \$ | NeatTech Cable Management | 4" | 4.5" | 38" | Black / Black | 9 lb. |
| NT1SGG | \$ | | | | | Grey / Grey | |
| NT1SPG | \$ | | | | | Poppyseed / Grey | |
| NT1SWG | \$ | | | | | White / Grey | |
| NT1LBB | \$ | | | | 48" | Black / Black | |
| NT1LGG | \$ | | | | | Grey / Grey | |
| NT1LPG | \$ | | | | | Poppyseed / Grey | |
| NT1LWG | \$ | | | | | White / Grey | |
| NT1MBB | \$ | NeatTech Mini Cable Management | 4" | 4.5" | 23" | Black / Black | 9 lb. |
| NT1MGG | \$ | | | | | Grey / Grey | |
| NT1MPG | \$ | | | | | Poppyseed / Grey | |
| NT1MWG | \$ | | | | | White / Grey | |


w/ Power Strip and Bracket




ONLY FOR FLOAT TABLES

| Product Number | Price | Description | Color | Ship Weight |
|----------------|-------|-------------|--------|-------------|
| NU2NAPWB | \$ | CPU Bracket | Black | 19 lb. |
| NU2NAPWG | \$ | | Silver | |
| NU2NAPWW | \$ | | White | |


NeatHub



NeatCharge



Acrylic Modesty Panel




ONLY FOR FLOAT TABLES

| Product Number | Price | Description | Color |
|----------------|-------|--------------------------------------|-------|
| NEATHUBB | \$ | NeatHub Desktop Power | Black |
| NEATHUBW | \$ | | White |
| NEATCHARGENA | \$ | NeatCharge Desktop Wireless Charging | Black |


| Product Number | Price | Description | Color | Panel Size | Ship Weight |
|----------------|-------|--|--------|-------------|-------------|
| SOR7396TA | \$ | Acrylic Modesty Panel (with 2 Mounting Brackets) | Silver | 40"W X 15"H | 19 lb. |
| SOR7395TA | \$ | | | 50"W X 15"H | |

QuickStand Eco Workstation

w/ 1 Monitor Mount



w/ 2 Monitor Mounts



| Product Number | Price | Description | Color | Mount |
|----------------|-------|--|-------|--------------|
| QSE2SMB | \$ | QuickStand Eco Height-Adjustable Workstation w/ Freestanding Base & 1 Monitor Mount | Black | Freestanding |
| QSE2SMW | \$ | | White | |
| QSE2DMB | \$ | QuickStand Eco Height-Adjustable Workstation w/ Freestanding Base & 2 Monitor Mounts | Black | Freestanding |
| QSE2DMW | \$ | | White | |

Note: For two monitor configuration, the width of each monitor **CANNOT** exceed 27"

ACCESSORIES Features


- Effortless functionality allows user to instantly move from sitting to standing workstation
- Designed to accommodate users of varying heights with 18.6" of work surface adjustment
- Dual or single monitor configurations
- Integrated cable management
- Freestanding base
- Minimal footprint, compact and portable design allows for more use of desktop area
- Self-locking mechanism provides ultimate stability and functionality
- Manufactured with sustainable, non-toxic materials

Notes:

- Work Surface:28"W x 19"D
- Total work surface adjustment: 18.6"
- Vertical monitor adjustment: 5.5"
- Total monitor weight capacity: 30 lb.
- Main assembly supports up to 35 lb.
- Monitor Mounts without base or stand
- Minor assembly required

Universal Height Adjustable Screen

Felt Panel Screen



| Product Number | Price | Felt Panel Screen Description |
|----------------|-------|---|
| USPF2324 | \$ | 24"H x 23"W (use on 24"W Table) |
| USPF2924 | \$ | 24"H x 29"W (use on 30"W Table) |
| USPF3524 | \$ | 24"H x 35"W (use on 36"W Table) |
| USPF4624 | \$ | 24"H x 46"W (use on 48"W & 54"W Long Top Table) |
| USPF5824 | \$ | 24"H x 58"W (use on 60"W & 66"W Long Top Table) |
| USPF7024 | \$ | 24"H x 70"W (use on 72"W Long Top Table) |

ONLY FOR FLOAT TABLES

Metal Base Powder Coat

| | | | | | | |
|-------------|------------|------------|------------------|-----------------|------------------------|------------------|
| | | | | | | |
| Black 27 | Sand 28 | Gray 29 | Light Tone 32 | Warm Gray 33 | Starlight Silver 34 | Cottonwood 35 |

Felt Color

| | | | | | | |
|-------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------------|
| | | | | | | |
| Dandelion FTDD | Fawn FTFW | Flannel FTFN | Heather FTHR | Lava FTLV | Mallard FTMB | Midnight Blue FTMB |

| | | |
|----------------|--------------------|----------------|
| | | |
| Pepper FTPR | Tidal Wave FTTW | Spring FTSG |


ACCESSORIES Features

- Works with all models of Float Tables
- Height adjustable by user
- Screen is flush with table top when at its lowest position
- Maximum height above worksurface 17.25"
- Screens attach to either the back length or side depth of tabletop based on closest nominal size
- Accessories, monitor arms, modesty panels and wire troughs may prohibit installation of screens. Example: Neat Tech - use Neatlinks Baritone/Integrate 36" wide top
- Screens are constructed from a sound absorbing, 100% polyester felt
- Screen is 1/2" thick with a density of .05 lb/ft and is 100% tackable
- Mounting brackets and rack are powder coated for durability
- Screen sizes 23"- 46" wide are assembled with 2 adjustable brackets while screens 58" and 70" have three adjustable brackets

How to Order

| | |
|--|----------|
| Select the product number and then add the codes for the desired configuration. For Example: | |
| Product | USPF2324 |
| Metal Base Powder Coat | 34 |
| Felt Color | FTMB |
| Product Order Code | |
| USPF2324 34 FTMB | |

Polyester Felt Modesty Panel










ONLY FOR FLOAT TABLES



| Product Number | Price | Description |
|----------------|-------|----------------------------------|
| PMP30FT | \$ | 30" Polyester Felt Modesty Panel |
| PMP36FT | \$ | 36" Polyester Felt Modesty Panel |
| PMP42FT | \$ | 42" Polyester Felt Modesty Panel |
| PMP48FT | \$ | 48" Polyester Felt Modesty Panel |
| PMP54FT | \$ | 54" Polyester Felt Modesty Panel |
| PMP60FT | \$ | 60" Polyester Felt Modesty Panel |
| PMP66FT | \$ | 66" Polyester Felt Modesty Panel |
| PMP72FT | \$ | 72" Polyester Felt Modesty Panel |
| PMP84FT | \$ | 84" Polyester Felt Modesty Panel |

ACCESSORIES Features

- Modesty Panels are constructed from sound absorbing, 100% felt
- Panel is 9.25" tall and 1/2" thick
- Panels 30"- 48" wide use 2 brackets per 48" panel
- Panels 54"- 84" wide use 3 brackets per panel
- 18-gauge steel mounting brackets
- Attachment bracket provides clearance 72" for cable routing 84"
- Panel folds out of way on nesting tables
- Modesty panel kit includes attachment brackets and hardware

Felt Color

| | | | | | | |
|---|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
| Dandelion FTDD | Fawn FTFW | Flannel FTFN | Heather FTHR | Lava FTLV | Mallard FTMB | Midnight Blue FTMB |


| | | |
|--|---|---|
|  |  |  |
| Pepper FTPR | Tidal Wave FTTW | Spring FTSG |

How to Order

Select the product number and then add the codes for the desired configuration. For Example:

| | |
|--------------------|---------|
| Product | PMP30FT |
| Felt Color | FTMB |
| Product Order Code | |
| PMP30FT FTMB | |

Steel Modesty Panel



ONLY FOR FLOAT TABLES

| Product Number | Price | Description | Dimensions | |
|----------------|-------|-------------------------|------------|--------|
| | | | Width | Height |
| KD1CZBMP24 | \$ | 24" Steel Modesty Panel | 18.5" | 10" |
| KD1CZBMP30 | \$ | 30" Steel Modesty Panel | 24.5" | 10" |
| KD1CZBMP36 | \$ | 36" Steel Modesty Panel | 30.5" | 10" |
| KD1CZBMP42 | \$ | 42" Steel Modesty Panel | 36.5" | 10" |
| KD1CZBMP48 | \$ | 48" Steel Modesty Panel | 42.5" | 10" |
| KD1CZBMP54 | \$ | 54" Steel Modesty Panel | 48.5" | 10" |
| KD1CZBMP60 | \$ | 60" Steel Modesty Panel | 54.5" | 10" |
| KD1CZBMP64 | \$ | 64" Steel Modesty Panel | 58.5" | 10" |
| KD1CZBMP66 | \$ | 66" Steel Modesty Panel | 60.5" | 10" |
| KD1CZBMP72 | \$ | 72" Steel Modesty Panel | 66.5" | 10" |
| KD1CZBMP78 | \$ | 78" Steel Modesty Panel | 72.5" | 10" |
| KD1CZBMP84 | \$ | 84" Steel Modesty Panel | 78.5" | 10" |
| KD1CZBMP90 | \$ | 90" Steel Modesty Panel | 84.5" | 10" |
| KD1CZBMP96 | \$ | 96" Steel Modesty Panel | 90.5" | 10" |

ACCESSORIES Features

- Steel modesty panel features perforated pattern of 1/4" diameter holes at 3/4" center-to-center spacing
- 14 gauge powdercoated steel
- Reveal of approximately 1" is present between panel and leg
- Assembly includes panel, brackets and mounting screws
- For use on 29" assemblies

Metal Base Powder Coat

| | | | | | | |
|---|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
| Black 27 | Sand 28 | Gray 29 | Light Tone 32 | Warm Gray 33 | Starlight Silver 34 | Cottonwood 35 |

How to Order

| | |
|--|------------|
| Select the product number and then add the codes for the desired configuration. For Example: | |
| Product | KD1CZBMP60 |
| Metal Base Powder Coat | 34 |
| Product Order Code | |
| KD1CZBMP60 34 | |