

Accessories Spec Sheet

Ergonomic Office Accessories


October 2025

Version 3.0




6G Keyboard Shelves


Keyboard Shelf w/ Mouse Platform
900 Standard



Keyboard Shelf w/ Mouse Platform
950 Standard Compact



Keyboard Shelf w/o Mouse Platform
(Available in Standard and Compact)



ACCESSORIES Features

- Intuitive height adjustment that requires no locks, levers, or controls
- Dial-a-tilt positioning that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk

Notes:

- All keyboard mechanisms offer 0° - 15° tilt for low-risk typing postures
- 7" height adjustment, 1.75" above track to 5.25" below track

Product Number	Price	Color	Keyboard Platform	Mouse Platform	Palm Support	Track Length
EK6G90090S18	\$	Black	19"W x 10.63"D	8.5" dia. Clip	19" Gel w/ synthetic leather cover	18"
EK6G90090S22	\$					22"

Keyboard Shelf w/ 6G Mechanism, 900 Standard Platform, Mouse Platform and Gel Palm Support

EK6G95090S22	\$	Black	19"W x 8.4"D	8.5" dia. Clip	19" Gel w/ synthetic leather cover	22"
--------------	----	-------	--------------	----------------	------------------------------------	-----

Keyboard Shelf w/ 6G Mechanism, 950 Standard Compact Platform, Mouse Platform and Gel Palm Support

EK6G550SMP2522	\$	Black	25"W x 10.63"D	N/A	25" Gel w/ synthetic leather cover	22"
EK6GW550SMP2522		White				


Keyboard Shelf w/ 6G Mechanism, 550 Big Compact Platform and Gel Palm Support

EK6G500SMP2722	\$	Black	27"W x 10.63"D	N/A	27" Gel w/ synthetic leather cover	22"
EK6GW500SMP2722		White				

Keyboard Shelf w/ 6G Mechanism, 500 Big Platform and Gel Palm Support

6G Float Table Keyboard Shelves

Keyboard Shelf



ONLY FOR FLOAT TABLES

Product Number	Price	Keyboard Platform	Palm Support	Track Length	Weight	Color
EK6FB259F125	\$	25"W x 9"D	19" Foam	12.5"	15"	Black
EK6FW259F125	\$	25"W x 9"D	19" Foam	12.5"	15"	White
EK6FB550F2514	\$	25"W x 14"D	25" Foam	14"	15"	Black
EK6FB500F2714	\$	27"W x 14"D	27" Foam	14"	15"	Black
EK6FB259G125	\$	25"W x 9"D	19" Gel	12.5"	15"	Black
EK6FW259G125	\$	25"W x 9"D	19" Gel	12.5"	15"	White
EK6FB550G2514	\$	25"W x 14"D	25" Gel	14"	15"	Black
EK6FB500G2714	\$	27"W x 14"D	27" Gel	14"	15"	Black
EK6FB259S125	\$	25"W x 9"D	19" Slim	12.5"	15"	Black
EK6FW259S125	\$	25"W x 9"D	19" Slim	12.5"	15"	White
EK6FB550SMP2514	\$	25"W x 14"D	19" and 5" Slim	14"	15"	Black
EK6FW550SMP2514	\$	25"W x 14"D	19" and 5" Slim	14"	15"	White
EK6FB500SMP2714	\$	27"W x 14"D	19" and 7" Slim	14"	15"	Black
EK6FW500SMP2714	\$	27"W x 14"D	19" and 7" Slim	14"	15"	White

ACCESSORIES Features


- Intuitive height adjustment that requires no locks, levers, or controls
- Dial-a-tilt positioning that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk

Notes:


- All keyboard mechanisms offer 0° - 15° tilt for low-risk typing postures
- 7" height adjustment, 1.75" above track to 5.25" below track

Element Disc LED Light w/ Dimmer


w/ Universal Slatwall Mount




w/ 2-Piece Clamp On Mount



w/ Desktop Base



w/ Tech Base



Product Number	Price	Mount / Base	Color
ELEECTSB	\$	w/ Universal Slatwall Mount	Black
ELEECTSS	\$		Silver
ELEECTSW	\$		White

ELEECTKB	\$	w/ 2-Piece Clamp On Mount	Black
ELEECTKS	\$		Silver
ELEECTKW	\$		White

ELEECTBB	\$	w/ Desktop Base (Standard)	Black
ELEECTBS	\$		Silver
ELEECTBW	\$		White

ELEECTXB	\$	w/ Tech Base (1 USB + 1 AC Power ports)	Black
ELEECTXS	\$		Silver
ELEECTXW	\$		White

ACCESSORIES Features


- 5 watt Hi-Output MCX LED with dimmer control for seven levels of adjustable light output
- Perfect internal counterbalance provides fingertip adjustability
- Made of up to 81% recycled and 99% recyclable content
- Heat-dispersing design provides unique, modern aesthetic
- Designed to easily fit under overhead bins and on virtually any desktop work space
- Tech Base has 1 USB outlet and 1 three-pronged power outlet
- Energy Star Rated

Notes:

- Two-piece clamp requires minimum .25" clearance between desk and wall or panel
- Universal slatwall mount adjusts to fit most standard slatwalls
- Desktop base is 8" in diameter

Horizon Lights

Horizon LED Light w/ Dimmer



Product Number	Price	Mount / Base	Color
H2BEB	\$	Desktop Base	Black
H2BES	\$		Silver
H2BEW	\$		White

ACCESSORIES Features

- 7.5 watt Thin-Film LED with touch dimmer control for complete control of light output
- Internal counterbalance provides effortless positioning
- Even plane of illumination casts just one shadow, removing visual clutter
- No button interface prevents dirt and liquid from entering the fixture
- 8" diameter base
- Energy Star 2.0 Rated

Nova Disc LED Lights w/ Dimmer

ACCESSORIES Features

w/ Clamp Mount



w/ Desktop Base





- Made of up to 50% recycled and 70% recyclable content
- "Forever Hinges" allow effortless movement while ensuring stability and product longevity
- Occupancy sensor automatically turns off light when no movement is detected, conserving energy
- 7W LED with touch dimming to easily adjust brightness from 14% to 100%
- Energy Star Rated

Product Number	Price	Mount / Base	Color
NV3ECG	\$	w/ Clamp Mount	Gray
NV3ECB	\$		Black
NV3ECW	\$		White

NV3EBG	\$	w/ Desktop Base	Gray
NV3EBB	\$		Black
NV3EBW	\$		White

CPU Holders

ACCESSORIES Features




- Under-the-desk track provides easy access or convenient stowing
- One-touch 360° swivel motion provides effortless access to cables, ports, and drives
- Helps prevent awkward postures that could lead to injury
- Promotes longer CPU life by allowing CPUs to stay cool and vent freely
- Elevates CPUs off the floor where dust build-up and other hazards can damage valuable computer equipment
- CPU Holders ship with mounting bracket for Casgood products. If ordering for a Float Table, CPU Bracket (FCBB, FCBS, FCBW) must be ordered as well

Product Number	Price	Description	Color	Ship Weight
FCBB	\$	CPU Bracket	Black	1 lb.
FCBS	\$		Silver	1 lb.
FCBW	\$		White	1 lb.

#	Product Number	Price	CPU Size	Color	Max Weight	Ship Weight
1	EPCU200	\$	1 - 5"W x 12"H	Black	15 lbs.	10 lbs.
2	CPU600	\$	3.5 - 9"W x 12 - 20"H	Black	50 lbs.	12 lbs.


Lock: Core



Product Number	Price	Description	Ship Weight
LCN100TA - LCN449TA	\$	Locks Core Nickel	1 lb.
LOX101-323	\$	Locks Core	1 lb.
LOX0236-LOX0270	\$	Locks Core Timberline	1 lb.

w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8ABTSETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Bracket (1 Monitor) & Straight Link / Dynamic Link Arm	Bolt Thru	Silver w/ Gray Trim
X8ABTBETB12	\$			Black w/ Black Trim
X8ABTWETB12	\$			Polished Aluminum w/ White Trim
X8ACMSETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8ACMBETB12	\$			Black w/ Black Trim
X8ACMWETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lbs.


360° Portrait/Landscape Rotation




+30° / -15° Tilt



180° Left/Right Pan





90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8BBTSETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) & 2 Straight Link / Dynamic Link Arms	Bolt Thru	Silver w/ Gray Trim
X8BBTBETBETB12	\$			Black w/ Black Trim
X8BBTWETBETB12	\$			Polished Aluminum w/ White Trim
X8BCMSETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8BCMBETBETB12	\$			Black w/ Black Trim
X8BCMWETBETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lbs.


360° Portrait/Landscape Rotation





+30° / -15° Tilt



180° Left/Right Pan





90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8CBTSNTBETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors) 2 Straight Link / Dynamic Link Arms & 1 No Link (Tilt Mount Only)	Bolt Thru	Silver w/ Gray Trim
X8CBTBNTBETBETB12	\$			Black w/ Black Trim
X8CBTWNTBETBETB12	\$			Polished Aluminum w/ White Trim
X8CCMSNTBETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8CCMBNTBETBETB12	\$			Black w/ Black Trim
X8CCMWNTBETBETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lbs.


360°
Portrait/Landscape
Rotation




+30° / -15°
Tilt



180°
Left/Right Pan





90°, 180° Stop
or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8CBTSNTBJTBJTB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors), 2 Straight Link / Straight Link Arms & 1 No Link (Tilt Mount Only)	Bolt Thru	Silver w/ Gray Trim
X8CBTBNTBJTBJTB12	\$			Black w/ Black Trim
X8CCMSNTBJTBJTB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8CCMBNTBJTBJTB12	\$			Black w/ Black Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lbs.


360° Portrait/Landscape Rotation




+30° / -15° Tilt




180° Left/Right Pan




90°, 180° Stop or 360° Rotation



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X8BBSJTBJTB24	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (4 Monitors) 2 Straight Link / Straight Link Arms over 2 Straight Link / Straight Link Arms	Bolt Thru	Silver w/ Gray Trim
X8BBTBJTBJTB24	\$			Black w/ Black Trim
X8BBTWJTBJTB24	\$			Polished Aluminum w/ White Trim
X8BCMSJTBJTB24	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X8BCMBJTBJTB24	\$			Black w/ Black Trim
X8BCMWTBJTB24	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 6-28 lbs.


360°
Portrait/Landscape
Rotation





+30° / -15°
Tilt




180°
Left/Right Pan




90°, 180° Stop
or 360° Rotation



w/ Bolt Thru Mount




w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X1ABTSETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) 2 Straight Link / Dynamic Link Arms	Bolt Thru	Silver w/ Gray Trim
X1ABTBETB12	\$			Black w/ Black Trim
X1ABTWETB12	\$			Polished Aluminum w/ White Trim
X1ACMSETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X1ACMBETB12	\$			Black w/ Black Trim
X1ACMWETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 20-48 lbs.


360°
Portrait/Landscape
Rotation





+30° / -15°
Tilt



180°
Left/Right Pan




90°, 180° Stop
or 360° Rotation



w/ Bolt Thru Mount


w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X1BBTSETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (2 Monitors) 2 Straight Link / Dynamic Link Arms	Bolt Thru	Silver w/ Gray Trim
X1BBTBETBETB12	\$			Black w/ Black Trim
X1BBTWETBETB12	\$			Polished Aluminum w/ White Trim
X1BCMSETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X1BCMBETBETB12	\$			Black w/ Black Trim
X1BCMWETBETB12	\$			Polished Aluminum w/ White Trim

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 20-48 lbs.


360°
Portrait/Landscape
Rotation





+30° / -15°
Tilt




180°
Left/Right Pan




90°, 180° Stop
or 360° Rotation



w/ Bolt Thru Mount



w/ Two-Piece, Low-Profile Clamp




Product Number	Price	Description	Mount	Color
X1CBTSNTBETBETB12	\$	M/Flex Monitor Arm w/ 12" Post, Adjustable Brackets (3 Monitors) 2 Straight Link/ Dynamic Link Arms & 1 No Link (Tilt Mount Only)	Bolt Thru	Silver w/ Gray Trim
X1CBTBNTBETBETB12	\$			Black w/ Black Trim
X1CBTWNTBETBETB12	\$			Polished Aluminum w/ White Trim
X1CCMSNTBETBETB12	\$		Two-Piece, Low-Profile Clamp	Silver w/ Gray Trim
X1CCMBNTBETBETB12	\$			Black w/ Black Trim
X1CCMWNTBETBETB12	\$			Polished Aluminum w/ White Trim


ACCESSORIES Features

- Supports the widest range of monitors available today
- Slim, Non-Adjustable Post Style
- Integrated cable management reduces unsightly cable clutter
- Smart Stop allows user to customize rotation of the arm, preventing overhang and protecting surrounding equipment
- Counterbalances monitor with simple hex screw adjustment
- Quick Release Joints facilitates fast & easy monitor installation and removal
- Tools for adjustment are included and store in base
- Each Standard Tilt End Style supports one monitor 20-48 lbs.


360° Portrait/Landscape Rotation




+30° / -15° Tilt



180° Left/Right Pan




90°, 180° Stop or 360° Rotation




NeatLinks Cable Management


Cable Management - Small



Cable Management - Large



Cable Management - Slim



ACCESSORIES Features

- NeatLinks channels can be installed in countless configurations to accommodate each user and unique work environment

- Install using just two screws or mounting tape

- Textured surface hides fingerprints, while curved, finger-friendly angles at the ends of each channel ease routing and allows visual access

Notes:


- Mounting tape attachment can support up to 8 lbs. of equipment

- For optimal use, power strips and ballasts should be stored in large diameter (3.6") channels and cables routed through small-diameter (2.6") channels

Product Number	Price	Description	Diameter	Length	Color	Shipping Weight
NL17SB	\$	NeatLinks Cable Management - Small 17"	2.6"	17"	Black	1 lb.
NL17SG	\$				Gray	
NL17LB	\$	NeatLinks Cable Management - Large 17"	3.6"	17"	Black	
NL17LG	\$				Gray	
NL24SB	\$	NeatLinks Cable Management - Small 24"	2.6"	24"	Black	
NL24SG	\$				Gray	
NL24LB	\$	NeatLinks Cable Management - Large 24"	3.6"	24"	Black	
NL24LG	\$				Gray	

Product Number	Price	Description	Width	Depth	Length	Color	Shipping Weight
NLSSW	\$	NeatLinks Cable Management - Slim	2.75"	0.5"	20.5"	White	1 lb.
NLSSB	\$					Black	
NLSSG	\$					Gray	


NeatTech Cable Management



- Provides simple and easy access to cables
- Hangs conveniently on the back of Tables and Desks to protect cables and prevent tripping hazard

Product Number	Price	Description	Width	Depth	Length	Color	Shipping Weight
NT1SBB	\$	NeatTech Cable Management	4"	4.5"	38"	Black / Black	9 lbs.
NT1SGG	\$					Grey / Grey	
NT1SPG	\$					Poppyseed / Grey	
NT1SWG	\$					White / Grey	
NT1LBB	\$				48"	Black / Black	
NT1LGG	\$					Grey / Grey	
NT1LPG	\$					Poppyseed / Grey	
NT1LWG	\$					White / Grey	
NT1MBB	\$	NeatTech Mini Cable Management	4"	4.5"	23"	Black / Black	9 lbs.
NT1MGG	\$					Grey / Grey	
NT1MPG	\$					Poppyseed / Grey	
NT1MWG	\$					White / Grey	

w/ Power Strip and Bracket




ONLY FOR FLOAT TABLES


- Float table cable management with power strip, including 6 AC power outlets
- Adjustable from 18.9" - 51.2"

Product Number	Price	Description	Color	Ship Weight
NU2NAPWB	\$	CPU Bracket	Black	19 lbs.
NU2NAPWG	\$		Silver	
NU2NAPWW	\$		White	


Charging Station (Clamp Mount)




USB Station (Clamp Mount)




Charging Station Duo (Clamp Mount)




Charging Station (90 Degree Mount)



USB Station (90 Degree Mount)



Charging Station Duo (90 Degree Mount)



Product Number	Price	Description	Color	Mount
NH2ACCBNA	\$	NeatHub Charging Station	Black	Clamp
NH2ACCBNA	\$		White	Clamp
NH2AC9BNA	\$		Black	90 Degree
NH2AC9WNA	\$		White	90 Degree
NH2CCCBNA	\$	NeatHub USB Charging Station	Black	Clamp
NH2CCCBNA	\$		White	Clamp
NH2CC9BNA	\$		Black	90 Degree
NH2CC9WNA	\$		White	90 Degree
NH2CDCBNA	\$	NeatHub Charging Station Duo	Black	Clamp
NH2CDCWNA	\$		White	Clamp
NH2CD9BNA	\$		Black	90 Degree
NH2CD9WNA	\$		White	90 Degree


NEATCHARGENA	\$	NeatCharge Desktop Wireless Charging	Black
--------------	----	--------------------------------------	-------

NeatHub™ Series:

- NeatHub offers a two-piece clamp or direct mount, allowing installation above or below the worksurface to fit any setup
- Available in either Black or White
- **Charging Station** has 2 AC outlets, 1 USB-A (max. 18W), and 1 USB-C fast charge (max. 65W)
- **USB Charging Station** has 2 USB-A (max. 22.5W) and 2 USB-C fast charge (max. 100W)
- **Charging Station Duo** has 2 AC outlets, 1 USB-A (max. 18W), and 1 USB-C fast charge (max. 65W) above the surface, and 9 AC outlets below the surface


NeatCharge

- Wirelessly charge up to 10W of power to Qi-compatible devices
- Attaches to the underside of your worksurface
- No touchpoints - simply place your mobile device on the table to charge
- Accommodates work surfaces 0.59" – 1.33" in thickness (depending on case thickness)
- Charger mounts to surface via double-sided tape or screws
- Includes charging sticker for desktop placement




QuickStand Eco Workstation

w/ 1 Monitor Mount



w/ 2 Monitor Mounts



Product Number	Price	Description	Color	Mount
QSE2SMB	\$	QuickStand Eco Height-Adjustable Workstation w/ Freestanding Base & 1 Monitor Mount	Black	Freestanding
QSE2SMW	\$		White	
QSE2DMB	\$	QuickStand Eco Height-Adjustable Workstation w/ Freestanding Base & 2 Monitor Mounts	Black	Freestanding
QSE2DMW	\$		White	

Note: For two monitor configuration, the width of each monitor **CANNOT** exceed 27"

ACCESSORIES Features


- Effortless functionality allows user to instantly move from sitting to standing workstation
- Designed to accommodate users of varying heights with 18.6" of work surface adjustment
- Dual or single monitor configurations
- Integrated cable management
- Freestanding base
- Minimal footprint, compact and portable design allows for more use of desktop area
- Self-locking mechanism provides ultimate stability and functionality
- Manufactured with sustainable, non-toxic materials

Notes:

- Work Surface: 28"W x 19"D
- Total work surface adjustment: 18.6"
- Vertical monitor adjustment: 5.5"
- Total monitor weight capacity: 30 lbs.
- Main assembly supports up to 35 lbs.
- Monitor mounts without base or stand
- Minor assembly required

Universal Height Adjustable Screen

Felt Panel Screen



Product Number	Price	Felt Panel Screen Description
USPF2324	\$	24"H x 23"W (use on 24"W Table)
USPF2924	\$	24"H x 29"W (use on 30"W Table)
USPF3524	\$	24"H x 35"W (use on 36"W Table)
USPF4624	\$	24"H x 46"W (use on 48"W & 54"W Long Top Table)
USPF5824	\$	24"H x 58"W (use on 60"W & 66"W Long Top Table)
USPF7024	\$	24"H x 70"W (use on 72"W Long Top Table)

Felt Color

Dandelion FTDD	Fawn FTFW	Flannel FTFN	Heather FTHR	Lava FTLV	Midnight Blue FTMB	Mallard FTMD

Pepper FTPR	Tidal Wave FTTW	Spring FTSG

Metal Base Powder Coat

Black 27	Sand 28	Gray 29	Light Tone 32	Warm Gray 33	Starlight Silver 34	Cottonwood 35

ACCESSORIES Features


- Works with all models of Float Tables
- Height adjustable by user
- Screen is flush with table top when at its lowest position
- Maximum height above worksurface 17.25"
- Screens attach to either the back length or side depth of tabletop based on closest nominal size
- Accessories, monitor arms, modesty panels and wire troughs may prohibit installation of screens. Example: Neat Tech - use Neatlinks Baritone/ Integrate 36" wide top
- Screens are constructed from a sound absorbing, 100% polyester felt
- Screen is 1/2" thick with a density of .05 lb/ft and is 100% tackable
- Mounting brackets and rack are powder coated for durability
- Screen sizes 23" - 46" wide are assembled with 2 adjustable brackets while screens 58" and 70" have three adjustable brackets

How to Order

Select the product number and then add the codes for the desired configuration. For Example:

Product	USPF2324
Felt Color	FTMB
Metal Base Powder Coat	34
Product Order Code	
USPF2324 FTMB 34	

Polyester Felt Modesty Panel



Product Number	Price	Description
PMP30FT	\$	30" Polyester Felt Modesty Panel
PMP36FT	\$	36" Polyester Felt Modesty Panel
PMP42FT	\$	42" Polyester Felt Modesty Panel
PMP48FT	\$	48" Polyester Felt Modesty Panel
PMP54FT	\$	54" Polyester Felt Modesty Panel
PMP60FT	\$	60" Polyester Felt Modesty Panel
PMP66FT	\$	66" Polyester Felt Modesty Panel
PMP72FT	\$	72" Polyester Felt Modesty Panel
PMP84FT	\$	84" Polyester Felt Modesty Panel


ACCESSORIES Features

- Modesty Panels are constructed from sound absorbing, 100% felt
- Panel is 9.25" tall and 1/2" thick
- Panels 30" - 48" wide use 2 brackets per 48" panel
- Panels 54" - 84" wide use 3 brackets per panel
- 18 gauge steel mounting brackets
- Attachment bracket provides clearance for cable routing
- Panel folds out of way on nesting tables
- Modesty panel kit includes attachment brackets and hardware

Felt Color



Dandelion
FTDD



Fawn
FTFW




Flannel
FTFN



Heather
FTHR




Lava
FTLV



Mallard
FTMD



Midnight Blue
FTMB



Pepper
FTPR



Tidal Wave
FTTW




Spring
FTSG

How to Order

Select the product number and then add the codes for the desired configuration. For Example:

Product	PMP30FT
Felt Color	FTMB
Product Order Code	
PMP30FT FTMB	

Steel Modesty Panel





Product Number	Price	Description	Dimensions	
			Width	Height
CZBMP24	\$	24" Steel Modesty Panel	18.5"	10"
CZBMP30	\$	30" Steel Modesty Panel	24.5"	10"
CZBMP36	\$	36" Steel Modesty Panel	30.5"	10"
CZBMP42	\$	42" Steel Modesty Panel	36.5"	10"
CZBMP48	\$	48" Steel Modesty Panel	42.5"	10"
CZBMP54	\$	54" Steel Modesty Panel	48.5"	10"
CZBMP60	\$	60" Steel Modesty Panel	54.5"	10"
CZBMP64	\$	64" Steel Modesty Panel	58.5"	10"
CZBMP66	\$	66" Steel Modesty Panel	60.5"	10"
CZBMP72	\$	72" Steel Modesty Panel	66.5"	10"
CZBMP78	\$	78" Steel Modesty Panel	72.5"	10"
CZBMP84	\$	84" Steel Modesty Panel	78.5"	10"
CZBMP90	\$	90" Steel Modesty Panel	84.5"	10"
CZBMP96	\$	96" Steel Modesty Panel	90.5"	10"

ACCESSORIES Features

- Steel modesty panel features perforated pattern of 1/4" diameter holes at 3/4" center-to-center spacing
- 14 gauge powdercoated steel
- Reveal of approximately 1" is present between panel and leg
- Assembly includes panel, brackets, and mounting screws
- For use on 29" assemblies

Metal Base Powder Coat

						
Black 27	Sand 28	Gray 29	Light Tone 32	Warm Gray 33	Starlight Silver 34	Cottonwood 35


How to Order

Select the product number and then add the codes for the desired configuration. For Example:	
Product	CZBMP60
Metal Base Powder Coat	34
Product Order Code	
CZBMP60 34	


Felt / Frosted Glass Modesty Panel

ACCESSORIES Features

Felt Modesty Panel



Frosted Glass Modesty Panel



- Panels use 2 silver-colored brackets per panel
- Panels come either in light gray felt or frosted glass

Product Number	Price	Description
SOR12779WG	\$	Felt Modesty Panel 15 x 40"
SOR12891WG	\$	Frosted Glass Modesty Panel 15 x 40"
SOR12874WG	\$	Felt Modesty Panel 15 x 50"
SOR12892WG	\$	Frosted Glass Modesty Panel 15 x 50"

How to Order

Select the product number and then add the codes for the desired configuration. For Example:

Product	SOR12779WG
Product Order Code	
SOR12779WG	