Bravo Systems Spec Sheet


September 2025

Version 2.4





Budget • Overview






- Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- · All required assembly hardware is included
- Bravo is custimizable for any office furniture need. The end panels can be removed to allow ganging of standalone desks
- Modesty panels are available in full and partial configurations, both have a wireway trough for data, communication and power cable management
- Existing desk features designed to attach add-on features such as privacy screens, overhead storage and tool rails, or all three combined
- A large number of finishes are available and easily color coordinated across all products featured in Bravo




1 Worksurface and Leg Grommets




Above Worksurface Data and Communications Accessories



2 Privacy Screens on Worksurfaces



Top Worksurface Power Management Inside Stanchion



Tool Rails, Privacy Screens and Paper Accessories Between Stanchions



Concealed Wireways in Leg Assembly



Clerk Station

Product Number • BVRTYP03C | Workspace • 51 sq. ft.



BVRTYP03C w/ Right Return in Finish Combination W34

Choose either Right or Left Return

Configuration Options

Total Price: \$

- · Laminate surfaces with flat vinyl T-edge
- · Laminate overhead units with task lights
- Mobile pedestal: pencil, box, file
- · Powered and non-powered options available
- · Wire management capabilities in worksurface stanchions
- · Wireways concealed by partial modesty panels
- · Upholstered privacy screens

How to Order					
Product Code BVRTYP03C					
Return Option	RH				
Finish Combination W34					
BVRTYP03C RH W34					

Select from three color combinations - See page 6 for more details


Quantity	Product Number	Description
1	TLELED17DMS	22" Tuck LED Task Light
1	TLELED44DMS	44" Tuck LED Task Light
2	DIVIDER12	12" File Drawer Divider
4	DIVIDER6	6" File Drawer Divider
1	PTR0004	Black Pencil Tray
4	LOX	Key & Lock Core
1	PEDMPBBF20	20" Mobile Pedestal with Box/Box/File Drawer
1	BVD3072PB	D-Shaped Desk w/ Partial Modesty Panel and Both End Transition Style
1	BVR2472PL	Rectangular Desk w/ Partial Modesty Panel and Left End Transition Style
1	BVL30	30" Venus Overhead w/ Laminated Door
1	BVL72D	72" Venus Overhead w/ Laminated Door
1	BVSBS1930	30" Between Stanchion Upholstered Privacy Screen
1	BVSBS1972	72" Between Stanchion Upholstered Privacy Screen
6	NSD	Shelf Divider

Components

BRAVO

- · Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- · Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- · Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- · All required assembly hardware is included
- Bravo meets or exceeds the required ANSI/BIFMA X5.5-1998 desk systems test
- All Bravo desking components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities
- · Bravo desks are listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate Bravo desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials

Planview Layout (LH shown)





Assistant Station

Product Number • BVRTYP01C | Workspace • 68 sq. ft.



Total Price:

- · Laminate surfaces with flat vinyl T-edge
- · Laminate overhead units with task lights
- Two freestanding pedestals
- · Powered and non-powered options available
- · Wire management capabilities in worksurface stanchions
- · Wireways concealed by partial modesty panels
- · Upholstered privacy screens

BVRTYP01C w/ Right Return in Finish Combination L32

Configuration Options

- Choose either Right or Left Return
- Select from three color combinations See page 6 for more details


How to Order					
Product Code	BVRTYP01C				
Return Option	RH				
Finish Combination	L32				
BVRTYP01C RH L32					

	Components					
Quantity	Product Number	Description				
1	TLELED17DMS	22" Tuck LED Task Light				
1	TLELED44DMS	44" Tuck LED Task Light				
6	DIVIDER12	12" File Divider				
4	DIVIDER6	6" File Divider				
1	PTR0004	Black Pencil Tray				
5	LOX	Key & Lock Core				
1	PEDFPBBF20	20" Freestanding Pedestal w/ Box/Box/File				
1	PEDFPFF20	20" Freestanding Pedestal w/ File/File				
1	BC24724824PPB	Corner Desk w/ Partial, Partial Modesty Panel and Both End Transition Style				
1	BVD3060PB	D-Shaped Desk w/ Partial Modesty Panel and Both End Transition Style				
1	BVR2448PL	Rectangular Desk w/ Partial Modesty Panel and Left End Transition Style				
1	BVL3027	30" Venus Overhead w/ Laminated Door				
1	BVL72D27	72" Venus Overhead w/ Laminated Door				
1	BVSBS1930	30" Between Stanchion Upholstered Privacy Screen				
1	BVSBS1972	72" Between Stanchion Upholstered Privacy Screen				
6	NSDB	Shelf Divider				

BRAVO

- · Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- · Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- · All required assembly hardware is included
- Bravo meets or exceeds the required ANSI/BIFMA X5.5-1998 desk systems test
- All Bravo desking components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities
- · Bravo desks are listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate Bravo desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials

Planview Layout (RH shown)





Reception Center

Product Number • BVRTYP01A | Workspace • 68 sq. ft.



Total Price:

- · Laminate surfaces with flat vinyl T-edge
- · Open overhead units with task lights
- Two freestanding pedestals
- · Powered and non-powered options available
- · Wire management capabilities in worksurface stanchions
- Full modesty panels conceal wireways
- Privacy screens

BVRTYP01A w/ Right Return in Finish Combination B27

Configuration Options

- Choose either Right or Left Return
- Select from three color combinations See page 6 for more details

How to Order					
Product Code	BVRTYP01A				
Return Option	RH				
Finish Combination	B27				
BVRTYP01A RH B27					


Components

Quantity	Product Number	Description
2	TLELED31DMS	31" Tuck LED Task Light
6	DIVIDER12	12" File Drawer Divider
4	DIVIDER6	6" File Drawer Divider
1	PTR0004	Black Pencil Try
2	LOX	Keys & Lock Core
2	BVULSR48	48" Universal Low Shelf
1	PEDFPBBF20	20" Freestanding Pedestal w/ Box/Box/File
1	PEDFPFF20	20" Freestanding Pedestal w/ File/File
1	BVD3060FB	D-Shaped Desk w/ Full Modesty Panel and Both End Transition Style
1	BVR2448FB	Rectangular Desk w/ Full Modesty Panel and Both End Transition Style
1	BVR2448FL	Rectangular Desk w/ Full Modesty Panel and Left End Transition Style
1	BVR2448FR	Rectangular Desk w/ Full Modesty Panel and Right End Transition Style
2	BVSBS1948	48" Between Stanchion Upholstered Privacy Screen
4	NSD	Shelf Divider

BRAVO

- · Freestanding desking is easy to reconfigure to meet individual needs and offer dynamic work environments, offered in a variety of metal powder coats, fabrics, frame colors and laminate selections
- · Designed with power and data in mind, wire troughs, grommets and cord dumps keep cables organized and out of the way
- · Bravo easily integrates with other OFG systems furniture: Classic XXI or Crescendo
- · All required assembly hardware is included
- Bravo meets or exceeds the required ANSI/BIFMA X5.5-1998 desk systems test
- All Bravo desking components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities
- · Bravo desks are listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate Bravo desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials

Planview Layout (RH shown)





Finish Combinations for Bravo Typicals




BRAVO

- · Quality is our priority, due to differences in stocks, piece-topiece variation may occur
- · Not all finishes are available for all product lines offered by UNICOR OFG
- · Samples are available upon request
- To locate your local UNICOR OFG Sales Representative, go online to www.unicor.gov/OFGSalesReps.aspx
- To request samples of OFG Finish and Upholstery offerings, go online www.unicor.gov
- For a complete list of laminate, poly and metal colors see OFG Finish Card
- For a complete list of upholstery options see OFG Upholstery Card



Desks • Overview


Rectangular Worksurfaces




Reduction Worksurfaces




P-Shaped Worksurfaces




Executive Worksurfaces




Corner Worksurfaces




Piano Worksurfaces



D-Shaped Worksurfaces



Transaction Worksurfaces



BRAVO

Product Details

(General. See product pages for more)

- Worksurface tops are 1-1/8" thick density particleboard with .03" or .04" high pressure laminate surface and .02" to .04" phenolic backing sheet with customizable colors
- Top has a flat PVC edge and is 29" in height
- Each leg assembly consists of welded and assembled components which can be removed from the front of the leg to gain entry to run power and data running within the leg
- A glide attached to the bottom of the leg allows 1-1/8" of adjustability
- Desk leg formed of 18-gage steel, overall dimensions are 6" x 6" x 27-1/4"

Notes:

- Product dimensions shown in approximate inches
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions
- See page 70 for Polypropylene and Metal Powder Coat Finish selections
- See pages 69-70 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 63-68



Desks • Rectangular Worksurfaces

w/ S End Panel Option

Rectangular Freestanding Worksurface w/ Full Modesty Panels

- · Consists of top, two legs and full modesty back panel
- Modesty side panels (standard shown, see options)
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle


Product Details

(Specific to this page. See Overview for more)

• Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

	Overall Dimensions End Sty		Style (see b	elow)	
Product Number	Depth	Width	Both (B)	Left or Right (L or R)	Standard (S)
BVR2424F	24"	24"	\$	\$	\$
BVR2430F	24"	30"	\$	\$	\$
BVR2436F	24"	36"	\$	\$	\$
BVR2442F	24"	42"	\$	\$	\$
BVR2448F	24"	48"	\$	\$	\$
BVR2454F	24"	54"	\$	\$	\$
BVR2460F	24"	60"	\$	\$	\$
BVR2466F	24"	66"	\$	\$	\$
BVR2472F	24"	72"	\$	\$	\$

	Overall Dimensions End		d Style (see below)		
Product Number	Depth	Width	Both (B)	Left or Right (L or R)	Standard (S)
BVR3024F	30"	24"	\$	\$	\$
BVR3030F	30"	30"	\$	\$	\$
BVR3036F	30"	36"	\$	\$	\$
BVR3042F	30"	42"	\$	\$	\$
BVR3048F	30"	48"	\$	\$	\$
BVR3054F	30"	54"	\$	\$	\$
BVR3060F	30"	60"	\$	\$	\$
BVR3066F	30"	66"	\$	\$	\$
BVR3072F	30"	72"	\$	\$	\$



Poly/Trim Selection	Metal Color Selection	Laminate Selection
1	Make one selection for eac	ch
For	a complete list, see pp. 6	9-70



How to Order					
Product Code	BVR2436F				
End Style	L				
Poly/Trim	S				
Metal Color	28				
Laminate PLM4030					
BVR2436F L S 28					



Desks • Rectangular Worksurfaces

w/ S End Panel Option

Rectangular Freestanding Worksurface w/ Partial Modesty Panels

- · Consists of top, two legs and partial modesty back panel
- Modesty side panels (standard shown, see options)
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)

BRAVO


Product Details

(Specific to this page. See Overview for more)

 Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

	Overall Di	imensions	End	Style (see be	elow)
Product Number	Depth	Width	Both (B)	Left or Right (L or R)	Standard (S)
BVR2424P	24"	24"	\$	\$	\$
BVR2430P	24"	30"	\$	\$	\$
BVR2436P	24"	36"	\$	\$	\$
BVR2442P	24"	42"	\$	\$	\$
BVR2448P	24"	48"	\$	\$	\$
BVR2454P	24"	54"	\$	\$	\$
BVR2460P	24"	60"	\$	\$	\$
BVR2466P	24"	66"	\$	\$	\$
BVR2472P	24"	72"	\$	\$	\$

	Overall Dimensions		End Style (see below)		
Product Number	Depth	Width	Both (B)	Left or Right (L or R)	Standard (S)
BVR3024P	30"	24"	`\$	\$	\$
BVR3030P	30"	30"	\$	\$	\$
BVR3036P	30"	36"	\$	\$	\$
BVR3042P	30"	42"	\$	\$	\$
BVR3048P	30"	48"	\$	\$	\$
BVR3054P	30"	54"	\$	\$	\$
BVR3060P	30"	60"	\$	\$	\$
BVR3066P	30"	66"	\$	\$	\$
BVR3072P	30"	72"	\$	\$	\$



Poly/Trim Selection	Metal Color Selection	Laminate Selection
	Make one selection for eac	h
Fo	r a complete list, see pp. 69	9-70



How to Order						
Product Code	BVR2424P					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BVR2424P L S 28 PLM4030						



Desks • Rectangular Worksurfaces

w/ S End Panel Option

Rectangular Freestanding Worksurface w/ Gusset Cantilevers

- Consists of top, two legs and gusset cantilevers
- · Modesty side panels (standard shown, see options)
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs and allows attachment of overhead storage units (66" and 72" have a third middle grommet)

BRAVO


Product Details

(Specific to this page. See Overview for more)

• Gusset Cantilevers provide more open wall access than the modesty panel

	Overall Di	imensions	End Style (see below)			
Product Number	Depth	Width	Both (B)	Left or Right (L or R)	Standard (S)	
BVR2430G	24"	30"	\$	\$	\$	
BVR2436G	24"	36"	\$	\$	\$	
BVR2442G	24"	42"	\$	\$	\$	
BVR2448G	24"	48"	\$	\$	\$	
BVR2454G	24"	54"	\$	\$	\$	
BVR2460G	24"	60"	\$	\$	\$	
BVR2466G	24"	66"	\$	\$	\$	
BVR2472G	24"	72"	\$	\$	\$	

	Overall D	imensions	End Style (see below)			
Product Number	Depth	Width	Both (B)	Left or Right (L or R)	Standard (S)	
BVR3030G	30"	30"	\$	\$	\$	
BVR3036G	30"	36"	\$	\$	\$	
BVR3042G	30"	42"	\$	\$	\$	
BVR3048G	30"	48"	\$	\$	\$	
BVR3054G	30"	54"	\$	\$	\$	
BVR3060G	30"	60"	\$	\$	\$	
BVR3066G	30"	66"	\$	\$	\$	
BVR3072G	30"	72"	\$	\$	\$	






How to Order						
Product Code	BVR2430G					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BVR2430G						



BC24424224FF w/ S End Panel Option



Freestanding Corner Worksurface w/ Two Full Modesty Panels

- · Consists of top, three legs, two full back modesty panels
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)


BRAVO

Product Details

(Specific to this page. See Overview for more)

 Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk


BC24487224FF w/ S End Panel Option




	Overall Dimensions				End	Style (see be	elow)
	Left	Side	Right Side			Left or	
					Both	Right	Standard
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)
BC24424224FF	24"	42"	42"	24"	\$	\$	\$
BC24484824FF	24"	48"	48"	24"	\$	\$	\$
BC24486024FF	24"	48"	60"	24"	\$	\$	\$
BC24486624FF	24"	48"	66"	24"	\$	\$	\$
BC24487224FF	24"	48"	72"	24"	\$	\$	\$
BC24604824FF	24"	60"	48"	24"	\$	\$	\$
BC24664824FF	24"	66"	48"	24"	\$	\$	\$
BC24724824FF	24"	72"	48"	24"	\$	\$	\$
BC30484830FF	30"	48"	48"	30"	\$	\$	\$
BC30486030FF	30"	48"	60"	30"	\$	\$	\$
BC30486630FF	30"	48"	66"	30"	\$	\$	\$
BC30487230FF	30"	48"	72"	30"	\$	\$	\$
BC30604830FF	30"	60"	48"	30"	\$	\$	\$
BC30664830FF	30"	66"	48"	30"	\$	\$	\$
BC30724830FF	30"	72"	48"	30"	\$	\$	\$

How to Order					
Product Code	BC24424224FF				
End Style	L				
Poly/Trim	S				
Metal Color	28				
Laminate	PLM4030				
BC24424224FF L S 28 PLM4030					

Plan View (BC24486024FF)







BC24424224FP w/ S End Panel Option



Freestanding Corner Worksurface w/ Full, Partial Modesty Panels

- Consists of top, three legs, one full and one 9" partial back modesty panels
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)


BRAVO

Product Details

(Specific to this page. See Overview for more)

 Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk


BC24487224FP w/ S End Panel Option




	Overall Dimensions				End	Style (see b	elow)
	Left	Side	Right Side			Left or	
					Both	Right	Standard
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)
BC24424224FP	24"	42"	42"	24"	\$	\$	\$
BC24484824FP	24"	48"	48"	24"	\$	\$	\$
BC24486024FP	24"	48"	60"	24"	\$	\$	\$
BC24486624FP	24"	48"	66"	24"	\$	\$	\$
BC24487224FP	24"	48"	72"	24"	\$	\$	\$
BC24604824FP	24"	60"	48"	24"	\$	\$	\$
BC24664824FP	24"	66"	48"	24"	\$	\$	\$
BC24724824FP	24"	72"	48"	24"	\$	\$	\$
BC30484830FP	30"	48"	48"	30"	\$	\$	\$
BC30486030FP	30"	48"	60"	30"	\$	\$	\$
BC30486630FP	30"	48"	66"	30"	\$	\$	\$
BC30487230FP	30"	48"	72"	30"	\$	\$	\$
BC30604830FP	30"	60"	48"	30"	\$	\$	\$
BC30664830FP	30"	66"	48"	30"	\$	\$	\$
BC30724830FP	30"	72"	48"	30"	\$	\$	\$

How to Order					
Product Code	BC24424224FP				
End Style	L				
Poly/Trim	S				
Metal Color	28				
Laminate PLM4030					
BC24424224FP L S 28 PLM4030					

Plan View (BC24486024FP)







BC24424224FG w/ S End Panel Option



Freestanding Corner Worksurface w/ Full Modesty Panel, Gusset Cantilevers

- Consists of top, three legs, a full modesty panel and gusset cantilevers
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)

BRAVO

Product Details

(Specific to this page. See Overview for more)

- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Gusset Cantilevers provide more open wall access than the modesty panel


BC24487224FG w/ S End Panel Option




	Overall Dimensions				End Style (see below)			
	Left Side Right Side		Both	Left or Right	Standard			
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)	
BC24424224FG	24"	42"	42"	24"	\$	\$	\$	
BC24484824FG	24"	48"	48"	24"	\$	\$	\$	
BC24486024FG	24"	48"	60"	24"	\$	\$	\$	
BC24486624FG	24"	48"	66"	24"	\$	\$	\$	
BC24487224FG	24"	48"	72"	24"	\$	\$	\$	
BC24604824FG	24"	60"	48"	24"	\$	\$	\$	
BC24664824FG	24"	66"	48"	24"	\$	\$	\$	
BC24724824FG	24"	72"	48"	24"	\$	\$	\$	
BC30484830FG	30"	48"	48"	30"	\$	\$	\$	
BC30486030FG	30"	48"	60"	30"	\$	\$	\$	
BC30486630FG	30"	48"	66"	30"	\$	\$	\$	
BC30487230FG	30"	48"	72"	30"	\$	\$	\$	
BC30604830FG	30"	60"	48"	30"	\$	\$	\$	
BC30664830FG	30"	66"	48"	30"	\$	\$	\$	
BC30724830FG	30"	72"	48"	30"	\$	\$	\$	

How to Order						
Product Code BC24424224FG						
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BC24424224FG L S 28 PLM4030						


Plan View (BC24486024FG)







BC24424224PF w/ S End Panel Option



Freestanding Corner Worksurface w/ Full Modesty Panel, Gusset Cantilevers

- Consists of top, three legs, a 9" partial and full back modesty panels
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)

BRAVO

Product Details

(Specific to this page. See Overview for more)

 Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk


BC24487224PF w/ S End Panel Option




	0	Overall Dimensions			End Style (see below)			
	Left	Side	Right	Side	Both	Left or Right	Standard	
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)	
BC24424224PF	24"	42"	42"	24"	\$	\$	\$	
BC24484824PF	24"	48"	48"	24"	\$	\$	\$	
BC24486024PF	24"	48"	60"	24"	\$	\$	\$	
BC24486624PF	24"	48"	66"	24"	\$	\$	\$	
BC24487224PF	24"	48"	72"	24"	\$	\$	\$	
BC24604824PF	24"	60"	48"	24"	\$	\$	\$	
BC24664824PF	24"	66"	48"	24"	\$	\$	\$	
BC24724824PF	24"	72"	48"	24"	\$	\$	\$	
BC30484830PF	30"	48"	48"	30"	\$	\$	\$	
BC30486030PF	30"	48"	60"	30"	\$	\$	\$	
BC30486630PF	30"	48"	66"	30"	\$	\$	\$	
BC30487230PF	30"	48"	72"	30"	\$	\$	\$	
BC30604830PF	30"	60"	48"	30"	\$	\$	\$	
BC30664830PF	30"	66"	48"	30"	\$	\$	\$	
BC30724830PF	30"	72"	48"	30"	\$	\$	\$	

How to Order						
Product Code	BC24424224PF					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BC24424224PF L S 28 PLM4030						

Plan View (BC24486024PF)







BC24424224PP w/ S End Panel Option



Freestanding Corner Worksurface w/ Two Partial Modesty Panels

- Consists of top, three legs and two 9" partial back modesty panels
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)

BRAVO

Product Details

(Specific to this page. See Overview for more)

 Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk


BC24487224PP w/ S End Panel Option




	Overall Dimensions				End	Style (see be	elow)
	Left	Side	Right Side			Left or	
					Both	Right	Standard
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)
BC24424224PP	24"	42"	42"	24"	\$	\$	\$
BC24484824PP	24"	48"	48"	24"	\$	\$	\$
BC24486024PP	24"	48"	60"	24"	\$	\$	\$
BC24486624PP	24"	48"	66"	24"	\$	\$	\$
BC24487224PP	24"	48"	72"	24"	\$	\$	\$
BC24604824PP	24"	60"	48"	24"	\$	\$	\$
BC24664824PP	24"	66"	48"	24"	\$	\$	\$
BC24724824PP	24"	72"	48"	24"	\$	\$	\$
BC30484830PP	30"	48"	48"	30"	\$	\$	\$
BC30486030PP	30"	48"	60"	30"	\$	\$	\$
BC30486630PP	30"	48"	66"	30"	\$	\$	\$
BC30487230PP	30"	48"	72"	30"	\$	\$	\$
BC30604830PP	30"	60"	48"	30"	\$	\$	\$
BC30664830PP	30"	66"	48"	30"	\$	\$	\$
BC30724830PP	30"	72"	48"	30"	\$	\$	\$

How to Order						
Product Code	BC24424224PP					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BC24424224PP L S	28 PLM4030					

Plan View (BC24486024PP)







BC24424224PG w/ S End Panel Option



Freestanding Corner Worksurface w/ Partial Modesty Panel, Gusset Cantilevers

- Consists of top, three legs 9" partial back modesty panel and gusset cantilevers
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)

BRAVO

Product Details

(Specific to this page. See Overview for more)

- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Gusset Cantilevers provide more open wall access than the modesty panel


BC24487224PG w/ S End Panel Option




	Overall Dimensions				End	Style (see be	elow)
	Left	Side	Right	Side	Both	Left or Right	Standard
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)
BC24424224PG	24"	42"	42"	24"	\$	\$	\$
BC24484824PG	24"	48"	48"	24"	\$	\$	\$
BC24486024PG	24"	48"	60"	24"	\$	\$	\$
BC24486624PG	24"	48"	66"	24"	\$	\$	\$
BC24487224PG	24"	48"	72"	24"	\$	\$	\$
BC24604824PG	24"	60"	48"	24"	\$	\$	\$
BC24664824PG	24"	66"	48"	24"	\$	\$	\$
BC24724824PG	24"	72"	48"	24"	\$	\$	\$
BC30484830PG	30"	48"	48"	30"	\$	\$	\$
BC30486030PG	30"	48"	60"	30"	\$	\$	\$
BC30486630PG	30"	48"	66"	30"	\$	\$	\$
BC30487230PG	30"	48"	72"	30"	\$	\$	\$
BC30604830PG	30"	60"	48"	30"	\$	\$	\$
BC30664830PG	30"	66"	48"	30"	\$	\$	\$
BC30724830PG	30"	72"	48"	30"	\$	\$	\$

How to Order						
Product Code	BC24424224PG					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BC24424224PG L S 28 PLM4030						


Plan View (BC24486024PG)







BC24424224GF w/ S End Panel Option



Freestanding Corner Worksurface w/ Gusset Cantilevers, Full Modesty Panel

- Consists of top, three legs, a 9" partial and full back modesty panels
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)

BRAVO

Product Details

(Specific to this page. See Overview for more)

- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Gusset Cantilevers provide more open wall access than the modesty panel


BC24487224GF w/ S End Panel Option




	Overall Dimensions				End	Style (see be	elow)
	Left	Side	Right	Side		Left or	
					Both	Right	Standard
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)
BC24424224GF	24"	42"	42"	24"	\$	\$	\$
BC24484824GF	24"	48"	48"	24"	\$	\$	\$
BC24486024GF	24"	48"	60"	24"	\$	\$	\$
BC24486624GF	24"	48"	66"	24"	\$	\$	\$
BC24487224GF	24"	48"	72"	24"	\$	\$	\$
BC24604824GF	24"	60"	48"	24"	\$	\$	\$
BC24664824GF	24"	66"	48"	24"	\$	\$	\$
BC24724824GF	24"	72"	48"	24"	\$	\$	\$
BC30484830GF	30"	48"	48"	30"	\$	\$	\$
BC30486030GF	30"	48"	60"	30"	\$	\$	\$
BC30486630GF	30"	48"	66"	30"	\$	\$	\$
BC30487230GF	30"	48"	72"	30"	\$	\$	\$
BC30604830GF	30"	60"	48"	30"	\$	\$	\$
BC30664830GF	30"	66"	48"	30"	\$	\$	\$
BC30724830GF	30"	72"	48"	30"	\$	\$	\$

How to Order						
Product Code	BC24424224GF					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BC24424224GF L S 28 PLM4030						


Plan View (BC24486024GF)







BC24424224GP w/ S End Panel Option



Freestanding Corner Worksurface w/ Gusset Cantilevers, Partial Modesty Panel

- Consists of top, three legs, a 9" partial and partial back modesty panels
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)

BRAVO

Product Details

(Specific to this page. See Overview for more)

- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Gusset Cantilevers provide more open wall access than the modesty panel


BC24487224GP w/ S End Panel Option




	Overall Dimensions				End	Style (see be	elow)
	Left	Side	Right	Side	Both	Left or Right	Standard
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)
BC24424224GP	24"	42"	42"	24"	\$	\$	\$
BC24484824GP	24"	48"	48"	24"	\$	\$	\$
BC24486024GP	24"	48"	60"	24"	\$	\$	\$
BC24486624GP	24"	48"	66"	24"	\$	\$	\$
BC24487224GP	24"	48"	72"	24"	\$	\$	\$
BC24604824GP	24"	60"	48"	24"	\$	\$	\$
BC24664824GP	24"	66"	48"	24"	\$	\$	\$
BC24724824GP	24"	72"	48"	24"	\$	\$	\$
BC30484830GP	30"	48"	48"	30"	\$	\$	\$
BC30486030GP	30"	48"	60"	30"	\$	\$	\$
BC30486630GP	30"	48"	66"	30"	\$	\$	\$
BC30487230GP	30"	48"	72"	30"	\$	\$	\$
BC30604830GP	30"	60"	48"	30"	\$	\$	\$
BC30664830GP	30"	66"	48"	30"	\$	\$	\$
BC30724830GP	30"	72"	48"	30"	\$	\$	\$

How to Order						
Product Code	BC24424224GP					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BC24424224GP L S 28 PLM4030						

Plan View (BC24486024GP)







BC24424224GG w/ S End Panel Option



Freestanding Corner Worksurface w/ Gusset Cantilevers

- · Consists of top, three legs and gusset cantilevers
- Two configurable end panels
- · Each leg has two cable access grommet locations
- Top has three cable access grommets above the legs (60", 66" and 72" have a fourth middle grommet)

BRAVO

Product Details

(Specific to this page. See Overview for more)

• Gusset Cantilevers provide more open wall access than the modesty panel


BC24487224GG w/ S End Panel Option




	Overall Dimensions				End	Style (see b	elow)
	Left Side		Right	Side	Both	Left or Right	Standard
Product Number	Depth	Width	Depth	Width	(B)	(L or R)	(S)
BC24424224GG	24"	42"	42"	24"	\$	\$	\$
BC24484824GG	24"	48"	48"	24"	\$	\$	\$
BC24486024GG	24"	48"	60"	24"	\$	\$	\$
BC24486624GG	24"	48"	66"	24"	\$	\$	\$
BC24487224GG	24"	48"	72"	24"	\$	\$	\$
BC24604824GG	24"	60"	48"	24"	\$	\$	\$
BC24664824GG	24"	66"	48"	24"	\$	\$	\$
BC24724824GG	24"	72"	48"	24"	\$	\$	\$
BC30484830GG	30"	48"	48"	30"	\$	\$	\$
BC30486030GG	30"	48"	60"	30"	\$	\$	\$
BC30486630GG	30"	48"	66"	30"	\$	\$	\$
BC30487230GG	30"	48"	72"	30"	\$	\$	\$
BC30604830GG	30"	60"	48"	30"	\$	\$	\$
BC30664830GG	30"	66"	48"	30"	\$	\$	\$
BC30724830GG	30"	72"	48"	30"	\$	\$	\$

How to Order						
Product Code	BC24424224GG					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BC24424224GG L S 28 PLM4030						

Plan View (BC24486024GG)








Desks • Reduction Rectangular Worksurfaces

w/ S End Panel Option



Freestanding Reduction Rectangular Worksurface w/ Full Modesty Panel

- · Desk reduces size from left to right end
- Consists of top, two legs, full back modesty panels
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)


BRAVO

Product Details

(Specific to this page. See Overview for more)

- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Reduction depth is 24" on one end and 30" on the opposite end with two gently curving (12" radius) arcs

Plan View (BVRR245430F)



	Ove	rall Dimens	ions	End	Style (see b	elow)
Product Number	Length (Left)	Width	Length (Right)	Both (B)	Left or Right (L or R)	Standard (S)
BVRR244230F	24"	42"	30"	\$	\$	\$
BVRR244830F	24"	48"	30"	\$	\$	\$
BVRR245430F	24"	54"	30"	\$	\$	\$
BVRR246030F	24"	60"	30"	\$	\$	\$
BVRR246630F	24"	66"	30"	\$	\$	\$
BVRR247230F	24"	72"	30"	\$	\$	\$
BVRR304224F	30"	42"	24"	\$	\$	\$
BVRR304824F	30"	48"	24"	\$	\$	\$
BVRR305424F	30"	54"	24"	\$	\$	\$
BVRR306024F	30"	60"	24"	\$	\$	\$
BVRR306624F	30"	66"	24"	\$	\$	\$
BVRR307224F	30"	72"	24"	\$	\$	\$


How to Order					
Product Code BVRR244230F					
End Style	L				
Poly/Trim	S				
Metal Color	28				
Laminate PLM4030					
BVRR244230F L S 28 PLM4030					

End Style (select one) Poly/Trim Selection Metal Color Selection Laminate Selection Make one selection for each B L R S Both Panels Transition Size Left Panel Transition Size Right Panel Transition Size Standard Panel Size



Desks • Reduction Rectangular Worksurfaces

w/ S End Panel Option



Freestanding Reduction Rectangular Worksurface w/ Partial Modesty Panel

- · Desk reduces size from left to right end
- · Consists of top, two legs, partial back modesty panels
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)


BRAVO

Product Details

(Specific to this page. See Overview for more)

- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk
- Reduction depth is 24" on one end and 30" on the opposite end with two gently curving (12" radius) arcs

Plan View (BVRR245430P)



	Ove	rall Dimens	ions	End	Style (see b	elow)
Product Number	Length (Left)	Width	Length (Right)	Both (B)	Left or Right (L or R)	Standard (S)
BVRR244230P	24"	42"	30"	\$	\$	\$
BVRR244830P	24"	48"	30"	\$	\$	\$
BVRR245430P	24"	54"	30"	\$	\$	\$
BVRR246030P	24"	60"	30"	\$	\$	\$
BVRR246630P	24"	66"	30"	\$	\$	\$
BVRR247230P	24"	72"	30"	\$	\$	\$
BVRR304224P	30"	42"	24"	\$	\$	\$
BVRR304824P	30"	48"	24"	\$	\$	\$
BVRR305424P	30"	54"	24"	\$	\$	\$
BVRR306024P	30"	60"	24"	\$	\$	\$
BVRR306624P	30"	66"	24"	\$	\$	\$
BVRR307224P	30"	72"	24"	\$	\$	\$

How to Order					
Product Code BVRR244230P					
End Style	L				
Poly/Trim	S				
Metal Color	28				
Laminate PLM4030					
BVRR244230P L S 28 PLM4030					

End Style (select one) Poly/Trim Selection Metal Color Selection Laminate Selection Make one selection for each B L R S Both Panels Transition Size Left Panel Transition Size Right Panel Transition Size Standard Panel Size



Desks • Reduction Rectangular Worksurfaces

w/ S End Panel Option



Freestanding Reduction Rectangular Worksurface w/ Gusset Cantilevers

- Desk reduces size from left to right end
- · Consists of top, two legs, gusset cantilevers
- Two configurable end panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs (66" and 72" have a third middle grommet)

BRAVO


Product Details

(Specific to this page. See Overview for more)

- Gusset Cantilevers provide more open wall access than the modesty panel
- Reduction depth is 24" on one end and 30" on the opposite end with two gently curving (12" radius) arcs

Overall Dimensions			End Style (see below)		How to Or	der	
				Left or		Product Code	BVRR2442
Length		Length	Both	Right	Standard	End Style	L
(Left)	Width	(Right)	(B)	(L or R)	(S)	Poly/Trim	S
24"	42"	30"	\$	\$	\$	Metal Color	28
24"	48"	30"	\$	\$	\$	Laminate	PLM403
24"	72"	30"	\$	\$	\$	BVRR244230G L S	28 PLM4030
30"	42"	24"	\$	\$	\$		

Plan View (BVRR245430G)




	Overall Dimensions			End	Style (see b	elow)
Product Number	Length (Left)	Width	Length (Right)	Both (B)	Left or Right (L or R)	Standard (S)
BVRR244230G	24"	42"	30"	\$	\$	\$
BVRR244830G	24"	48"	30"	\$	\$	\$
BVRR247230G	24"	72"	30"	\$	\$	\$
BVRR304224G	30"	42"	24"	\$	\$	\$
BVRR304824G	30"	48"	24"	\$	\$	\$
BVRR306024G	30"	60"	24"	\$	\$	\$
BVRR306624G	30"	66"	24"	\$	\$	\$
BVRR307224G	30"	72"	24"	\$	\$	\$

Configuration						
				Poly/Trim Selection	Metal Color Selection	Laminate Selection
	End Style	(select one)				
				1	Make one selection for eac	ch
B Both Panels Transition Size	L Left Panel Transition Size	R Right Panel Transition Size	S Standard Panel Size	Fo	r a complete list, see pp. 69	9-70




Desks • Piano Worksurfaces

BVP244872F w/ S End Panel Option



BVP604824F w/ S End Panel



Freestanding Piano Worksurface w/ Full Modesty Panel

- · Consists of top, two legs, one round leg, and full modesty back panel
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- Piano end is 30" wide

	Overa	II Dimer	nsions	End	Style (see be	elow)
Product Number	Length (Left)	Width	Length (Right)	Both (B)	Left or Right (L or R)	Standard (S)
BVP244860F	24"	48"	60"	\$	\$	\$
BVP244866F	24"	48"	66"	\$	\$	\$
BVP244872F	24"	48"	72"	\$	\$	\$
BVP304872F	30"	48"	72"	\$	\$	\$
BVP604824F	60"	48"	24"	\$	\$	\$
BVP724824F	72"	48"	24"	\$	\$	\$
BVP724830F	72"	48"	30"	\$	\$	\$

How to Order						
Product Code	BVP244860F					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BVP244860F1 S 28 PLM4030						


BRAVO


Product Details

(Specific to this page. See Overview for more)

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

Plan View (BVP304872F)








Desks • Piano Worksurfaces

BVP244872P w/ S End Panel Option



BVP604824P w/ S End Panel



Freestanding Piano Worksurface w/ Partial Modesty Panel

- · Consists of top, two legs, one round leg, and partial modesty back panel
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- Piano end is 30" wide

	Overa	II Dimer	nsions	End	Style (see be	elow)
Product Number	Length (Left)	Width	Length (Right)	Both (B)	Left or Right (L or R)	Standard (S)
BVP244860P	24"	48"	60"	\$	\$	\$
BVP244866P	24"	48"	66"	\$	\$	\$
BVP244872P	24"	48"	72"	\$	\$	\$
BVP304872P	30"	48"	72"	\$	\$	\$
BVP604824P	60"	48"	24"	\$	\$	\$
BVP724824P	72"	48"	24"	\$	\$	\$
BVP724830P	72"	48"	30"	\$	\$	\$

How to Order						
Product Code	BVP244860P					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
RVP244860P L S 28 PLM4030						


BRAVO


Product Details

(Specific to this page. See Overview for more)

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

Plan View (BVP304872P)







Desks • Piano Worksurfaces

BVP244872G w/ S End Panel Option



BVP604824G w/ S End Panel



Freestanding Piano Worksurface w/ Gusset Cantilevers

- · Consists of top, two legs, one round leg, and gusset cantilevers
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- Gusset cantilevers provide open access to walls
- · Piano end is 30" wide

	Overall Dimensions			End	Style (see be	elow)
Product Number	Length (Left)	Width	Length (Right)	Both (B)	Left or Right (L or R)	Standard (S)
BVP244860G	24"	48"	60"	\$	\$	\$
BVP244872G	24"	48"	72"	\$	\$	\$
BVP604824G	60"	48"	24"	\$	\$	\$

How to Order						
Product Code	BVP244860G					
End Style	L					
Poly/Trim	S					
Metal Color	28					
Laminate	PLM4030					
BVP244860G L S 28 PLM4030						


BRAVO


Product Details

(Specific to this page. See Overview for more)

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- · Gusset Cantilevers provide more open wall access
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

Plan View (BVP304872G)









Desks • P-Shaped Worksurfaces

BVPD244872F w/ S End Panel Option



BVPD604824F w/ S End Panel



Freestanding Piano Worksurface w/ Full Modesty Panel

- · Consists of top, two legs, one round leg, and full modesty back panel
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- Piano end is18" wide

	Overa	II Dimer	nsions	End	Style (see be	elow)
	Length		Length	Both	Left or Right	Standard
Product Number	(Left)	Width	(Right)	(B)	(L or R)	(S)
BVPD244860F	24"	48"	60"	\$	\$	\$
BVPD244872F	24"	48"	72"	\$	\$	\$
BVPD304872F	30"	48"	72"	\$	\$	\$
BVPD604824F	60"	48"	24"	\$	\$	\$
BVPD724824F	72"	48"	24"	\$	\$	\$
BVPD724830F	72"	48"	30"	\$	\$	\$

How to Order			
Product Code BVPD244860F			
End Style	L		
Poly/Trim	S		
Metal Color	28		
Laminate	PLM4030		
BVPD244860F L S 28 PLM4030			


BRAVO


Product Details

(Specific to this page. See Overview for more)

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

Plan View (BVPD304872F)








Desks • P-Shaped Worksurfaces

BVPD244872P w/ S End Panel Option



BVPD604824P w/ S End Panel



Freestanding Piano Worksurface w/ Partial Modesty Panel

- · Consists of top, two legs, one round leg, and partial modesty back panel
- Modesty side panels and one 9" tall steel partial modesty panel along the 60" or 72" side (standard shown, see options)
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- Piano end is18" wide

	Overa	Overall Dimensions			Style (see be	elow)
Product Number	Length (Left)	Width	Length (Right)	Both (B)	Left or Right (L or R)	Standard (S)
BVPD244860P	24"	48"	60"	\$	\$	\$
BVPD244872P	24"	48"	72"	\$	\$	\$
BVPD304872P	30"	48"	72"	\$	\$	\$
BVPD604824P	60"	48"	24"	\$	\$	\$
BVPD724824P	72"	48"	24"	\$	\$	\$
BVPD724830P	72"	48"	30"	\$	\$	\$

How to Order			
Product Code	BVPD244860P		
End Style	L		
Poly/Trim	S		
Metal Color	28		
Laminate PLM4030			
BVPD244860P L S 28 PLM4030			


BRAVO


Product Details

(Specific to this page. See Overview for more)

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces
- Front working edge will have a 16" or 22" radius depending on the size of the worksurface

Plan View (BVPD304872P)









Desks • **D-Shaped Worksurfaces**

BVD2448F w/ S End Panel Option



BVD2460F w/ S End Panel Option



Freestanding D-Shaped Worksurface w/ Full Modesty Panel

- · Consists of top, two legs, one round leg and full modesty back panel
- Transition side panels
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- One 9" tall steel partial modesty panel along the 60"- 72" deep side is standard, allowing basic cabling to run along the length of the D-shaped worksurface

	Overall Dimensions		Transition
			Style
			Both
Product Number	Length	Depth	(B)
BVD2448F	24"	48"	\$
BVD2454F	24"	54"	\$
BVD2460F	24"	60"	\$
BVD2466F	24"	66"	\$
BVD2472F	24"	72"	\$
BVD3048F	30"	48"	\$
BVD3054F	30"	54"	\$
BVD3060F	30"	60"	\$
BVD3066F	30"	66"	\$
BVD3072F	30"	72"	\$
BVD3648F	36"	48"	\$
BVD3654F	36"	54"	\$
BVD3660F	36"	60"	\$
BVD3666F	36"	66"	\$
BVD3672F	36"	72"	\$

Configuration

Poly/Trim Selection	Metal Color Selection	Laminate Selection		
Make one selection for each				
For	a complete list, see pp. 69) -70		





Product Details

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces

How to Order		
Product Code	BVD2448F	
Poly/Trim	S	
Metal Color 28		
Laminate PLM4030		
BVD2448F S 28 PLM4030		



Desks • **D-Shaped Worksurfaces**

BVD2448P w/ S End Panel Option



BVD2460P w/ S End Panel Option



Freestanding D-Shaped Worksurface w/ Partial Modesty Panel

- · Consists of top, two legs, one round leg and partial modesty back panel
- Transition side panels
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- One 9" tall steel partial modesty panel along the 60"- 72" deep side is standard, allowing basic cabling to run along the length of the D-shaped worksurface

	Overall Dimensions		Transition
			Style
			Both
Product Number	Length	Depth	(B)
BVD2448P	24"	48"	\$
BVD2454P	24"	54"	\$
BVD2460P	24"	60"	\$
BVD2466P	24"	66"	\$
BVD2472P	24"	72"	\$
BVD3048P	30"	48"	\$
BVD3054P	30"	54"	\$
BVD3060P	30"	60"	\$
BVD3066P	30"	66"	\$
BVD3072P	30"	72"	\$
BVD3648P	36"	48"	\$
BVD3654P	36"	54"	\$
BVD3660P	36"	60"	\$
BVD3666P	36"	66"	\$
BVD3672P	36"	72"	\$

Configuration

Poly/Trim Selection	Metal Color Selection	Laminate Selection		
Make one selection for each				
For a complete list, see pp. 69-70				





Product Details


- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Modesty Panel allows basic cabling to be run along the width of the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces

How to Order		
Product Code	BVD2448P	
Poly/Trim	S	
Metal Color 28		
Laminate PLM4030		
BVD2448P S 28 PLM4030		



Desks • **D-Shaped Worksurfaces**

BVD3054G w/ S End Panel Option



· Consists of top, two legs, one round leg and gusset cantilevers

Freestanding D-Shaped Worksurface w/ Gusset Cantilevers

- Transition side panels
- · Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- One 9" tall steel partial modesty panel along the 60"- 72" deep side is standard, allowing basic cabling to run along the length of the D-shaped worksurface

	Overall Dimensions		Transition
			Style
			Both
Product Number	Length	Depth	(B)
BVD3054G	30"	54"	\$
BVD3060G	30"	60"	\$
BVD3066G	30"	66"	\$
BVD3072G	30"	72"	\$

BVD3060G w/ S End Panel Option



Configuration

Poly/Trim Selection Metal Color Selection Laminate Selection

Make one selection for each

For a complete list, see pp. 69-70





Product Details

- Worksurface has the same basic construction as rectangular worksurfaces, also 29" in height
- Gusset Cantilevers on the back panel provide even more access to a wall behind the desk
- Additional 4" support leg constructed of 14-gage steel, and have a 1-1/8" adjustable steel glide
- If attached to another worksurface, transitional end panels may be ordered to replace standard end panels to attach both worksurfaces

How to Order		
Product Code	BVD3054G	
Poly/Trim	S	
Metal Color	28	
aminate PLM4030		
BVD3054G S 28 PLM4030		




Desks • Executive Desk

BVED2460F w/ S End Panel Option



Walk-on view of BVED2460F w/ S End Panel Option



Executive Desk

- · Consists of top, two legs, one round leg and gusset cantilevers
- Modesty side panels
- Each leg has two cable access grommet locations
- Top has two cable access grommets above the legs
- "Guest" side of desk has a 6" deep bowed overhand worksurface edge

	Overall Dimensions		
			End Panels
			Standard
Product Number	Length	Depth	(S)
BVED2460F	24"	60"	\$
BVED2466F	24"	66"	\$
BVED2472F	24"	72"	\$
BVED3060F	30"	60"	\$
BVED3066F	30"	66"	\$
BVED3072F	30"	72"	\$

Poly/Trim Selection Metal Color Selection Laminate Selection Make one selection for each For a complete list, see pp. 69-70

Configuration





Product Details


- · Standard Transition End Panels are standard
- Modesty panel attached to the underside of the worksurface and leg assembly allows basic cabling to be run along the width of the desk

How to Order		
Product Code	BVED2460F	
Poly/Trim	S	
Metal Color	28	
Laminate PLM4030		
BVED2460F S 28 PLM4030		



Desks • Transaction Worksurfaces

BVTSS24




Transaction Counter Standard Height Straight Worksurface

- Consists of a top, two stanchions, steel privacy panel
- Space below transaction surface is 11-1/2"
- Approximate height from floor is 42"

Product Number	Length	Pricing
BVTSS24	24"	\$
BVTSS30	30"	\$
BVTSS36	36"	\$
BVTSS42	42"	\$
BVTSS48	48"	\$
BVTSS54	54"	\$
BVTSS60	60"	\$
BVTSS66	66"	\$
BVTSS72	72"	\$

BVTLS24



Transaction Counter Standard Height Straight Worksurface

- Consists of a top, two stanchions, steel privacy panel
- Space below transaction surface is 3-3/4"
- Approximate height from floor is 34"

Product Number	Length	Pricing
BVTLS24	24"	\$
BVTLS30	30"	\$
BVTLS36	36"	\$
BVTLS42	42"	\$
BVTLS48	48"	\$
BVTLS54	54"	\$
BVTLS60	60"	\$
BVTLS66	66"	\$
BVTLS72	72"	\$

BRAVO

Product Details

(Specific to this page. See Overview for more)

- Worksurfaces are available with the same edge treatments as the rectangular worksurfaces
- Transaction panel is formed from 18- gage steel and attach to the underside of the transaction worksurface
- Depths for rectangular and corner shapes is 16"
- Transaction Worksurface Support is formed from16-gage steel and is rated as R/C (QMFZ2), 94HB minimum or formed of 20gage steel

Poly/Trim Selection	Metal Color Selection	Laminate Selection
Make one selection for each		
For	a complete list, see pp. 69)-70




How to Order		
Product Code	BVTSS36	
Poly/Trim	S	
Metal Color	28	
Laminate	PLM4030	
BVTSS36 S 28 PLM4030		



Desks • Transaction Worksurfaces

BVTSC4242




Transaction Counter Standard Height Corner Worksurface

- Consists of a top, two stanchions, steel privacy panel
- Space below transaction surface is 11-1/2"
- Approximate height from floor is 42"

Ler	ngth	
Left	Right	Pricing
42"	42"	\$
48"	48"	\$
48"	60"	\$
48"	66"	\$
48"	72"	\$
60"	48"	\$
66"	48"	\$
72"	48"	\$
	Left 42" 48" 48" 48" 48" 60" 66"	42" 42" 48" 48" 48" 60" 48" 66" 48" 72" 60" 48" 66" 48"

BVTLC4242



Transaction Counter Low Height Corner Worksurface

- Consists of a top, two stanchions, steel privacy panel
- Space below transaction surface is 3-3/4"
- · Approximate height from floor is 34"

	Len	ngth	
Product Number	Left	Right	Pricing
BVTLC4242	42"	42"	\$
BVTLC4848	48"	48"	\$
BVTLC4860	48"	60"	\$
BVTLC4866	48"	66"	\$
BVTLC4872	48"	72"	\$
BVTLC6048	60"	48"	\$
BVTLC6648	66"	48"	\$
BVTLC7248	72"	48"	\$

BRAVO

Product Details

- Worksurfaces are available with the same edge treatments as the rectangular worksurfaces
- Transaction panel is formed from 18- gage steel and attach to the underside of the transaction worksurface
- Depths for rectangular and corner shapes is 16"
- Transaction Worksurface Support is formed from16-gage steel and is rated as R/C (QMFZ2), 94HB minimum or formed of 20gage steel

Configuration		
Poly/Trim Selection	Metal Color Selection	Laminate Selection
Make one selection for each		
For a complete list, see pp. 69-70		



How to Order		
Product Code	BVTSC4242	
Poly/Trim	S	
Metal Color	28	
Laminate	PLM4030	
BVTSC4242 S 28 PLM4030		



Desks • Corner Open Bookshelf



Product Number	Dimensions	Pricing
BVCOS4242	42 x 42"	\$
BVCOS4848	48 x 48"	\$

Universal Regular Shelf

- Steel bottom, end panels, low back with powder-coat finish
- Includes the overhead shelf and stanchions

Configuration		
Poly/Trim Selection	Metal Color Selection	Laminate Selection
Make one selection for each		
For a complete list, see pp. 69-70		





Product Details

- End Panels are constructed of 14- gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish

How to Order		
Product Code	BVCOS4242	
Poly/Trim	S	
Metal Color	28	
Laminate PLM4030		
BVCOS4242 S 28 PLM4030		



Desks • Add-On Worksurfaces

BVRA2436

Round Add-On Worksurface

Product Number	Depth	Diam.	Pricing
BVRA2436	24"	36"	\$
BVRA3042	30"	42"	\$



BVHA2448



Half Round Add-On Worksurface

Product Number	Depth	Diam.	Pricing
BVHA2448	48"	24"	\$
BVHA3060	60"	30"	\$

BVQA2424



• Length of flat perpendicular edge is the same as depth

Product Number	Depth	Diam.	Pricing
BVQA2424	24"	24"	\$
BVQA3030	30"	30"	\$

Configuration





BRAVO

Product Details


(Specific to this page. See Overview for more)

rectangular worksurfaces, also 29" height

· Worksurfaces are available with the same edge treatments as

• Single tubular support leg has a 4" diameter, is constructed of

14-gage steel, and has a 1-1/8" adjustable steel glide





Components • Worksurface Accessories

55020

Regular Grommet

Molded from polycarbonate

Product Number	Specifications	Pricing
55020	XX	\$

55022



Leg Grommet Cover

· Molded from polycarbonate

	Dimer	nsions	
Product Number	Length	Width	Pricing
55022	3-1/4"	2-1/4"	\$

BRAVO

Product Details (Specific to this page)

- Grommets and covers are always standard and are replacable without tools
- Worksurfaces grommets define the overall accessibility to cables and wireways and also provide support for overhead storage, hanging pedestals, electrical components, and privacy screens
- Basic Worksurfaces may include 2 triangular worksurface grommets, located in the back corners of each worksurface. 60" and 72" worksurfaces can have 3 triangular wireway grommets, two in the corners and one located near the back center of the
- **Grommets** can be ordered to match to the worksurface edge color

55023



Worksurface Grommet

Molded from polycarbonate


Product Number	Specifications	Pricing
55023	XX	\$



Worksurface Grommet Cover

· Molded from polycarbonate

Product Number	Specifications	Pricing
55024	XX	\$






How to Order			
Product Code	55020		
Poly Color	G		
55020 G			



Components • Worksurface Accessories

BVEPT24



End Panel Trough

- · For matching desk size
- All metal construction (no Polypropylene (POLY) color is selectable)

Product Number	Length	Pricing
BVEPT24	24"	\$
BVEPT30	30"	\$

BVPMBL27



Panel Mount Bracket

- Allows a desk unit to be attached to a Crescendo Panel
- · Only available in black metal

Product Number	Facing	Pricing
BVPMBL27	Left	\$
BVPMBR27	Right	\$

BVFSL



Freestanding Stanchion Large

- 4 openings for data & power cables
- · Stanchion door and top cap included

Product Number	Height	Pricing
BVFSL	19-1/2"	\$

BVFSS



Freestanding Stanchion Short

- 2 openings for data & power cables
- · Stanchion door and top cap included

Product Number	Height	Pricing
BVFSS	11-1/2"	\$

Configuration

Poly/Trim Selection Metal Color Selection

Make one selection for each





How to Order		
Product Code	BVFSL	
Poly Color	G	
Metal Color 28		
BVFSL G 28		

Product Details (Specific to this page)

• Troughs keep cables organized and

trough system can be installed on the

 Bravo units easily integrate with the Crescendo Panel System via Panel Mount Bracket (See Crescendo

out of the way. An optional wire

• Stanchions that can support

overhead units also house electrical

back face of the desks

System Pricelist)

and data receptacles




Overhead Storage • Overview

BRAVO

Universal Regular Shelf

Universal Low Shelf

Product Details




See individual pages for specific product details

Universal Overhead (Powder Coat Finish)








Universal Overhead (Laminate)


Venus Overhead (Powder Coat Finish)






Venus Overhead (Fabric)

Venus Overhead (Laminate)






Notes:

- Product dimensions shown in approximate inches
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions
- See page 70 for Polypropylene and Metal Powder Coat Finish selections
- See pages 69-70 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 63-68



BVURSR24




Universal Regular Shelf

- · Steel bottom, end panels, low back with powder-coat finish
- · Includes the overhead shelf and stanchions
- 66" length has one 30" unit and one 36"
- 72" length has two 36" units
- · Depth of shelf is 15" with underneath clearance 16-1/2"

Product Number	Width	Pricing
BVURSR24	24"	\$
BVURSR30	30"	\$
BVURSR36	36"	\$
BVURSR42	42"	\$
BVURSR48	48"	\$
BVURSR54	54"	\$
BVURSR60	60"	\$
BVURSR66	66"	\$
BVURSR72	72"	\$


BVURSR66




Universal Low Shelf

- · Steel bottom, end panels, low back with powder-coat finish
- Includes the overhead shelf and stanchions
- 66" length has one 30" unit and one 36"
- 72" length has two 36" units
- · Depth of shelf is 15" with underneath clearance 9-1/4"

Product Number	Width	Pricing
BVULSR24	24"	\$
BVULSR30	30"	\$
BVULSR36	36"	\$
BVULSR42	42"	\$
BVULSR48	48"	\$
BVULSR54	54"	\$
BVULSR60	60"	\$
BVULSR66	66"	\$
BVULSR72	72"	\$





Configuration

Somgaration		
Poly/Trim Selection Metal Color Selection		
Make one selection for each		
For a complete list, see p. 70		




- · End Panels are constructed of 14- gage steel, with a powder
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included stanchions are made of 16- gage steel and have 4 cutouts that can accommodate either commercially available data plates or Removable Power Taps (RPT)
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allows power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed, adjusted with incremental slots

How to Order		
Product Code BVURSR24		
Poly/Trim S		
Metal Color 28		
BVURSR24 S 28		




BVUS24



BVUS66



BVUS72



Universal Overhead w/ Powder-Coat Finished Steel Door

- Steel bottom and top shelf, end panels, full back and door front with powder-coat finish
- · Includes the overhead cabinet and stanchions
- 66" length has two overhead cabinets (one 30" cabinet and one 36" cabinet)
- 72" length has two overhead cabinets (two 36" cabinets)
- 13" high door recedes inside the cabinet
- Approximately 34" high when attached to worksurface with underneath clearance 18-1/2"
- · Locks can be randomly assigned or keyed per customer requests

Product Number	Width	Pricing
BVUS24	24"	\$
BVUS30	30"	\$
BVUS36	36"	\$
BVUS42	42"	\$
BVUS48	48"	\$
BVUS54	54"	\$
BVUS60	60"	\$
BVUS66	66"	\$
BVUS72	72"	\$

Configuration

Poly/Trim Selection Metal Color Selection	
Make one selection for each	
For a complete list, see p. 70	







- End Panels are constructed of 14- gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allow power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed and adjusted with incremental slots

How to Order		
Product Code BVUS24		
Poly/Trim S		
Metal Color 28		
BVUS24 S 28		



BVUF24





BVUF72



Universal Overhead w/ Fabric Covered Steel Door

- Steel bottom and top shelf, end panels, full back and door front with fabric
- Includes the overhead cabinet and stanchions
- 66" length has two overhead cabinets (one 30" cabinet and one 36" cabinet)
- 72" length has two overhead cabinets (two 36" cabinets)
- 13" high door recedes inside the cabinet
- Approximately 34" high when attached to worksurface with underneath clearance 18-1/2"
- · Locks can be randomly assigned or keyed per customer requests

		Fabric Pricing by Grade		
Product Number	Width	Grade 1	Grade 2	Grade 3
BVUF24	24"	\$	\$	\$
BVUF30	30"	\$	\$	\$
BVUF36	36"	\$	\$	\$
BVUF42	42"	\$	\$	\$
BVUF48	48"	\$	\$	\$
BVUF54	54"	\$	\$	\$
BVUF60	60"	\$	\$	\$
BVUF66	66"	\$	\$	\$
BVUF72	72"	\$	\$	\$

Configuration

Poly/Trim Selection	Metal Color Selection	Fabric Selection
Make one sele	ection for each	Select one
For a complete	e list, see p. 70	For a complete list, please see the OFG App.






- End Panels are constructed of 14- gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allow power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed and adjusted with incremental slots


How to Order			
Product Code	BVUF24		
Poly/Trim	S		
Metal Color	28		
Fabric FAB0270			
BVUF24 S 28 FAB0270			




BVUL24



BVUL66



BVUL72



Universal Overhead w/ Laminate Covered Steel Door

- · Steel bottom and top shelf, end panels, full back and door front in laminate
- · Includes the overhead cabinet and stanchions
- 66" length has two overhead cabinets (one 30" cabinet and one 36" cabinet)
- 72" length has two overhead cabinets (two 36" cabinets)
- 13" high door recedes inside the cabinet
- Approximately 34" high when attached to worksurface with underneath clearance 18-1/2"
- · Locks can be randomly assigned or keyed per customer requests

Product Number	Width	Pricing
BVUL24	24"	\$
BVUL30	30"	\$
BVUL36	36"	\$
BVUL42	42"	\$
BVUL48	48"	\$
BVUL54	54"	\$
BVUL60	60"	\$
BVUL66	66"	\$
BVUL72	72"	\$

Configuration

Poly/Trim Selection	Metal Color Selection	Laminate Selection
Make one selection for each		
For	a complete list, see pp. 69	} -70




BRAVO

- End Panels are constructed of 14- gage steel, with a powder coat finish
- Shelf is an 18-gage steel weldment with a powder coat finish
- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Overhead support stanchion covers are made of extruded plastic and available in standard Polypropylene colors
- Flexible rubber Polypropylene piece allow power or data cables to be run from the worksurface into the overhead support stanchions
- Shelf dividers are available and easily installed and adjusted with incremental slots

How to Order			
Product Code	BVUL24		
Poly/Trim	S		
Metal Color	28		
Laminate PLM4030			
BVUL24 S 28 PLM4030			




BVS24



_...



BVS72D



Venus Overhead w/ Solid Door

- Colored or translucent extruded PVC door (See below)
- · Painted lower door
- · Includes the overhead cabinet and stanchions
- 66" length has two overhead unit (one 30" unit and one 36" unit)
- 72" length has two overhead units (two 36" units)
- · Shelf Dividers available separately
- · Locks can be randomly assigned or keyed per customer requests

Product Number	Width	Pricing
BVS24	24"	\$
BVS30	30"	\$
BVS36	36"	\$
BVS42	42"	\$
BVS48	48"	\$
BVS54	54"	\$
BVS60	60"	\$
BVS66D	66"	\$
BVS72D	72"	\$

Configuration

Metal Color Selection	Poly/Trim Selection
Make one sele	ection for each
For a complete	e list, see p. 70

To select translucent
doors, enter "TR"
beween Your Metal and
Poly selections. Orders
without TR added will
receive matching Poly
doors.
1

Translucent Doors

BRAVO

- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Cabinet sides are constructed of 14- gage sheet steel, while the top, back, and shelf are constructed out of 18- gage sheet steel
- Shelf is resistance welded so there are no visible weld marks
- A 10-gage hot rolled steel link arm connects the Poly door and lower door
- Spring tension allows less than 5 lbs. of force used to assist in the opening and closing of the doors, even with a closed fist (ADA compliant)
- Inside cabinet slotted every two inches to allow for the use of shelf dividers

How to Order			
Product Code BVS24			
Metal Color 28			
Poly/Trim S			
BVS24 28 S			

w/ matching Poly Doors

How to Order			
Product Code	BVS60		
Metal Color	28		
Translucent Doors	TR		
Poly/Trim S			
BVS60 28 TR S			

w/ Translucent Doors



BVF24





BVF72D



Venus Overhead w/ Fabric-covered Door

- Fabric-covered extruded PVC door
- · Painted lower door
- · Includes the overhead cabinet and stanchions
- 66" length has two overhead unit (one 30" unit and one 36" unit)
- 72" length has two overhead units (two 36" units)
- Shelf Dividers available separately
- · Locks can be randomly assigned or keyed per customer requests

_					
Γ			Fabric Pricing by Grade		
	Product Number	Width	Grade 1	Grade 2	Grade 3
Γ	BVF24	24"	\$	\$	\$
I	BVF30	30"	\$	\$	\$
	BVF36	36"	\$	\$	\$
Г	BVF42	42"	\$	\$	\$
	BVF48	48"	\$	\$	\$
Г	BVF54	54"	\$	\$	\$
	BVF60	60"	\$	\$	\$
Г	BVF66D	66"	\$	\$	\$
	BVF72D	72"	\$	\$	\$

Configuration

Metal Color Selection	Poly/Trim Selection	Fabric Selection
Make one sele	ection for each	Select one
For a complete list, see p. 70		For a complete list, please see the OFG App.






BRAVO

- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Cabinet sides are constructed of 14- gage sheet steel, while the top, back, and shelf are constructed out of 18- gage sheet steel
- Shelf is resistance welded so there are no visible weld marks
- A 10-gage hot rolled steel link arm connects the Poly door and lower door
- Spring tension allows less than 5 lbs. of force used to assist in the opening and closing of the doors, even with a closed fist (ADA compliant)
- Inside cabinet slotted every two inches to allow for the use of shelf dividers


Product Code	BVF24	
Metal Color	28	
Poly/Trim	S	
abric FAB0270		
BVF24 28 S FAB0270		

BVL24





BVL72D



Venus Overhead w/ Laminate-covered Door

- Laminate-covered extruded PVC door
- · Painted lower door
- · Includes the overhead cabinet and stanchions
- 66" length has two overhead unit (one 30" unit and one 36" unit)
- 72" length has two overhead units (two 36" units)
- Shelf Dividers available separately
- · Locks can be randomly assigned or keyed per customer requests

Product Number	Width	Pricing
BVL24	24"	\$
BVL30	30"	\$
BVL36	36"	\$
BVL42	42"	\$
BVL48	48"	\$
BVL54	54"	\$
BVL60	60"	\$
BVL66D	66"	\$
BVL72D	72"	\$

Configuration

Metal Color Selection	Poly/Trim Selection	Laminate Selection	
Make one selection for each			
For a complete list, see pp. 69-70			



BRAVO

- Front edge of the shelf has a PVC extrusion that also provides space for a concealed flush mount task light
- · Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- · Cabinet sides are constructed of 14- gage sheet steel, while the top, back, and shelf are constructed out of 18- gage sheet steel
- Shelf is resistance welded so there are no visible weld marks
- A 10-gage hot rolled steel link arm connects the Poly door and lower door
- Spring tension allows less than 5 lbs. of force used to assist in the opening and closing of the doors, even with a closed fist (ADA compliant)
- · Inside cabinet slotted every two inches to allow for the use of shelf dividers

Product Code	BVL66D	
Metal Color	28	
Poly/Trim	S	
aminate PLM0220		
BVL66D 28 S PLM0220		

Desks • Conversion Kits

Universal Overhead Conversion Kit

 Kit includes all the parts and hardware required to convert a Classic XXI or Crescendo Universal Overhead into a Bravo Universal Overhead

Product Number	Width	Pricing
PRDCK24	24"	\$
PRDCK30	30"	\$
PRDCK36	36"	\$
PRDCK42	42"	\$
PRDCK48	48"	\$
PRDCK54	54"	\$
PRDCK60	60"	\$
PRDCK66	66"	\$
PRDCK72	72"	\$

BRAVO

Product Details

 Your Universal/ Venus overhead must attach to a desk of the same size

Venus Overhead Conversion Kit

- Kit includes all the parts and hardware required to convert a Classic XXI or Crescendo Universal Overhead into a Venus Overhead
- · Available in Black only

Product Number	Width	Pricing
VDCKB	30-72"	\$

Configuration

Metal Color Selection Poly/Trim Selection

Make one selection for each

For a complete list, see p. 70

Note:

Add a "T" before your Poly/Trim selection



How to Order				
Product Code	PRDCK24			
Metal	34			
(Add T for "Trim")	T			
Poly/Trim G				
PRDCK24 34 T G				




Storage Units • Kiosks

65.5" Kiosk with Open Bookshelf



65.5" Kiosk with Hinged Doors



				Product Sp	ecifications	
			Ov	erall Dimensi	ons	Weight
Product Number	Description	Price	W	D	Н	LB
KIOSK3024RHOP	65.5" Kiosk with Open Bookshelf, Right Door End	\$	30"	24"	65.5"	208
KIOSK3624RHOP	65.5 Klosk with Open Bookshell, Right Door End	\$	36"	24"	65.5"	256
KIOSK3024LHOP	CF F" Kingk with Open Booksholf Left Door End	\$	30"	24"	65.5"	208
KIOSK3624LHOP	65.5" Kiosk with Open Bookshelf, Left Door End	\$	36"	24"	65.5"	256
KIOSK3024RHCL	65.5" Kiosk with Hinged Doors, Right Door End	\$	30"	24"	65.5"	231
KIOSK3624RHCL	65.5 Klosk with Hinged Doors, Right Door End	\$	36"	24"	65.5"	268
		•	•	•	•	•
KIOSK3024LHCL	65.5" Kiosk with Hinged Doors, Left Door End	\$	30"	24"	65.5"	231
KIOSK3624LHCL	65.5 Klosk with hinged Doors, Left Door End	\$	36"	24"	65.5"	268

BRAVO

- Glides that adjust from inside the cabinet make installation even easier
- Open bookcase area has one adjustable blank shelf and a blank bottom shelf
- 20-gauge steel body, top, box fram, front and back uprights.
 Uprights are notched in 3" intervals for drawer suspension mounting
- High-security, single-bit locks are standard on all units. Units are standard with random keys in a range of 100 different numbers. Specific keying combinations available at no additional charge. This information must be included with the order
- All products are chemically etched prior to painting. This process enhances top coat bonding.
- · Top coat is epoxy powder paint

Kiosk-specific Details

- · Offered in 30" and 36" width
- Includes three 12" high x 24" or 30" wide lateral filing drawers with folder bars. One lock secures all three drawers
- Includes a 6" wide full height wardrobe area with a separate lock
- Includes coat hanger rod
- · Wardrobe door must be specified on right or left side of kiosk

Configuration

Metal Color Selection

Make one selection

For a complete list, see p. 70



How to Order			
Product Code KIOSK3024RHOP			
Metal Color 28			
KIOSK3024RHOP 28			





Components • Mobile Pedestals

PEDMPPBF20



- · One 3" pencil drawer with tray
- · One 6" box drawer
- One 12" file drawer
- 5th wheel for support included

PEDMPFF20



• Two 12" file drawers

- · One 12" file drawer



PEDMPBBF20

- Two 6" box drawers
- · 5th wheel for support included

Product Specifications Weight **Overall Dimensions Product Number** Description Price W Н LB PEDMPPBF20 15" 17.75" 24.75" 89 Three Drawer File Pedestal, Mobile (5th wheel is \$ PEDMPPBF24 15" 21.75" 24.75" 90 PEDMPFF20 15" 17.75" 27.75" Two Drawer File Pedestal, Mobile (5th wheel is \$ 90 PEDMPFF24 included) \$ 15" 21.75" 27.75" 93 PEDMPBBF20 Two Box Drawers and One File Drawer Mobile File 15" 17.75" 27.75" \$ 93 PEDMPBBF24 Pedestal (5th wheel is included) 15" 21.75" 27.75" 95

Configuration

Metal	Color	Sel	lection
wetai	COIOI	Je	ICCLIOII

Make one selection

For a complete list, see p. 70



How to Order			
Product Code PEDMPPBF20			
Metal Color 28			
PEDMPPBF20 28			



Product Details (this page only)

- · Locks are included in each pedestal and are randomly keyed
- Specific keying combinations are available at no additional charge. Any request must be included with the order
- 12" file drawer sizes have a full extensions slide arm suspensions for full access to storage space
- 3" pencil drawers and 6" box drawers can have 3/4" extension, steel ballbearing suspension
- · Mobile pedestals have a finished top and 4 twin wheel hooded casters
- · Front casters are locking, back casters are non-locking
- Mobile pedestals include 2-3/4" allowance for casters in the dimensions
- 24" deep desks require a 20" deep pedestal
- 30" deep desks may use either a 20 or 24" deep pedestal





Components • Freestanding Pedestals

PEDFPPBF20



• One 3" pencil drawer with tray

· One 6" box drawer

· One 12" file drawer

PEDFPPBF24

PEDFPFF20



• Two 12" file drawers

PEDFPBBF20

BRAVO

the order

dimensions

Product Details (this page only)

steel ballbearing suspension

charge. Any request must be included with

glides and can be placed under a worksurface

• 24" deep desks require a 20" deep pedestal

• Freestanding pedestals include 1/2" allowance in the

• 30" deep desks may use either a 20 or 24" deep pedestal

· A counterbalance weight is included

• 12" file drawer sizes have a full extensions slide arm suspensions for full access to storage space

· Locks are included in each pedestal and are randomly keyed • Specific keying combinations are available at no additional

• 3" pencil drawers and 6" box drawers can have 3/4" extension,

• Freestanding pedestals have a finished top and 4 adjustable



• Two 6" box drawers

15"

Product Specifications Overall Dimensions Product Number Description Price W PEDFPPBF20 15" 17.75" Three Drawer Freestanding File Pedestal

PEDFPFF20	Two File Drower Freestanding File Redeatel	\$	15"	17.75"	25.5"	55
PEDFPFF24	Two File Drawer Freestanding File Pedestal		15"	21.75"	25.5"	55

PEDFPBBF20	Two Box Drawers and One File Drawer Freestanding	\$ 15"	17.75"	25.5"	57
PEDFPBBF24	File Pedestal	\$ 15"	21.75"	25.5"	60



· One 12" file drawer

21.75"

Configuration

Metal Color Selection

Make one selection

For a complete list, see p. 70




How to Order					
Product Code	PEDFPPBF20				
Metal Color	28				
PEDFPPBF20 28					

Н

22.5"

22.5"





Weight

LB


53

55



Components • Pedestal Accessories

Pedestal Cushion



BRAVO

Product Details (this page only)

- Constructed of 3/4" thick foam and medium density fiberboard for a total thickness of 1-1/4"
- Non-slip pads on underside
- Fabric runs side-to-side



				Textile and Leather Grade		Pro	duct Specifica	tions			
					Te	xtile			Overall I	Dimensions	Weight
Product Number	Description	Price	1	2	3	4	5	6	W	D	LB
SLPC1520	Pedestal Cushion (used on 15 x 20" pedestals)	\$	N/C	•	•	•	•	•	15"	17-5/8"	4
SLPC1524	Pedestal Cushion (used on 15 x 24" pedestals)	\$	N/C	•	•	•	•	•	15"	21-5/8"	5
SLPC1530	Pedestal Cushion (used on 15 x 30" pedestals)	\$	N/C	•	•	•	•	•	15"	27-5/8"	6

Upgrade avaiable at additional cost

Configurati	on

Fabric Choice

Make one selection

For a complete list of fabrics, please see the OFG $$\operatorname{\sc App}$.$




How to Order					
Product Code	SLPC1520				
Fabric UFB0005					
SLPC1520 UFB0005					



Components • Tool Rails

BVTSM24 on Rectangular Worksurface w/ Universal Overhead




Stanchion Mounted Tool Rail Kit

- Mounts above the worksurface off the stanchions used to support any overhead storage unit
- · Allows paper management accessories to be hung off the tool rail
- · Desk size must match the width of product

Product Number	Width	Pricing
BVTSM24	24	\$
BVTSM30	30	\$
BVTSM36	36	\$
BVTSM42	42	\$
BVTSM48	48	\$
BVTSM54	54	\$
BVTSM60	60	\$
BVTSM66	66	\$
BVTSM72	72	\$

BVTSO24 on Corner Worksurface w/ Universal Stanchion & On-Worksurface Mounted Overhead




Tool Rail Kit

- Mounts above the worksurface between a stanchion used to support any overhead storage unit and an end mount bracket
- Allows paper management accessories to be hung off the tool rail
- · The desk size must match the width of product

ł			
	Product Number	Width	Pricing
	BVTSO24	24	\$
١.	BVTSO30	30	\$
d	BVTSO36	36	\$
	BVTSO42	42	\$
	BVTSO48	48	\$
	BVTSO54	54	\$
	BVTSO60	60	\$
	BVTSO66	66	\$
	BVTSO72	72	\$

BVTWM24 on Rectangular Worksurface



Worksurface Mounted Tool Rail Kit

- · Mounts above the worksurface that attach to the grommets at each back corner
- · Allows paper management accessories to be hung off the tool rail
- · The desk size must match the width of product

Product Number	Width	Pricing
		Fricing
BVTWM24	24	\$
BVTWM30	30	\$
BVTWM36	36	\$
BVTWM42	42	\$
BVTWM48	48	\$
BVTWM54	54	\$
BVTWM60	60	\$
BVTWM66	66	\$
BVTWM72	72	\$

Product Details (Specific to this page)

- Tool rail is fabricated from a powder coated aluminum extrusion with injection molded plastic end caps
- · Attaches to the workstation in one of two options. Option one is to attach the tool rail to the overhead storage supports through the use of selflocking steel brackets. Option two is to attach the tool rail to desk mounted brackets
- Mounted brackets are 15-3/4" high, non handed, and constructed of 16-gage steel. Tool rail is 4-1/2" high and 7/8" deep, with the length corresponding to the worksurface width minus the width of the overhead supports
- Multiple combinations of paper management units can hang on the bar in any of 4 vertical locations
- All components are made of injection molded ABS plastic

Configuration






How to Order					
Product Code	BVTSM24				
Metal Color	28				
BVTSM24 28					



Components • Paper Management Accessories



Shelf Divider


Shelf, Universal Overhead Storage or Venus Overhead Storage

	Overa	II Dimen		
Product Number	Width	Height	Depth	Pricing
NSD		XX		\$

3CD

Center Drawer

	Overa	ıll Dimen		
Product Number	Width	Height	Pricing	
3CD	18"	2-3/4"	18"	\$



· Attaches to Universal (Low or Regular)

· Molded plastic compartment tray

Plastic Paper Tray Unit


Plastic construction



PLL

Configuration

Poly Selection





· Components address the storage and movement of files, binders, and documents for individual needs

Product Details (Specific to this page)

· All accessories have integrated hooks for attachment to the

· Shelf dividers made of powder coated steel and installation or removal of them can be accomplished without the use of tools or fasteners

• Center drawers have a lock which is randomly keyed. Specific keying combinations are available at ordering. It attaches under Bravo worksurfaces

• Paper Tray can be used freestanding or suspended from the tool rail

How to Order							
Product Code	NSD						
Poly Color G							
NSD G							

Components • Paper Management Accessories

PDS



Plastic Diagonal Storage Unit

- Plastic construction
- Three slanted partitions per unit

	Overa	II Dimer		
Product Number	Width	Height	Depth	Pricing
PDS	2-1/2"	7"	12-1/2"	\$

BRAVO

paper clips

Product Details (Specific to this page)

binders, and documents for individual needs

· Components address the storage and movement of files,

· All accessories have integrated hooks for attachment to the

• Diagonal Storage uses ABS dividers in either left or right positions. It can be freestanding or suspended from the tool rail

• Accessory Tray has compartments for the storage of common items such as: stamps, small note pads, tape, pencils, and

PAT



Accessory Tray

- Injection-molded plastic
- Stores stamps, tape dispenser, Post-It pads, and paper clips

	Overa	iii Diiiiei		
Product Number	Width	Height	Depth	Pricing
PDS	2-1/2"	7"	12-1/2"	\$
	-			

	Overa	ıll Dimen		
Product Number	Width	Height	Pricing	
PAT	2"	9-1/2"	10"	\$

PAC



Pencil Cup

Plastic construction

	Overa	II Dimen		
Product Number	Width	Height	Depth	Pricing
PPC	4"	4"	3-1/2"	\$

Configuration



Make one selection







How to Order						
Product Code PDS						
Poly Color	G					
PDS G						


Privacy Screens • Overview

Frame Options on All Bravo Privacy Screens

· All Bravo Privacy Screens come with three frame options:


Choose between a translucent frame (TF), exposed frame (EF), and an upholstered frame (UF)

e.g.




Privacy Screens available in the following categories:


Between Stanchion



Behind Worksurface




Behind Worksurface (Corner)




Between Two Stanchions and On-Worksurface



On-Worksurface



On-Worksurface (Corner)



BRAVO

Product Details

(General. See product pages for more)


- Provide sit down or stand up privacy within the Bravo workstation
- Privacy screens and brackets consist of different aluminum extrusion profiles, iron core light or thick nontackable translucent plastic
- Frames are made of extruded aluminum that is .060" in. thick and 1-2/5" wide, height determined by screen type
- Mounting brackets extrusions are formed of 16-gage steel and have a length determined by screen option and desk size

Notes:

- Product dimensions shown in approximate inches
- Building connection hardware must be supplied by customer
- Add-On Worksurfaces and Overhead storage units must match workspace dimensions
- See page 70 for Polypropylene and Metal Powder Coat Finish selections
- See pages 69-70 for Laminate and Upholstery Finish information
- Wire styles must match on all electrical components (see pages 63-68



BVSBS1924 w/TF



Between Stanchion Mounted Screen w/ Frame Options

Product Details (Specific to this page. See Overview for more)

- Mounts above the worksurface, using the stanchions of overhead storage units, closing the gap between the two products
- The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications
- May be used to provide privacy between two worksurfaces placed back to back
- 3/4" thick and 19" high, available in widths to fit all worksurfaces
- Designed for straight-line applications
- Configurable to match the worksurface (see options)

Product Number	Width	TF	EF1	EF2	EF3	UF1	UF2	UF3
BVSBS1924	24"	\$	\$	\$	\$	\$	\$	\$
BVSBS1930	30"	\$	\$	\$	\$	\$	\$	\$
BVSBS1936	36"	\$	\$	\$	\$	\$	\$	\$
BVSBS1942	42"	\$	\$	\$	\$	\$	\$	\$
BVSBS1948	48"	\$	\$	\$	\$	\$	\$	\$
BVSBS1954	54"	\$	\$	\$	\$	\$	\$	\$
BVSBS1960	60"	\$	\$	\$	\$	\$	\$	\$
BVSBS1966	66"	\$	\$	\$	\$	\$	\$	\$
BVSBS1972	72"	\$	\$	\$	\$	\$	\$	\$


Key: Pricing categories represent Frame Type (TF/EF/UF) and Fabric Grade (1/2/3). For example, UF2 represents the cost of a UF frame (see below) w/ a Grade 2 fabric. See OFG App. For more details on available fabric options.

Configuration **Metal Color Selection Fabric Selection** Frame Type (select one) Select one Select one (Options EF and UF only) For a complete list, please see the TF EF UF For a complete list, see p. 70 OFG App. Translucent Frame **Exposed Frame** Upholstered Frame

How to Order						
Product Code	BVSBS1942					
Frame Type	UF					
Metal Color	28					
Fabric FAB0270						
BVSBS1942 UF 28 FAB0270						



BVSBW2024 w/TF



Behind Worksurface Mounted Screen w/ Frame Options

Product Details (Specific to this page. See Overview for more)

- Mounts behind the back edge of the worksurface on brackets through grommets
- The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications
- May be used to provide privacy between two worksurfaces placed back to back
- 3/4" thick and 20" or 38" high, available in widths to fit all worksurfaces
- Designed for straight-line applications
- Configurable to match the worksurface (see options)

Product Number	Height	Width	TF	EF1	EF2	EF3	UF1	UF2	UF3
BVSBW2024	20"	24"	\$	\$	\$	\$	\$	\$	\$
BVSBW2030	20"	30"	\$	\$	\$	\$	\$	\$	\$
BVSBW2036	20"	36"	\$	\$	\$	\$	\$	\$	\$
BVSBW2042	20"	42"	\$	\$	\$	\$	\$	\$	\$
BVSBW2048	20"	48"	\$	\$	\$	\$	\$	\$	\$
BVSBW2054	20"	54"	\$	\$	\$	\$	\$	\$	\$
BVSBW2060	20"	60"	\$	\$	\$	\$	\$	\$	\$
BVSBW2066	20"	66"	\$	\$	\$	\$	\$	\$	\$
BVSBW2072	20"	72"	\$	\$	\$	\$	\$	\$	\$

Product Number	Height	Width	TF	EF1	EF2	EF3	UF1	UF2	UF3
BVSBW3824	38"	24"	\$	\$	\$	\$	\$	\$	\$
BVSBW3830	38"	30"	\$	\$	\$	\$	\$	\$	\$
BVSBW3836	38"	36"	\$	\$	\$	\$	\$	\$	\$
BVSBW3842	38"	42"	\$	\$	\$	\$	\$	\$	\$
BVSBW3848	38"	48"	\$	\$	\$	\$	\$	\$	\$
BVSBW3854	38"	54"	\$	\$	\$	\$	\$	\$	\$
BVSBW3860	38"	60"	\$	\$	\$	\$	\$	\$	\$
BVSBW3866	38"	66"	\$	\$	\$	\$	\$	\$	\$
BVSBW3872	38"	72"	\$	\$	\$	\$	\$	\$	\$


Key: Pricing categories represent Frame Type (TF/EF/UF) and Fabric Grade (1/2/3). For example, UF2 represents the cost of a UF frame (see below) w/ a Grade 2 fabric. See OFG App. For more details on available fabric options.

Configuration **Metal Color Selection Fabric Selection** Frame Type (select one) Select one Select one (Options EF and UF only) For a complete list, please see the TF EF UF For a complete list, see p. 70 OFG App. **Exposed Frame** Upholstered Frame Translucent Frame

How to Order						
Product Code	BVSBW2042					
Frame Type	TF					
Metal Color	28					
Fabric (-)						
BVSBW2042 TF 28						



BSBWC204242 w/ TF



Behind Worksurface Mounted Corner Screen w/ Frame Options

Product Details (Specific to this page. See Overview for more)

- Mounts behind the back edge of the worksurface on brackets through grommets
- 66" and 72" widths include a pair of screens with splice extrusions: (1) 30" plus
 (1) 36" screen for 66" applications and (2) 36" screens for 72" applications
- May be used to provide privacy between two worksurfaces placed back to back
- 3/4" thick and 20" or 38" high, available in widths to fit all worksurfaces
- · Designed for straight-line applications
- Configurable to match the worksurface (see options)
- Includes a corner light block channel, which aligns and hold the back corner together

		Len	gth										Len	gth							
Product Number	Height	L	R	TF	EF1	EF2	EF3	UF1	UF2	UF3	Product Number	Height	L	R	TF	EF1	EF2	EF3	UF1	UF2	UF3
BSBWC204242	20"	42"	42"	\$	\$	\$	\$	\$	\$	\$	BSBWC384242	38"	42"	42"	\$	\$	\$	\$	\$	\$	\$
BSBWC204848	20"	48"	48"	\$	\$	\$	\$	\$	\$	\$	BSBWC384848	38"	48"	48"	\$	\$	\$	\$	\$	\$	\$
BSBWC204860	20"	48"	60"	\$	\$	\$	\$	\$	\$	\$	BSBWC384860	38"	48"	60"	\$	\$	\$	\$	\$	\$	\$
BSBWC204866	20"	48"	66"	\$	\$	\$	\$	\$	\$	\$	BSBWC384866	38"	48"	66"	\$	\$	\$	\$	\$	\$	\$
BSBWC204872	20"	48"	72"	\$	\$	\$	\$	\$	\$	\$	BSBWC384872	38"	48"	72"	\$	\$	\$	\$	\$	\$	\$
BSBWC206048	20"	60"	48"	\$	\$	\$	\$	\$	\$	\$	BSBWC386048	38"	60"	48"	\$	\$	\$	\$	\$	\$	\$
BSBWC206648	20"	66"	48"	\$	\$	\$	\$	\$	\$	\$	BSBWC386648	38"	66"	48"	\$	\$	\$	\$	\$	\$	\$
BSBWC207248	20"	72"	48"	\$	\$	\$	\$	\$	\$	\$	BSBWC387248	38"	72"	48"	\$	\$	\$	\$	\$	\$	\$


Key: Pricing categories represent Frame Type (TF/EF/UF) and Fabric Grade (1/2/3). For example, UF2 represents the cost of a UF frame (see below) w/ a Grade 2 fabric. See OFG App. For more details on available fabric options.

Configuration **Metal Color Selection Fabric Selection** Frame Type (select one) Select one Select one (Options EF and UF only) For a complete list, please see the TF EF UF For a complete list, see p. 70 OFG App. **Exposed Frame** Upholstered Frame Translucent Frame

How to Order						
Product Code BSBWC204866						
Frame Type	EF					
Metal Color	28					
Fabric	FAB0270					
BSBWC204866 EF	28 FAB0270					



BVSSO1924 w/ TF and Left




Between Two Stanchions and On-Worksurface Mounted Screen w/ Frame Options

Product Details (Specific to this page. See Overview for more)

- Mounts above the worksurface, using the stanchions of overhead storage units, closing the gap between the two products
- The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications
- The direction of mount can be selected (left or right)

- 3/4" thick and 19" high, available in widths to fit all worksurfaces
- Designed for straight-line applications
- Configurable to match the worksurface (see options)
- Includes a corner light block channel, which aligns and hold the back corner together

BVSSO1924 w/ TF and Right



Product Number	Width	TF	EF1	EF2	EF3	UF1	UF2	UF3
BVSSO1924	24"	\$	\$	\$	\$	\$	Φ.	\$
			Ψ.	φ	Ψ	φ	Þ	φ
BVSSO1930	30"	\$	\$	\$	\$	\$	\$	\$
BVSSO1936	36"	\$	\$	\$	\$	\$	\$	\$
BVSSO1942	42"	\$	\$	\$	\$	\$	\$	\$
BVSSO1948	48"	\$	\$	\$	\$	\$	\$	\$
BVSSO1954	54"	\$	\$	\$	\$	\$	\$	\$
BVSSO1960	60"	\$	\$	\$	\$	\$	\$	\$
BVSSO1966	66"	\$	\$	\$	\$	\$	\$	\$
BVSSO1972	72"	\$	\$	\$	\$	\$	\$	\$

Key: Pricing categories represent Frame Type (TF/EF/UF) and Fabric Grade (1/2/3). For example, UF2 represents the cost of a UF frame (see below) w/ a Grade 2 fabric. See OFG App. For more details on available fabric options.


Configuration **Metal Color Selection Fabric Selection** Frame Type (select one) Direction Select one Select one (Options EF and UF only) For a complete list, please see the TF EF R For a complete list, see p. 70 OFG App. Translucent Frame **Exposed Frame** Upholstered Frame Left Right



How to Order							
Product Code	BVSSO1942						
Frame Type	TF						
Direction	L						
Metal Color	28						
Fabric	(-)						
BVSSO1942 TF L 28							



BVSOW1924 w/TF



On-Worksurface Mounted Screen w/ Frame Options

Product Details (Specific to this page. See Overview for more)

- · Mounts between brackets on worksurface through grommets
- The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications
- 3/4" thick by19" or 37" high, available in widths to fit all worksurfaces
- Designed for straight-line applications
- Configurable to match the worksurface (see options)

Product Number	Height	Width	TF	EF1	EF2	EF3	UF1	UF2	UF3
BVSOW1924	19"	24"	\$	\$	\$	\$	\$	\$	\$
BVSOW1930	19"	30"	\$	\$	\$	\$	\$	\$	\$
BVSOW1936	19"	36"	\$	\$	\$	\$	\$	\$	\$
BVSOW1942	19"	42"	\$	\$	\$	\$	\$	\$	\$
BVSOW1948	19"	48"	\$	\$	\$	\$	\$	\$	\$
BVSOW1954	19"	54"	\$	\$	\$	\$	\$	\$	\$
BVSOW1960	19"	60"	\$	\$	\$	\$	\$	\$	\$
BVSOW1966	19"	66"	\$	\$	\$	\$	\$	\$	\$
BVSOW1972	19"	72"	\$	\$	\$	\$	\$	\$	\$

EF

Exposed Frame

Product Number	Height	Width	TF	EF1	EF2	EF3	UF1	UF2	UF3
BVSOW3724	37"	24"	\$	\$	\$	\$	\$	\$	\$
BVSOW3730	37"	30"	\$	\$	\$	\$	\$	\$	\$
BVSOW3736	37"	36"	\$	\$	\$	\$	\$	\$	\$
BVSOW3742	37"	42"	\$	\$	\$	\$	\$	\$	\$
BVSOW3748	37"	48"	\$	\$	\$	\$	\$	\$	\$
BVSOW3754	37"	54"	\$	\$	\$	\$	\$	\$	\$
BVSOW3760	37"	60"	\$	\$	\$	\$	\$	\$	\$
BVSOW3766	37"	66"	\$	\$	\$	\$	\$	\$	\$
BVSOW3772	37"	72"	\$	\$	\$	\$	\$	\$	\$

For a complete list, please see the

OFG App.

Key: Pricing categories represent Frame Type (TF/EF/UF) and Fabric Grade (1/2/3). For example, UF2 represents the cost of a UF frame (see below) w/ a Grade 2 fabric. See OFG App. For more details on available fabric options.

Configuration Frame Type (select one) Metal Color Selection Fabric Selection Select one (Options EF and UF only)

UF

Upholstered Frame

Note: Frame Type TF requires no fabric selection

TF


Translucent Frame

How to Order							
Product Code BVSOW1924							
Frame Type	UF						
Metal Color	28						
Fabric	FAB0270						
BVSOW1924 UF 2	8 FAB0270						



For a complete list, see p. 70

BSOWC1942 w/ TF and Left




On-Worksurface Mounted Corner Screen w/ Frame Options

Product Details (Specific to this page. See Overview for more)

- Mounts behind the back edge of Bravo Behind Worksurface Mounted Screen (BVSBW) and worksurface on brackets through grommets
- The 66" and 72" widths are a pair of screens with splice extrusions: (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications
- May be used to provide privacy between two worksurfaces placed back to back
- 3/4" thick by 19" or 37" high, available in widths to fit all worksurfaces
- · Designed for straight-line applications
- Configurable to match the worksurface (see options)
- The direction of mount can be selected (left or right)
- Includes a corner light block channel, which aligns and hold the back corner together

BSOWC1942 w/ TF and Right



Product Number	Height	Width	TF	EF1	EF2	EF3	UF1	UF2	UF3
BSOWC1942	19"	42"	\$	\$	\$	\$	\$	\$	\$
BSOWC1948	19"	48"	\$	\$	\$	\$	\$	\$	\$
BSOWC1960	19"	60"	\$	\$	\$	\$	\$	\$	\$
BSOWC1966	19"	66"	\$	\$	\$	\$	\$	\$	\$
BSOWC1972	19"	72"	\$	\$	\$	\$	\$	\$	\$
BSOWC3742	37"	42"	\$	\$	\$	\$	\$	\$	\$
BSOWC3748	37"	48"	\$	\$	\$	\$	\$	\$	\$
BSOWC3760	37"	60"	\$	\$	\$	\$	\$	\$	\$
BSOWC3766	37"	66"	\$	\$	\$	\$	\$	\$	\$
BSOWC3772	37"	72"	\$	\$	\$	\$	\$	\$	\$

Key: Pricing categories represent Frame Type (TF/EF/UF) and Fabric Grade (1/2/3). For example, UF2 represents the cost of a UF frame (see below) w/ a Grade 2 fabric. See OFG App. For more details on available fabric options.

Configuration

	Frame Type (select one)		Dire	ction	Metal Color Selection	Fabric Selection
					Select one	Select one (Options EF and UF only)
TF	EF	UF	L	R	For a complete list, see p. 70	For a complete list, please see the OFG App.
Translucent Frame	Exposed Frame	Upholstered Frame	Left	Right		От С Арр.



How to Order								
Product Code	BSOWC1966							
Frame Type	EF							
Direction	L							
Metal Color	28							
Fabric	FAB0270							
BSOWC1966 EF L 28 FAB0270								



Components • Data/Communication Accessories

BVCOMCP7



Communications Pole

- · Aluminum 2-channel power pole and ceiling Polypropylene
- · Attaches to the desk at a corner grommet location with customizable color
- · Used to route cables from a ceiling feed point to the worksurface below

Product Number	Length	Pricing
BVCOMCP7	7 ft.	\$
BVCOMCP10	10 ft.	\$

BVCOMFB



Face Plate Bracket

- Bracket allows TIA/EIA standard face plate to mount below the desk
- All metal construction
- · Additional hardware for data/ communication sold separately

Product Number	Width	Length	Pricing
BVCOMFB	1-3/8"	2-3/4"	\$

460099PCK



Cable Support

- · Plastic hook attaches inside modesty panel to assist in the routing of cables
- Only available in black

Product Number	Units	Pricing
460099PCK	25	\$


Configuration

Poly/Trim Selection

Metal Color Selection


Make one selection for each











Product Details (Specific to this page)

top feed harness is 12'

pole intersects the ceiling

Supports to manage the wireways

• Communication Pole body is made of extruded aluminum, 16-

gage, overall approximate dimensions are 1-3/4 x 3-1/2., with

two cavities for physical power and data separation, length of

• A plastic Polypropylene piece will cover the area where the

 Face Plate Bracket accepts several different manufactures' power and data face-plates, normally attached to the underside of the modesty panel near the worksurface utilizing Cable



Components • Task Lights

TLELED17DMS



Tuck LED Task Light

Product Details

- Attaches to the bottom of overhead storage cabinets or shelving
- Dimming, memory 60W transformer with 11' cord

Product Number	Overhead Width Size	Array Length	Overall Length	Price
TLELED17DMS	24-36"	18"	22"	\$
TLELED31DMS	42-48"	24"	31"	\$
TLELED44DMS	54" and up	36"	44"	\$

BRAVO


Product Details (Specific to this page)

• Task lights are offered in one standard level of efficiency and cost



Components • Electrical (6-2-2 Circuit)

BVET6TF144



Top Feed

- Includes harness, aluminum power pole and ceiling Polypropylene (see dimensions)
- Used to feed power from a hard wired Jbox above a false ceiling to rigid wireway, attaches to grommet location

Product Number	Harness Length	Pole Length	Pricing
BVET6TF144	12 ft.	7 ft	\$
BVET6TF216	18 ft.	10 ft.	\$

Configuration

Poly/Trim Selection Metal Color Selection


Make one selection for each

For a complete list, see p. 70



How to Order		
Product Code	BVET6TF144	
Poly Color G		
Metal Color 28		
BVET6TF144 G 28		

BVET6BF6




Basa Food

- Used to feed power from a hard wired Jbox or floor monument to the rigid wireway on a desk
- Includes harness with colored conduit covering

Product Number	Length	Pricing
BVET6BF6	6 ft.	\$

BVET6PF6L



Panel Feed

 Includes harness to connect adjacent Crescendo Panel system

Note: No Metal Color Selection required for these items

Product Number	Facing	Pricing
BVET6PF6L	Left	\$
BVET6PF6R	Right	\$

BRAVO

Product Details (Specific to this page)

- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- · Rated at 120 vAC @ 20 amps
- · All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

Applicable to Base Feed and Panel Feed

Configuration


o ogoa	
Poly/Trim Selection	
Make one selection	
For a complete list, see p. 70	

How to Order			
Product Code BVET6PF6L			
Poly Color G			
BVET6PF6L G			



Components • Electrical (6-2-2 Circuit)

BVET6RC1



Receptacles

- Includes a modular duplex 15 amp receptacle that snaps into a rigid wireway
- 4I, 5I & 6I will always be orange

Product Number	Specifications	Pricing
BVET6RC1	XX	\$
BVET6RC2	XX	\$
BVET6RC3	XX	\$
BVET6RC4I	xx	\$
BVET6RC5I	XX	\$
BVET6RC6I	xx	\$

Configuration

Poly/Trim Selection

Make one selection

For a complete list, see p. 70

How to Order			
Product Code	BVET6RC1		
Poly Color	G		
BVFT6RC1 G			

BRAVO

Product Details (Specific to this page)

- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- · Rated at 120 vAC @ 20 amps
- · All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

BVESR36




Stanchion Power Tap

- Provides a duplex 15 amp receptacle behind a desk stanchion door
- 36" used to connect to rigid wireway receptacle
- 96" used to connect adjacent desk wiring

Product Number	Length	Pricing
BVESR36	36"	\$
BVESR96	96"	\$

BVET6DJST



Desk Jumper

 Includes jumper harness to make electrical connection between adjacent desks


Product Number	Size	Pricing
BVET6DJST	Standard	\$
BVET6DJ24	24"	\$
BVET6DJ30	30"	\$

How to Order		
Product Code	BVESR36	
BVESR36		



Components • Electrical (6-2-2 Circuit)

BVET6RW30



Rigid Wireway

- Includes harness and steel wireway cover
- Allows two duplex receptacles (ordered separately)
- 72"D allows four possible receptacle locations
- Desk worksurface must match length

Product Number	Length	Pricing
BVET6RW30	30"	\$
BVET6RW36	36"	\$
BVET6RW42	42"	\$
BVET6RW48	48"	\$
BVET6RW54	54"	\$
BVET6RW60	60"	\$
BVET6RW66	66"	\$
BVET6RW72	72"	\$
BVET6RW72D	72"	\$

How to Order		
Product Code	BVET6RW30	
Metal Color 28		
BVET6RW30 28		


Configuration

Metal Color Selection

Make one selection

For a complete list, see p. 70

BVET6PP24



Power Pass Through

- Includes harness to connect two rigid wireways
- · Length must match desk length

Product Number	Length	Pricing
BVET6PP24	24"	\$
BVET6PP30	30"	\$
BVET6PP36	36"	\$
BVET6PP42	42"	\$
BVET6PP48	48"	\$
BVET6PP54	54"	\$
BVET6PP60	60"	\$
BVET6PP66	66"	\$
BVET6PP72	72"	\$

BRAVO

Product Details (Specific to this page)


- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- · Rated at 120 vAC @ 20 amps
- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

How to Order			
Product Code BVET6PP24			
RVFT6PP24			



Components • Electrical (4-4-2 Circuit)

BVET4TF144




Top Feed

- · Includes harness, aluminum power pole and ceiling Polypropylene (see dimensions)
- · Used to feed power from a hard wired Jbox above a false ceiling to rigid wireway, attaches to grommet location

Product Number	Harness Length	Pole Length	Pricing
BVET4TF144	12 ft.	7 ft	\$
BVET4TF216	18 ft.	10 ft.	\$

BVET4BF6




Base Feed

- Used to feed power from a hard wired Jbox or floor monument to the rigid wireway on a desk
- · Includes harness with colored conduit covering

Product Number	Length	Pricing
BVET4BF6	6 ft.	\$

BVET4PF6L



Panel Feed

 Includes harness to connect adjacent Crescendo Panel system

Note: No Metal Color Selection required for these items


Product Number	Facing	Pricing
BVET4PF6L	Left	\$
BVET4PF6R	Right	\$

BRAVO

Product Details (Specific to this page)

- 10-wire system is available in two configurations (6-2-2 and 4-4-
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- · Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- · Rated at 120 vAC @ 20 amps
- · All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1 & 2) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (3 & 4) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

Configuration



Metal Color Selection

Make one selection for each

For a complete list, see p. 70






How to Order		
Product Code BVET4TF144		
Poly Color G		
Metal Color 28		
BVET4TF144 G 28		



Components • Electrical (4-4-2 Circuit)

BVET4RC1



Receptacles

- Includes a modular duplex 15 amp receptacle that snaps into a rigid wireway
- 3I & 4I will always be orange

Product Number	Specifications	Pricing
BVET4RC1	XX	\$
BVET4RC2	XX	\$
BVET4RC3I	XX	\$
BVET4RC4I	XX	\$

How to Order		
Product Code BVET4RC1		
Poly Color G		
BVET4RC1 G		

Configuration

Poly/Trim Selection

Make one selection

For a complete list, see p. 70

How to Order		
Product Code BVET4RC1		
Poly Color G		
BVET4RC1 G		

BVESR36



Stanchion Power Tap

- Provides a duplex 15 amp receptacle behind a desk stanchion door
- 36" used to connect to rigid wireway receptacle
- 96" used to connect adjacent desk

Product Number	Length	Pricing
BVESR36	36"	\$
BVESR96	96"	\$

BVET4DJST



Desk Jumper

· Includes jumper harness to make electrical connection between adjacent desks

Product Number	Size	Pricing
BVET4DJST	Standard	\$
BVET4DJ24	24"	\$
BVET4DJ30	30"	\$

R	R	Δ١	/O
_		_	

Product Details (Specific to this page)


- 10-wire system is available in two configurations (6-2-2 and 4-4-
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- · Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- · Rated at 120 vAC @ 20 amps
- · All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1 & 2) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (3 & 4) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

How to Order		
Product Code	BVESR36	
BVESR36		



Components • Electrical (4-4-2 Circuit)

BVET4RW30



Rigid Wireway

- Includes harness and steel wireway cover
- Allows two duplex receptacles (ordered separately)
- 72"D allows four possible receptacle locations
- Desk worksurface must match length

Product Number	Length	Pricing
BVET4RW30	30"	\$
BVET4RW36	36"	\$
BVET4RW42	42"	\$
BVET4RW48	48"	\$
BVET4RW54	54"	\$
BVET4RW60	60"	\$
BVET4RW66	66"	\$
BVET4RW72	72"	\$
BVET4RW72D	72"	\$

How to Order		
Product Code	BVET4RW30	
Metal Color 28		
BVET4RW30 28		


Configuration

84-4-1	A - I	0 - 1	
wetai	Color	Se	lection

Make one selection

For a complete list, see p. 70

BVET4PP24



Power Pass Through

- Includes harness to connect two rigid wireways
- · Length must match desk length

Product Number	Length	Pricing
BVET4PP24	24"	\$
BVET4PP30	30"	\$
BVET4PP36	36"	\$
BVET4PP42	42"	\$
BVET4PP48	48"	\$
BVET4PP54	54"	\$
BVET4PP60	60"	\$
BVET4PP66	66"	\$
BVET4PP72	72"	\$

BRAVO

Product Details (Specific to this page)


- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Bravo 10-wire electrical is able to integrate with existing Crescendo and Classic System Panels
- · Rated at 120 vAC @ 20 amps
- · All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1 & 2) have a hot wire with shared oversized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (3 & 4) have separate hot wires, shared oversized neutral wire & share an isolated ground wire

How to Order		
Product Code	BVET4PP24	
RVFT4PP24		



Laminates

BRAVO





Laminates

BRAVO



Oiled Soapstone PLM4044



Oyster Grey PLM2519

PLM8224



Pearl Soapstone PLM4045



Pennsylvania Cherry PLM0392



Pewter Brush Pewter Mesh



Portico Teak

PLM8210



Pumice

PLM2515

Rio

PLM8219



PLM0058

Sail White



Sarum Twill Satin Stainless









PLM4100

PLM4079





Silver Alchemy

PLM4081

PLM8221

PLM4046





PLM4068





Steel Mesh Sterling Ash

Stone Grafix

PLM2506 PLM8217



PLM8214

PLM0164

Studio Teak Twilight Zephyr



PLM0445

PLM8225



PLM8209

PLM4035



Oak

PLM0748







PLM4043

PLM8218





White Twill Wild Cherry PLM1007 PLM7101

Polypropylene (POLY) Colors

PLM4041



В

27

Grey





L



s

32



Warm Grey

W

33

Metal Base Powder Coats

G

28







29







34



35