CRESCENDO

## SYSTEM FURNITURE

Panels • Spec Guide




7

(Press)

# Your path to a better workplace starts here.

Click on the pictures to browse our products, clicking simull return you to this page.










### **Ensemble** • Overview



3

## CRESCENDO


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Modules are made of tiles available in 3/4" tackable acoustic, glass and even open styles, segmented or stackable allowing power at the base, ADA (29"), worksurface, and standing height
- All cables are laid into the system without threading through the frame to greatly enhance the ability to reconfigure the system with minimal disruption and downtime
- Accommodates accessories both "on-module" and "off-module," allowing overheads and panels of different widths to be used together and moved horizontally with minimal effort

#### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- · Noise Reduction Coefficient is based
- on the test method ASTM C-423Review finish options



### Panel • Overview



### **Overview** • Panels



	12" W	18" W	24'' W		36" W	42" W	48'' W	54'' W	60'' W	
30" H	0	0	0	0	0	0	0	0	0	
42" H	028	028	028	128	<b>123</b>	128	128	123	023	Standard Pa
54" H				0280				000	028	Size Availab (see produc page for mo
66" H				56				008	028	information
84" H			All pa	anels are a	available			000	028	

## CRESCENDO


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
  - All panels have a top trim cap made from rigid PVC with trim color permeating throughout the entire part with textured surface to hide fingerprints
- Top cap press to fit without the use of tools and extend the full width of the panel
- Tiles are field replaceable and easily reconfigured to meet the needs of all individuals
- Upholstered tiles are easily configured to match your office environment with a full selection of fabric covers
- All panels are sold with 6" baseraceways which have hinge filler plates, easily removed to accommodate electrical receptacles and/or data jacks
- Raceways available on select panels to offer Modular Data/Power System connections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### Fabric Panel Acoustic



**Base Product (CCMMA) Presentation View** 



Base Product (CCMMA) Unfolded View

		Maximun						
DESCRIPTION	PRODUCT NUMBER	Side 1 (R)		WIDTH	HEIGHT	Fabric Grade A	Fabric Grade B	Fabric Grade (
Monolithic Panel Acoustic	CCMMA1230	Ø	Ø	12	30	\$	\$	\$
	CCMMA1830	Ø	Ø	18	30	\$	\$	\$
	CCMMA2430	Ø	Ø	24	30	\$	\$	\$
Full fabric tiles on both sides	CCMMA3030	Ø	Ø	30	30	\$	\$	\$
Base Baceway includes a pap and	CCMMA3630	Ø	Ø	36	30	\$	\$	\$
base faceway includes a pair and power access doors based on the width of the panel. 12" and 18" wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider papels have bug doors par papel	CCMMA4230	Ø	Ø	42	30	\$	\$	\$
wide papels are power-pass	CCMMA4830	Ø	Ø	48	30	\$	\$	\$
through only (no access doors),	CCMMA5430	Ø	Ø	54	30	\$	\$	\$
one door is included in the pan of 24" wide papel, and 30" and wider	CCMMA6030	Ø	Ø	60	30	\$	\$	\$
panels have two doors per panel	CCMMA1242	Ø	Ø	12	42	\$	\$	\$
<ul> <li>Panel also includes two horizontal</li> </ul>	CCMMA1842	Ø	Ø	18	42	\$	\$	\$
rails, top cap, and top cap sleeve	CCMMA2442	ø	ø	24	42	\$	\$	\$
<ul> <li>Fabric tiles noise reduction coefficient rated 0.65</li> </ul>	CCMMA3042	Ø	Ø	30	42	\$	\$	\$
	CCMMA3642	ø	ø	36	42	\$	\$	\$
	CCMMA4242	ø	ø	42	42	\$	\$	\$
	CCMMA4842	ø	ø	48	42	\$	\$	\$
	CCMMA5442	ø	ø	54	42	\$	\$	\$
	CCMMA6042	ø	ø	60	60	\$	\$	\$
	CCMMA1254	ø	ø	12	54	\$	\$	\$
	CCMMA1854	ø	ø	18	54	\$	\$	\$
	CCMMA2454	ø	ø	24	54	\$	\$	\$
	CCMMA3054	Ø	Ø	30	54	\$	\$	\$
	CCMMA3654	Ø	ø	36	54	\$	\$	\$
	CCMMA4254	Ø	Ø	42	54	\$	\$	\$
	CCMMA4854	Ø	Ø	48	54	\$	\$	\$
	CCMMA5454	Ø	Ø	54	54	\$	\$	\$
	CCMMA6054	Ø	Ø	60	54	\$	\$	\$
	CCMMA1266	Ø	Ø	12	66	\$	\$	\$
	CCMMA1866	Ø	ø	18	66	\$	\$	\$
	CCMMA2466	Ø	Ø	24	66	\$	\$	\$
	CCMMA3066	Ø	Ø	30	66	\$	\$	\$
	CCMMA3666	Ø	Ø	36	66	\$	\$	\$
	CCMMA4266	Ø	Ø	42	66	\$	\$	\$
	CCMMA4866	Ø	Ø	42	66	\$	\$	\$
	CCMMA5466	Ø	Ø	54	66	\$	\$	\$
	CCMMA6066	Ø	Ø	60	66	\$	\$	\$
	CCMMA1284	Ø	Ø	12	84	\$	\$	\$
	CCMMA1884	Ø	Ø	18	84	\$	\$	\$
	CCMMA2484	Ø	Ø	24	84	\$	\$	\$
	CCMMA3084	Ø	Ø	30	84	\$	\$	\$
	CCMMA3684	Ø	Ø	36	84			
					-	\$	\$	\$
	CCMMA4284	Ø	Ø	42	84	\$	\$	\$
	CCMMA4884	Ø	Ø	48	84	\$	\$	\$
	CCMMA5484	Ø	Ø	54	84	\$	\$	\$
	CCMMA6084	Ø	Ø	60	84	\$ 5	\$	\$
the number of raceway tiles side 1 (R) & 2 (R2), color	finish and fabric selection si	ide 1 & 2 (S:	2). Pi	roduct Numb	er	Fabrc Side 1		
hic Panel Acoustic (CCMMA1218), w/ Black Poly C				CMMA121	8 B	8068 80	66S2	
66S2), select					PolyCol	r F	ahin	

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gage, pre-finished steel, joined together by injection-molded corner blocks, and spot welded in place
- All 6" base-raceways have two .080 thick PVC doors (one on each side) with hinge filler plates, easily removed to accommodate electrical receptacles and/or data jacks

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




#### TO ORDER:

Select the product number and then add the codes for the number of raceway tiles side 1 (R)

For example, to order a Crescendo 12" x 18" Monolithic Panel Acoustic (CCMMA1218), (8068), and 8066 Pewter Interlude Fabric Side 2 (8066S2), select Poly Color Fabric Sde2

6

### Fabric Panel Acoustic



**Base Product (CCMHA) Presentation View** 



Base Product (CCMHA) Unfolded View

			Maximum							
	DESCRIPTION	PRODUCT NUMBER	Side 1 (R)	Side 2 (R2)	WIDTH		Fabric Grade A	Fabric Grade B	Fabric Grade C	Each Raceway
м	onolithic/Half Segmented Panel	CCMHA1242	1	1	12	42	\$	\$	\$	+\$50
	coustic	CCMHA1842	1	1	18	42	\$	\$	\$	+\$50
		CCMHA2442	1	1	24	42	\$	\$	\$	+\$50
•	Full fabric tile on one side and one.	CCMHA3042	1	1	30	42	\$	\$	\$	+\$50
	Full fabric tile on one side and one, two or three 12" fabric tiles on the	CCMHA3642	1	1	36	42	\$	\$	\$	+\$50
	other side One 18" fabric tile is included with	CCMHA4242	1	1	42	42	\$	\$	\$	+\$50
•	84" high panels	CCMHA4842	1	1	48	42	\$	\$	\$	+\$50
•	Base Raceway includes a pan and	CCMHA5442	1	1	54	42	\$	\$	\$	+\$50
	Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18"	CCMHA6042	1	1	60	42	\$	\$	\$	+\$50
	wide panels are power-pass	CCMHA1254	2	2	12	54	\$	\$	\$	+\$50
	wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider	CCMHA1854	2	2	18	54	\$	\$	\$	+\$50
	24" wide panel, and 30" and wider	CCMHA2454	2	2	24	54	\$	\$	\$	+\$50
	panels have two doors per panel	CCMHA3054	2	2	30	54	\$	\$	\$	+\$50
•	Panel also includes three to seven horizontal rails, top cap, and top	CCMHA3654	2	2	36	54	\$	\$	\$	+\$50
	cap sleeve	CCMHA4254	2	2	42	54	\$	\$	\$	+\$50
•	Fabric tiles noise reduction	CCMHA4854	2	2	48	54	\$	\$	\$	+\$50
	coefficient rated 0.65	CCMHA5454	2	2	54	54	\$	\$	\$	+\$50
•	Raceway tiles include a cable trough and are sold at an additional	CCMHA6054	2	2	60	54	\$	\$	\$	+\$50
	charge (see pricing for more information)	CCMHA1266	2	2	12	66	\$	\$	\$	+\$50
	Raceway tiles can be configured at	CCMHA1866	2	2	18	66	\$	\$	\$	+\$50
•	30" and 42" heights	CCMHA2466	2	2	24	66	\$	\$	\$	+\$50
•	Tiles are field configurable and	CCMHA3066	2	2	30	66	\$	\$	\$	+\$50
	replaceable	CCMHA3666	2	2	36	66	\$	\$	\$	+\$50
•	Raceway Tiles have the following knockouts for access to steel	CCMHA4266	2	2	42	66	\$	\$	\$	+\$50
	trough (cable wireway) based on	CCMHA4866	2	2	48	66	\$	\$	\$	+\$50
	width: 12-18" have zero, 24" have one and 30" & longer have two	CCMHA5466	2	2	54	66	\$	\$	\$	+\$50
		CCMHA6066	2	2	60	66	\$	\$	\$	+\$50
		CCMHA1284	2	2	12	84	\$	\$	\$	+\$50
		CCMHA1884	2	2	18	84	\$	\$	\$	+\$50
		CCMHA2484	2	2	24	84	\$	\$	\$	+\$50
		CCMHA3084	2	2	30	84	\$	\$	\$	+\$50
		CCMHA3684	2	2	36	84	\$	\$	\$	+\$50
		CCMHA4284	2	2	42	84	\$	\$	\$	+\$50
		CCMHA4884	2	2	48	84	\$	\$	\$	+\$50
		CCMHA5484	2	2	54	84	\$	\$	\$	+\$50
		CCMHA6084	2	2	60	84	\$	\$	\$	+\$50
	·									

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gage, pre-finished steel, joined together by injection-molded corner blocks, and spot welded in place
- All 6" base-raceways have two .080 thick PVC doors (one on each side) with hinge filler plates, easily removed to accommodate electrical receptacles and/or data jacks
- 12" high raceway tiles are fabric wrapped 20 gage steel powder coated sand finish, contains knockout access to steel trough for data/electrical cabling Electrical System sold separately

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:		Race
Select the product number and then add the codes for the number of raceway tiles side 1 (R) & 2 (R2), color finish and fabric selection side 1 & 2 (S2).	Product Number	S
	CCHHA1218	R0 F
For example, to order a Crescendo 12" x 18" Monolithic/Half Segmented Panel Acoustic (CCHHA1218), w/ Raceway Tile Side 1 Not Applicable (R0), One Raceway Tile Side 2 (R21), Black Poly Color (B), 8068 Gravel Interlude Fabric Side 1 (8068), and 8066 Pewter Interlude Fabric Side 2 (8066S2),		Raceway Tiles

Side 2 Side 1 R21 B 8068 8066S2 Raceway Tiles Poly Color Side 1

Fabrc

Fabric

Sde2

select

### Fabric Panel Acoustic



**Base Product (CCHHA) Presentation View** 



Base Product (CCHHA) Unfolded View

		Maximum							
DESCRIPTION	PRODUCT NUMBER	Side 1 (R)		WIDTH		Fabric Grade A	Fabric Grade B	Fabric Grade C	Each Raceway
Half Segmented/Half Segmented	CCHHA1242	1	1	12	42	\$	\$	\$	+\$50
Panel Acoustic	CCHHA1842	1	1	18	42	\$	\$	\$	+\$50
·	CCHHA2442	1	1	24	42	\$	\$	\$	+\$50
Two, four or six 12" fabric tiles on	CCHHA3042	1	1	30	42	\$	\$	\$	+\$50
both sides	CCHHA3642	1	1	36	42	\$	\$	\$	+\$50
Two 18" fabric tiles is included with	CCHHA4242	1	1	42	42	\$	\$	\$	+\$50
<ul> <li>84" high panels</li> <li>6" Base Baceway includes a pan</li> </ul>	CCHHA4842	1	1	48	42	\$	\$	\$	+\$50
6" Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18" wide panels are power-pass through only (no access doors), one door is included in the pan of	CCHHA5442	1	1	54	42	\$	\$	\$	+\$50
	CCHHA6042	1	1	60	42	\$	\$	\$	+\$50
	CCHHA1254	2	2	12	54	\$	\$	\$	+\$50
one door is încluded in the pan of 24" wide panel, and 30" and wider	CCHHA1854	2	2	18	54	\$	\$	\$	+\$50
panels have two doors per panel	CCHHA2454	2	2	24	54	\$	\$	\$	+\$50
Panel also includes three to six	CCHHA3054	2	2	30	54	\$	\$	\$	+\$50
horizontal rails, top cap, and top cap sleeve	CCHHA3654	2	2	36	54	\$	\$	\$	+\$50
Fabric tiles noise reduction	CCHHA4254	2	2	42	54	\$	\$	\$	+\$50
coefficient rated 0.65	CCHHA4854	2	2	48	54	\$	\$	\$	+\$50
<ul> <li>Raceway tiles can be configured at 30" and 42" heights</li> </ul>	CCHHA5454	2	2	54	54	\$	\$	\$	+\$50
	CCHHA6054	2	2	60	54	\$	\$	\$	+\$50
<ul> <li>Tiles are field configurable and replaceable</li> </ul>	CCHHA1266	2	2	12	66	\$	\$	\$	+\$50
	CCHHA1866	2	2	18	66	\$	\$	\$	+\$50
<ul> <li>Raceway Tiles have the following knockouts for access to steel</li> </ul>	CCHHA2466	2	2	24	66	\$	\$	\$	+\$50
trough (cable wireway) based on width: 12-18" have zero, 24" have one and 30" & longer have two	CCHHA3066	2	2	30	66	\$	\$	\$	+\$50
one and 30" & longer have two	CCHHA3666	2	2	36	66	\$	\$	\$	+\$50
	CCHHA4266	2	2	42	66	\$	\$	\$	+\$50
	CCHHA4866	2	2	48	66	\$	\$	\$	+\$50
	CCHHA5466	2	2	54	66	\$	\$	\$	+\$50
	CCHHA6066	2	2	60	66	\$	\$	\$	+\$50
	CCHHA1284	2	2	12	84	\$	\$	\$	+\$50
	CCHHA1884	2	2	18	84	\$	\$	\$	+\$50
	CCHHA2484	2	2	24	84	\$	\$	\$	+\$50
	CCHHA3084	2	2	30	84	\$	\$	\$	+\$50
	CCHHA3684	2	2	36	84	\$	\$	\$	+\$50
	CCHHA4284	2	2	42	84	\$	\$	\$	+\$50
	CCHHA4884	2	2	48	84	\$	\$	\$	+\$50
	CCHHA5484	2	2	54	84	\$	\$	\$	+\$50
	CCHHA6084	2	2	60	84	\$	\$	\$	+\$50
l							•	•	

8

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gage, pre-finished steel, joined together by injection-molded corner blocks, and spot welded in place
- All 6" base-raceways have two .080 thick PVC doors (one on each side) with hinge filler plates, easily removed to accommodate electrical receptacles and/or data jacks
- 12" high raceway tiles are fabric wrapped 20 gage steel powder coated sand finish, contains knockout access to steel trough for data/electrical cabling Electrical System sold separately

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the number of raceway tiles side 1 (R) & 2 (R2), color finish and fabric selection side 1 & 2 (S2).

For example, to order a Crescendo 12" x 18" Half Segmented/Half Segmented Panel Acoustic (CCHHA1218), w/ One Raceway Tiles Side 1 (R1), One Raceway Tile Side 2 (R21), Black Poly Color (B), 8068 Gravel Interlude Fabric Side 1 (8068), and 8066 Pewter Interlude Fabric Side 2 (806652),



### Glass Panel • Full

**Full Glass Panel** 



**Base Product (CCG) Presentation View** 



**Base Product (CCG) Assembled View** 

ull Glass Panel         CCG1254         Ø         12         54         \$           CCG1854         Ø         18         54         \$ <t< th=""><th>DESCRIPTION</th><th>PRODUCT NUMBER</th><th>Max. Raceways</th><th>WIDTH</th><th>HEIGHT</th><th>PRICE</th></t<>	DESCRIPTION	PRODUCT NUMBER	Max. Raceways	WIDTH	HEIGHT	PRICE
CCG1854Ø1854\$Two aluminum window frames One pane of glass (see options) Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18" wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panel also includes two horizontal rails, top cap, and top cap sleeveCCG1864Ø4854\$Panel also includes two horizontal rails, top cap, and top cap sleeveCCG4264Ø4866\$CCG4266Ø2466\$\$CCG3066Ø3666\$\$CCG4266Ø4866\$\$CCG4266Ø4866\$CCG4266Ø4866\$CCG4266Ø4866\$CCG4264Ø1884\$CCG4266Ø1884\$CCG4266Ø4866\$CCG4284Ø1884\$CCG4284Ø2484\$CCG3084Ø3084\$CCG3684Ø3684\$CCG3684Ø3684\$CCG3684Ø3684\$CCG4284Ø4284\$	ull Glass Panel	CCG1254	Ø	12	54	\$
Two aluminum window frames       CCG3054       Ø       30       54       \$         One pane of glass (see options)       Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18"       CCG3654       Ø       42       54       \$         Wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panels have two doors per panel       CCG1266       Ø       12       66       \$         Panel also includes two horizontal rails, top cap, and top cap sleeve       CCG4266       Ø       30       66       \$         CCG1284       Ø       48       66       \$       \$       \$       \$         CCG3064       Ø       30       66       \$       \$       \$       \$         CCG1266       Ø       30       66       \$       \$       \$       \$       \$         CCG3066       Ø       36       66       \$ <t< td=""><td></td><td>CCG1854</td><td>Ø</td><td>18</td><td>54</td><td>\$</td></t<>		CCG1854	Ø	18	54	\$
One pane of glass (see options)CCG3654Ø3654\$Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18" wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panels have two doors per panelCCG1266Ø1266\$Panel also includes two horizontal rails, top cap, and top cap sleeveCCG3666Ø3066\$CCG1284Ø4866\$\$CCG1284Ø4866\$CCG1284Ø1284\$CCG1284Ø1284\$CCG3084Ø3084\$CCG3684Ø3684\$CCG3684Ø3684\$CCG3684Ø4284\$		CCG2454	Ø	24	54	\$
One pane of glass (see options)         CCG3654         Ø         36         54         \$           Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18" wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panels have two doors per panel         Ø         48         54         \$           Panel also includes two horizontal rails, top cap, and top cap sleeve         CCG4266         Ø         12         66         \$           CCG3666         Ø         30         66         \$         \$         \$         \$           Panel also includes two horizontal rails, top cap, and top cap sleeve         CCG4866         Ø         48         66         \$           CCG1284         Ø         12         86         \$         \$         \$         \$           CCG3066         Ø         36         66         \$	Two aluminum window frames	CCG3054	Ø	30	54	\$
Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18" wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panels have two doors per panel Panel also includes two horizontal rails, top cap, and top cap sleeve         CCG4254         Ø         42         54         \$           Panel also includes two horizontal rails, top cap, and top cap sleeve         CCG4266         Ø         12         66         \$           CCG2466         Ø         18         66         \$         \$         \$         \$           CCG3066         Ø         30         66         \$         \$         \$         \$           CCG4266         Ø         48         66         \$         \$         \$         \$           CCG3066         Ø         36         66         \$         \$         \$         \$         \$         \$           CCG4266         Ø         48         66         \$ <t< td=""><td></td><td>CCG3654</td><td>Ø</td><td>36</td><td>54</td><td>\$</td></t<>		CCG3654	Ø	36	54	\$
wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panels have two doors per panelCCG1866Ø1260\$Panel also includes two horizontal rails, top cap, and top cap sleeveCCG3066Ø3066\$CCG4266Ø3666\$CCG4266Ø4266\$CCG4266Ø4266\$CCG4266Ø4866\$CCG4266Ø1284\$CCG1284Ø1884\$CCG3084Ø3084\$CCG3684Ø3684\$CCG4284Ø4284\$CCG3684Ø3684\$CCG4284Ø4284\$		CCG4254	Ø	42	54	\$
wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panels have two doors per panelCCG1866Ø1260\$Panel also includes two horizontal rails, top cap, and top cap sleeveCCG3066Ø3066\$CCG4266Ø3666\$CCG4266Ø4266\$CCG4266Ø4266\$CCG4266Ø4866\$CCG4266Ø1284\$CCG1284Ø1884\$CCG3084Ø3084\$CCG3684Ø3684\$CCG4284Ø4284\$CCG3684Ø3684\$CCG4284Ø4284\$	power access doors based on the	CCG4854	Ø	48	54	\$
Panel also includes two horizontal rails, top cap, and top cap sleeve         CCG3666         Ø         36         66         \$           CCG4266         Ø         42         66         \$         <	wide panels are power-pass	CCG1266	Ø	12	66	\$
Panel also includes two horizontal rails, top cap, and top cap sleeve         CCG3666         Ø         36         66         \$           CCG4266         Ø         42         66         \$         <	through only (no access doors),	CCG1866	Ø	18	66	\$
Panel also includes two horizontal rails, top cap, and top cap sleeve         CCG3666         Ø         36         66         \$           CCG4266         Ø         42         66         \$         <	24" wide panel, and 30" and wider	CCG2466	Ø	24	66	\$
rails, top cap, and top cap sleeve       0       30       60       \$         CCG4266       Ø       42       66       \$         CCG4266       Ø       48       66       \$         CCG1284       Ø       12       84       \$         CCG24866       Ø       18       84       \$         CCG1284       Ø       18       84       \$         CCG2484       Ø       30       84       \$         CCG3084       Ø       36       84       \$         CCG3684       Ø       36       84       \$         CCG4284       Ø       42       84       \$		CCG3066	Ø	30	66	\$
CCG4266       Ø       42       66       \$         CCG4866       Ø       48       66       \$         CCG1284       Ø       12       84       \$         CCG1884       Ø       18       84       \$         CCG2484       Ø       24       84       \$         CCG3084       Ø       30       84       \$         CCG3684       Ø       36       84       \$         CCG4284       Ø       42       84       \$		CCG3666	Ø	36	66	\$
CCG1284       Ø       12       84       \$         CCG1884       Ø       18       84       \$         CCG2484       Ø       24       84       \$         CCG3084       Ø       30       84       \$         CCG3684       Ø       36       84       \$         CCG4284       Ø       42       84       \$		CCG4266	Ø	42	66	\$
CCG1884       Ø       18       84       \$         CCG2484       Ø       24       84       \$         CCG3084       Ø       30       84       \$         CCG3684       Ø       36       84       \$         CCG3684       Ø       36       84       \$         CCG4284       Ø       42       84       \$		CCG4866	Ø	48	66	\$
CCG2484       Ø       24       84       \$         CCG3084       Ø       30       84       \$         CCG3684       Ø       36       84       \$         CCG4284       Ø       42       84       \$		CCG1284	Ø	12	84	\$
CCG3084         Ø         30         84         \$           CCG3684         Ø         36         84         \$           CCG4284         Ø         42         84         \$		CCG1884	Ø	18	84	\$
CCG3684         Ø         36         84         \$           CCG4284         Ø         42         84         \$		CCG2484	Ø	24	84	\$
CCG4284 Ø 42 84 \$		CCG3084	Ø	30	84	\$
		CCG3684	Ø	36	84	\$
CCG4884 Ø 48 84 \$		CCG4284	Ø	42	84	\$
		CCG4884	Ø	48	84	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish
- All 6" base-raceways have two .080 thick PVC doors (one on each side) with hinge filler plates
- 1/4" thick glass tiles have an extruded aluminum frame joined together by steel corner bracket plates and screwed into place, supported by PVC extrusion which slides into the aluminum frame

#### TO ORDER:

Select the product number and then add the codes for the glass option and color finish.

For example, to order a Crescendo 12" x 54" Full Glass Panel (CCG1254), w/ Clear Tempered Glass (C) and Black Poly Color (B), select

### **GLASS OPTIONS**

С Clear Tempered



Glass Opton

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



CRESCENDO • Systems • Spec Guide

9

### Glass Panel • Acoustic



**Base Product (CCMMGA) Presentation** View



Base Product (CCMMGA) Unfolded View

		Maximum	Raceways					
DESCRIPTION	PRODUCT NUMBER	Side 1 (R)		WIDTH	HEIGHT	Fabric Grade A	Fabric Grade B	Fabric Grade C
Monolithic/Monolithic Glass Panel	CCMMGA1254	Ø	Ø	12	54	\$	\$	\$
Acoustic	CCMMGA1854	Ø	Ø	18	54	\$	\$	\$
	CCMMGA2454	Ø	Ø	24	54	\$	\$	\$
Two 24" fabric tiles on both sides	CCMMGA3054	Ø	Ø	30	54	\$	\$	\$
	CCMMGA3654	Ø	Ø	36	54	\$	\$	\$
<ul> <li>Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18"</li> </ul>	CCMMGA4254	Ø	Ø	42	54	\$	\$	\$
wide panels are power-pass	CCMMGA4854	Ø	Ø	48	54	\$	\$	\$
through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider	CCMMGA1266	Ø	Ø	12	66	\$	\$	\$
24" wide panel, and 30" and wider	CCMMGA1866	Ø	Ø	18	66	\$	\$	\$
panels have two doors per panel	CCMMGA2466	Ø	Ø	24	66	\$	\$	\$
<ul> <li>Panel also includes three horizontal rails, top cap, and top cap sleeve</li> </ul>	CCMMGA3066	Ø	Ø	30	66	\$	\$	\$
<ul> <li>Fabric tiles noise reduction</li> </ul>	CCMMGA3666	Ø	Ø	36	66	\$	\$	\$
coefficient rated 0.65	CCMMGA4266	Ø	Ø	42	66	\$	\$	\$
Two aluminum window frames	CCMMGA4866	Ø	Ø	48	66	\$	\$	\$
<ul> <li>One pane of glass (see options)</li> </ul>	CCMMGA1284	Ø	Ø	12	84	\$	\$	\$
	CCMMGA1884	Ø	Ø	18	84	\$	\$	\$
	CCMMGA2484	Ø	Ø	24	84	\$	\$	\$
	CCMMGA3084	Ø	Ø	30	84	\$	\$	\$
	CCMMGA3684	Ø	Ø	36	84	\$	\$	\$
	CCMMGA4284	Ø	Ø	42	84	\$	\$	\$
	CCMMGA4884	Ø	Ø	48	84	\$	\$	\$
		•		•				

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish
- Upholstered tile frames are made of 7/16" thick perforated mineral fiberboard with 3/8" thick fiberglass overlay, a 20 gage pre-finished steel body, joined together by injectionmolded corner blocks, and spot welded in place
- All 6" base-raceways have two .080 thick PVC doors (one on each side) with hinge filler plates
- 1/4" thick glass tiles have an extruded aluminum frame joined together by steel corner bracket plates and screwed into place, supported by PVC extrusion which slides into the aluminum frame

		DRDER: t the product number and then add the co	des for the glass option and color finish.	Product Number	Poly Color	Fabric Sde2
1	or ex Color	xample, to order a Crescendo 12" x 54" (B), 8068 Gravel Interlude Fabric Side	Monolithic/Monolithic Glass Panel Acoustic (CCMMGA1254), w/ Clear Tempered Glass (C), Black Poly 1 (8068) ,and 8066 Pewter Interlude Fabric Side 2 (8066S2), select	Gass	Cption Fabrc Side 1	8066S2
		GLASS OPTIONS				
	с	Clear Tempered				

#### NOTES:

2025 v1.46

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### **Open Panel** • Acoustic



**Base Product (CCOMMA) Presentation** View



Base Product (CCOMMA) Unfolded View

-		Maximum							
DESCRIPTION	PRODUCT NUMBER	Side 1 (R)		WIDTH		Fabric Grade A	Fabric Grade B	Fabric Grade C	Each Raceway
Open Monolithic/Monolithic	CCOMMA1242	1	1	12	42	\$	\$	\$	+\$50
Acoustic Panel	CCOMMA1842	1	1	18	42	\$	\$	\$	+\$50
	CCOMMA2442	1	1	24	42	\$	\$	\$	+\$50
Two full fabric tiles both sides	CCOMMA3042	1	1	30	42	\$	\$	\$	+\$50
<ul> <li>Two aluminum window frames</li> </ul>	CCOMMA3642	1	1	36	42	\$	\$	\$	+\$50
		1	1	42	42	\$	\$	\$	+\$50
<ul> <li>Base Raceway includes a pan and power access doors based on the width of the panel. 12" and 18" wide panels are power-pass through only (no access doors), one door is included in the pan of 24" wide panel, and 30" and wider panels have two doors per panel</li> </ul>	the CCOMMA4842	1	1	48	42	\$	\$	\$	+\$50
	CCOMMA5442	1	1	54	42	\$	\$	\$	+\$50
	), CCOMMA6042	1	1	60	42	\$	\$	\$	+\$50
	ider CCOMMA1254	Ø	Ø	12	54	\$	\$	\$	
		Ø	Ø	18	54	\$	\$	\$	
<ul> <li>Includes three horizontal rails, cap, and top cap sleeve</li> </ul>	top CCOMMA2454	Ø	Ø	24	54	\$	\$	\$	
<ul> <li>Fabric tiles noise reduction</li> </ul>	CCOMMA3054	Ø	Ø	30	54	\$	\$	\$	
coefficient rated 0.65	CCOMMA3654	Ø	Ø	36	54	\$	\$	\$	
<ul> <li>Raceway tiles include a cable trough and are sold at an addit</li> </ul>	CCOMMA4254	Ø	Ø	42	54	\$	\$	\$	
charge (see pricing for more	CCOMMA4854	Ø	Ø	48	54	\$	\$	\$	
information)	CCOMMA5454	Ø	Ø	54	54	\$	\$	\$	
<ul> <li>Raceway tiles can be configure</li> </ul>	ed at CCOMMA6054	Ø	Ø	60	54	\$	\$	\$	
<ul><li>30" high</li><li>Tiles are field configurable and</li></ul>	CCOMMA1266	Ø	Ø	12	66	\$	\$	\$	
replaceable	CCOMMA1866	Ø	Ø	18	66	\$	\$	\$	
· Raceway Tiles have the followi	ing CCOMMA2466	Ø	Ø	24	66	\$	\$	\$	
knockouts for access to steel	00014140000	Ø	Ø	30	66	\$	\$	\$	
trough (cable wireway) based ( width: 12-18" have zero, 24" ha one and 30" & longer have two	ave CCOMMA3666	Ø	Ø	36	66	\$	\$	\$	N/A
one and 30" & longer have two	CCOMMA4266	Ø	Ø	42	66	\$	\$	\$	
	CCOMMA4866	Ø	Ø	48	66	\$	\$	\$	
	CCOMMA5466	Ø	Ø	54	66	\$	\$	\$	
	CCOMMA6066	Ø	Ø	60	66	\$	\$	\$	
	CCOMMA1284	Ø	Ø	12	84	\$	\$	\$	
	CCOMMA1884	Ø	Ø	18	84	\$	\$	\$	
	CCOMMA2484	Ø	Ø	24	84	\$	\$	\$	
	CCOMMA3084	Ø	Ø	30	84	\$	\$	\$	
	CCOMMA3684	Ø	Ø	36	84	\$	\$	\$	
	CCOMMA4284	Ø	Ø	42	84	\$	\$	\$	
	CCOMMA4884	Ø	Ø	48	84	\$	\$	\$	
	CCOMMA5484	Ø	Ø	54	84	\$	\$	\$	
	CCOMMA6084	Ø	Ø	60	84	\$	\$	\$	

11

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gage, pre-finished steel, joined together by injection-molded corner blocks, and spot welded in place
- All 6" base-raceways have two .080 thick PVC doors (one on each side) and 12" high raceway tiles are fabric wrapped 20 gage steel powder coated sand finish, data/electrical cabling access (sold separately)
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame

#### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:

Select the product number and then add the codes for the number of raceway tiles side 1 (R) & 2 (R2), color finish and fabric selection side 1 & 2 (S2).

For example, to order a Crescendo 12" x 42" Open Monolithic/Monolithic Acoustic Panel (CCOMMA1242), w/ Black Poly Color (B), 8068 Gravel Interlude Fabric Side 1 (8068), and 8066 Pewter Interlude Fabric Side 2 (8066S2), select





## **CRESCENDO**


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them

Pg. 13

Acoustical Stackable Section (CCSA & CCSH)







Glass Tile (CCGTC & CCGTW)

Pg. 14

Pg. 18

Open Tile (CCOT)

Pg. 17

Pg. 15-16


Pg. 20

Door (CCDR) Pg. 18 Rolling Screen Door (CCWWRD)

Glass Stackable Section

(CCSG)

Framed Door Threshold (CCDRTH)




12



- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### Panel Additions • Acoustic



Base Product (CCSA) Presentation View

	DESCRIPTION	PRODUCT NUMBER	Side 1 (R)		WIDTH	HEIGHT	Fabric Grade A	Fabric Grade B	Fabric Grade C	Each Raceway
Fa	bric Stackable Acoustic Section	CCSA1212	1	1	12	12	\$	\$	\$	+\$50
	adric Stackable Acoustic Section	CCSA1812	1	1	18	12	\$	\$	\$	+\$50
		CCSA2412	1	1	24	12	\$	\$	\$	+\$50
•	Two full fabric tiles	CCSA3012	1	1	30	12	\$	\$	\$	+\$50
•	Includes one horizontal rail	CCSA3612	1	1	36	12	\$	\$	\$	+\$50
•	Uses top cap from existing panel	CCSA4212	1	1	42	12	\$	\$	\$	+\$50
	section	CCSA4812	1	1	48	12	\$	\$	\$	+\$50
•	Fabric tiles noise reduction coefficient rated 0.65	CCSA5412	1	1	54	12	\$	\$	\$	+\$50
		CCSA6012	1	1	60	12	\$	\$	\$	+\$50
	Raceway tiles include a cable trough and are sold at an additional	CCSA1218	Ø	Ø	12	18	\$	\$	\$	
	charge (see pricing for more information)	CCSA1818	Ø	Ø	18	18	\$	\$	\$	
•	Tiles are field configurable and	CCSA2418	Ø	Ø	24	18	\$	\$	\$	
	replaceable	CCSA3018	Ø	Ø	30	18	\$	\$	\$	
•	Raceway Tiles have the following knockouts for access to steel	CCSA3618	Ø	Ø	36	18	\$	\$	\$	
	trough (cable wireway) based on	CCSA4218	Ø	Ø	42	18	\$	\$	\$	
	trough (cable wireway) based on width: 12-18" have zero, 24" have one and 30" & longer have two	CCSA4818	Ø	Ø	48	18	\$	\$	\$	
	one and 50 & longer have two	CCSA5418	Ø	Ø	54	18	\$	\$	\$	
		CCSA6018	Ø	Ø	60	18	\$	\$	\$	N/A
	·	CCSA1224	Ø	Ø	12	24	\$	\$	\$	N/A
		CCSA1824	Ø	Ø	18	24	\$	\$	\$	
		CCSA2424	Ø	Ø	24	24	\$	\$	\$	
		CCSA3024	Ø	Ø	30	24	\$	\$	\$	
		CCSA3624	Ø	Ø	36	24	\$	\$	\$	
		CCSA4224	Ø	Ø	42	24	\$	\$	\$	
	·	CCSA4824	Ø	Ø	48	24	\$	\$	\$	
		CCSA5424	Ø	Ø	54	24	\$	\$	\$	
		CCSA6024	Ø	Ø	60	24	\$	\$	\$	

13

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injection-moded by the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gage, pre-finished steel, joined together by injection-molded corner blocks, and spot welded in place
- 12" high raceway tiles are fabric wrapped 20 gage steel powder coated sand finish, data/electrical cabling access (sold separately)


### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the number of raceway tiles side 1 (R) & 2 (R2), color finish and fabric selection side 1 & 2 (S2).

For example, to order a Crescendo 12" x 12" Fabric Stackable Acoustic Section (CCSA1212), w/ One Raceway Tile Side 1 (R1), One Raceway Tile Side 2 (R21), 8068 Gravel Interlude Fabric Side 1 (8068), and 8066 Pewter Interlude Fabric Side 2 (8066S2), select




### Panel Additions • Glass

Stackable Glass S

٠

٠



Base Product (CCSG) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING Clear Glass	PRICING Frosted Glass
tackable Glass Section	CCSG1212	12	12	\$	\$
	CCSG1812	18	12	\$	\$
	CCSG2412	24	12	\$	\$
Includes one horizontal rail	CCSG3012	30	12	\$	\$
Uses top cap from existing panel	CCSG3612	36	12	\$	\$
section	CCSG4212	42	12	\$	\$
Two aluminum window frames	CCSG4812	48	12	\$	\$
One pane of glass (see options)	CCSG5412	54	12	\$	\$
	CCSG6012	60	12	\$	\$
	CCSG1218	12	18	\$	\$
	CCSG1818	18	18	\$	\$
	CCSG2418	24	18	\$	\$
	CCSG3018	30	18	\$	\$
	CCSG3618	36	18	\$	\$
	CCSG4218	42	18	\$	\$
	CCSG4818	48	18	\$	\$
	CCSG5418	54	18	\$	\$
	CCSG6018	60	18	\$	\$
	CCSG1224	12	24	\$	\$
	CCSG1824	18	24	\$	\$
	CCSG2424	24	24	\$	\$
	CCSG3024	30	24	\$	\$
	CCSG3624	36	24	\$	\$
	CCSG4224	42	24	\$	\$
	CCSG4824	48	24	\$	\$
	CCSG5424	54	24	\$	\$
	CCSG6024	60	24	\$	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame
- 1/4" thick glass tiles have an extruded aluminum frame

#### NOTES: TO ORDER: Product Number Poly Color Select the product number and then add the codes for the glass option and color finish. • Product dimensions are given in CCSG1212 approximate inches CB For example, to order a Crescendo 12" x 12" Stackable Glass Section (CCSG1212), w/ Clear Tempered Glass (C) and Black Poly Color (B), select Appearance of product may vary from Glass Option descriptions When ordering Fabric Panels, the higher grade value will determine the **GLASS OPTIONS** price auote Power accessories are sold separately Vertical posts are sold separately С Clear Tempered Noise Reduction Coefficient is based . on the test method ASTM C-423 w Frosted



2025 v1.46

### CRESCENDO • Systems • Spec Guide

### Panel Additions • Glass

**Clear Glass Tile** 

•

•



Base Product (CCGTC) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Clear Glass Tile	CCGTC1212 CCGTC1218	12 12	12 18	\$ \$
	CCGTC1224	12	24	\$
Includes one horizontal rail	CCGTC1224 CCGTC1230		30	\$
Uses top cap from existing panel	CCGTC1236	12	36 42	\$
section	CCGTC1242	12 12	42 48	\$ \$
Two aluminum window frames	CCGTC1242 CCGTC1242 CCGTC1244 CCGTC1254 CCGTC1254 CCGTC1278 CCGTC1278 CCGTC1818 CCGTC1812	12	54	\$
One pane of clear glass	CCGTC1260	12 12	60 78	\$\$
One pane of clear glass	CCGTC1278	12	12	
	CCGTC1818	18	18	\$
	CCGTC1824	18 18	24 30	<u> </u>
	CCGTC1824 CCGTC1830 CCGTC1836	18	36	
	CCGTC1842	18	42	Ś
	CCGTC1848 CCGTC1854	18 18	48 54	\$ \$
	CCGTC1860	18	60	5 S
	CCGTC1878 CCGTC2412	18 18	78	\$
	CCGTC2412	24	12	\$
	CCGTC2418 CCGTC2424	24	18	\$ \$
	CCGTC2424 CCGTC2430	24 24	24 30	\$
	CCGTC2436	24	36 42	\$
	CCGTC2442	24 24	42 48	\$ \$
	CCGTC2436 CCGTC2442 CCGTC2448 CCGTC2454	24	54	\$
	000102400	24	60	\$
	CCGTC2478 CCGTC3012	24 30	78 12	\$ \$
	CCGTC3018	30	18	\$
	CCGTC3024	30 30	24 30	<u> </u>
	CCGTC3030 CCGTC3036	30	36	
	CCGTC3042	30 30	42	\$
	CCGTC3048 CCGTC3054	30	48 54	\$\$
	CCGTC3060 CCGTC3078 CCGTC3612 CCGTC3618	30	60 İ	\$
	CCGTC3078	30	78 12	\$
	CCGTC3612	36 36	12	<u> </u>
	CCGTC3624	36 36	24 30	ŝ
	CCGTC3624 CCGTC3630 CCGTC3636	36		\$
	CCGTC3636 CCGTC3642	36 36	36 42	\$\$
	CCGTC3648	36	48	Š
	CCGTC3654	36	54	\$
	CCGTC3660 CCGTC3678	36	60 78	<u> </u>
	CCGTC3678 CCGTC4212	36 42	78 12	š
	CCGTC4218 CCGTC4224	42	18	\$\$
	CCGTC4224	42 42	24 30	
	CCGTC4230 CCGTC4236	42 42	36	\$
	CCGTC4242 CCGTC4248 CCGTC4254	42	42	\$ \$
	CCGTC4254	42 42	48 54	\$
	CCGTC4260	42	60	\$
	CCGTC4278 CCGTC4812	42	78 12	\$\$
	CCGTC4818	48	18	\$
	CCGTC4824	48	24 30	\$\$
	CCGTC4830 CCGTC4836	48	36	
	CCGTC4842	48	42	\$
	CCGTC4848 CCGTC4854	48 48	48 54	\$ \$
	CCGTC4860	48	60	\$
	CCGTC4878	48	78	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame
- 1/4" thick glass tiles have an extruded aluminum frame

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### TO ORDER:

Select the product number and then add the codes for the color finish.

For example, to order a Crescendo 12" x 12" Clear Glass Tile (CCGTC1212), w/ Black Poly Color (B), select



### Panel Additions • Glass

**Frosted Glass Tile** 

•

•

•



Base Product (CCGTW) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
rosted Glass Tile	CCGTW1212 CCGTW1218	12 12	12 18	\$ \$
	CCGTW1224	12 12 12	24 30	\$ \$ \$
Includes one horizontal rail	CCGTW1230 CCGTW1236			
Uses top cap from existing panel	CCGTW1236	12 12	36 42	\$ \$
section	CCGTW1248	12 12	48	\$ \$
Two aluminum window frames	CCGTW1254 CCGTW1260	12 12	54 60	\$ \$
One pane of frosted glass	CCGTW1278	12	78	\$ \$
	CCGTW1812 CCGTW1818	18 18	12	\$\$
	CCGTW1818	18	24	
	CCGTW1830	18	30	\$
	CCGTW1836 CCGTW1842	18 18	36 42	\$ \$
	CCGTW1848	18	48	\$ \$
	CCGTW1854 CCGTW1860	18 18	54 60	\$\$
	CCGTW1878	18	78	\$
	CCGTW2412	24 24	12	\$ \$
	CCGTW2418 CCGTW2424	24 24	18 24	
	CCGTW2430	24	30	\$
	CCGTW2436	24 24	36 42	<u> </u>
	CCGTW2442 CCGTW2448	24	48	Ś
	CCGTW2454	24 24	54 60	\$ \$
	CCGTW2460	24	78	
	CCGTW2434 CCGTW2460 CCGTW2478 CCGTW3012 CCGTW3018	30	12	Ś
	CCGTW3018 CCGTW3024	30 30	18	\$ \$
	CCGTW3024 CCGTW3030 CCGTW3036	30	30	\$
	CCGTW3036 CCGTW3042	30 30	36 42	\$ \$
	CCGTW3048 CCGTW3054	30	48	\$ \$
	CCGTW3054	30	54	
	CCGTW3060 CCGTW3078	30 30	60 78	\$ \$
	CCGTW3612	36	12	\$ \$
	CCGTW3618 CCGTW3624	36 36	18	
	CCGTW3630	36	24 30	\$
	CCGTW3636 CCGTW3642	36 36	36 42	\$ \$
	CCGTW3648	36	48	Š
	CCGTW3654	36 36	54 60	\$
	CCGTW3660 CCGTW3678	36	78	Š
	I CCGTW4212	42	12	\$ \$
	CCGTW4218 CCGTW4224	42	24	\$ \$
	I CCGTW4230	42 42	30	\$
	CCGTW4236 CCGTW4242	42	36 42	\$ \$
	CCGTW4248	42 42	48 54	\$
	CCGTW4254	42	54 60	\$ \$
	CCGTW4260 CCGTW4278	42	78	\$
	L CCGTW4812	48 48	12	\$\$
	CCGTW4818 CCGTW4824	48	24	Ś
	CCGTW4830 CCGTW4836 CCGTW4842 CCGTW4848	48 48	30	\$ \$
	CCGTW4836	48	36 42	3 \$
	CCGTW4848	48	48	\$
	CCG1W4854	48 48	54 60	\$\$ \$\$
	CCGTW4860 CCGTW4878	48	78	Š

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame
- 1/4" thick glass tiles have an extruded aluminum frame

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:

Select the product number and then add the codes for the color finish.


For example, to order a Crescendo 12" x 12" Frosted Glass Tile (CCGTW1212), w/ Black Poly Color (B), select



### Panel Additions • Open

**Open Tile** 

•



Base Product (CCGTW) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
	CCOT1212	12	12	\$
Open Tile	CCOT1218	12	18	\$
	CCOT1224	12	24	\$
Includes one horizontal rail	CCOT1254	12	54	\$
	CCOT1812	18	12	\$
Uses top cap from existing panel section	CCOT1818	18	18	\$
	CCOT1824	18	24	\$
Two aluminum window frames	CCOT1830	18	30	\$
	CCOT1848	18	48	\$
	CCOT1854	18	54	\$ \$
	CCOT1860	18	60	\$
	CCOT2412	24	12	\$
	CCOT2418	24	18	\$ \$
	CCOT2424	24	24	\$
	CCOT2430	24	30	\$
	CCOT2436	24	36	\$
	CCOT2442	24	42	\$ \$
	CCOT2448	24	48	\$
	CCOT2454	24	54	\$
	CCOT2460	24	60	\$
	CCOT2466	24	66	\$ \$
	CCOT2478	24	78	
	CCOT3012	30	12	\$
	CCOT3018	30	18	\$
	CCOT3024	30	24	\$ \$
	CCOT3030	30	30	
	CCOT3036	30	36 42	\$
	CCOT3042 CCOT3054	30 30	54	\$
	CCOT3060	30	60	\$ \$
	CCOT3078	30	78	\$
	CCOT3612	36	12	\$
	CCOT3618	36	18	\$
	CCOT3624	36	24	\$
	CCOT3630	36	30	\$
	CCOT3636	36	36	\$
	CCOT3642	36	42	\$
	CCOT3648	36	48	\$
	CCOT3660	36	60	\$
	CCOT3666	36	66	\$
	CCOT3678	36	78	\$
	CCOT4212	42	12	\$
	CCOT4218	42	18	\$
	CCOT4224	42	24	\$
	CCOT4230	42	30	\$
	CCOT4236	42	36	\$
	CCOT4254	42	54	\$
	CCOT4278	42	78	\$
	CCOT4812	48	12	\$
	CCOT4818	48	18	\$
	CCOT4824	48 48	30	\$ \$
	CCOT4830 CCOT4836	48	30	\$
	CCOT5424	54	24	\$
	CCOT6012	60	12	\$
	CCOT6024	60	24	
	CCOT6024 CCOT6042	60	42	\$ \$
	00010042	00	74	Ψ

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Overall panel thickness is 3.5"
- Horizontal rails are constructed of 16 gage Corrosion Resistance Steel with black E-coat finish and off-module components on the hanging track
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame
- 1/4" thick glass tiles have an extruded aluminum frame

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:


Select the product number and then add the codes for the color finish.

For example, to order a Crescendo 12" x 12" Open Tile (CCOT1212), w/ Black Poly Color (B), select




17

### Panel Additions • Door



Left Swing Door (CCDRL42) In-Place View





DESCRIPTION	PRODUCT NUMBER	Option	Panel Width	Panel Height	Door Width	Door Height	Lock	PRICE
Door	CCDRL42L	left	42	84	36	80	Yes	\$
	CCDRL42N	left	42	84	36	80	No	\$
Leaf and Frame (includes horizontal rail and header	CCDRR42L	right	42	84	36	80	Yes	\$
assembly) are used with 84" high panels	CCDRR42N	right	42	84	36	80	No	\$

#### Laminate surface on door

Locking and non-locking options ٠

Aluminum frame with choice of

Acrylic Wheels allow ease of travel

Must mount to 66" or higher panels

powder coated to match panel trim

and spans across a 42" opening Frame and mounting brackets are

Meets ADA requirements

٠

•

•

•

٠

Select the product number and then add the codes for the color finish and laminate surface finish (CCDR only).

color

security

fluted plastic core

For example, to order a Crescendo Left Swing Door w/ Lock (CCDRL42L), w/ Black Poly Color (B), and Biltmore Cherry Laminate (4031), select

across flooring

			Installation F	Requirements	
DESCRIPTION	PRODUCT NUMBER	Plastic Core Option	Panel Opening	Panel Height	PRICE
ig Screen Door	CCWWRD4266CLEAR	Clear	42	66 or taller	\$
	CCWWRD4266OPAL	Opal	42	66 or taller	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Doorways are attached at 84" full or half vertical configurations and adjustable (sold separately)
- Recommended Door Installation: Install with the hinge side at a 90 degree corner, 3-way, 4-way or wall mount conditions
- Meets ADA requirements with a 36" door width opening

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



			Installation		
DESCRIPTION	PRODUCT NUMBER	Plastic Core Option	Panel Opening	Panel Height	PRICE
Rolling Screen Door	CCWWRD4266CLEAR	Clear	42	66 or taller	\$
	CCWWRD4266OPAL	Opal	42	66 or taller	\$
Provides non-locking visual					

TO ORDER:

Product Number

CCDRL42L B 4031

Poly Color

Laminate Fnish

2025 v1.46

### Panel Additions • Accessories


Attaches to bottom of door frame

Extruded aluminum door threshold

Framed Door Threshold

with rubber seal strip

٠



Dabe	····	(000)	

TO ORDER: Select the product number and then add the codes for the color finish.	Product Number
For example, to order a Crescendo 42" Door Threshold (CCDRTH42), w/ Black Poly Color (B), select	CCDRTH42 B Poly Color



The essence of modularity and reconfiguration in today's ever changing office environment

\$

- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them

<sup>•</sup> No Specifications Available

<u></u>	DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
	Door Pass Through	CCCOT42	42	84	\$
Base Product (CCCOT42) In-Place View	Trim cap to finish panel conditions				
TO ORDER: Select the product number and then add the codes for the For example, to order a Crescendo 42" Door Pass The P				B aly Color	


CCDRTH42


42

36

NOTES: Product dimensions are given in approximate inches **Coat Hook** CCPCHCL 3/4 \$ Appearance of product may vary from descriptions When ordering Fabric Panels, the higher grade value will determine the Attaches under the top cap of the ٠ panel price quote • Power accessories are sold separately Supports coats and pictures Vertical posts are sold separately Base Product (CCPCHCL) Available in clear only • Noise Reduction Coefficient is based . on the test method ASTM C-423 TO ORDER: Product Number Select the product number. CCPCHCL For example, to order a Crescendo Clear Coat Hook (CCPCHCL), select 19

### "In-Line" & "L" Intersection Conditions • Overview





## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Panel-to-panel connectors are universal for simplicity
- In-line connections include a full vertical post shared between two panels and 90 degree Intersections include a half-post which bolts into an extruded aluminum connector block
- Open portions of universal connectors can accept universal corner trim
- Top Cap extends the full width of the panel, easily installed with a press fit design, made from rigid PVC with trim color permeating throughout the entire part with textured surface to hide fingerprints
- Universal corner trim is constructed of .080 thick extruded PVC with integral flexible seal with the trim color permeated throughout the part or fabric covered
- Variable Height Universal Trim is constructed the same as Corner Trim with notch to provide clearance for horizontal rail on lower height panel

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




### Intersections • 180° 2-Way

Connection w/ Panels Same Height


Includes full post, light shield and adjustable glide

180 Degree 2-Way In-Line



In-Line Two Panels Same Height Assembled View





In-Line Two Panels Same Height Plan View

#### TO ORDER:

Select the product number and then add the codes for the desired color finish.

For example, to order a Crescendo 30" Side A 180D, 2-Way, In-Line S/H Intersection (CCFP30), w/ Black Poly Color (B), select

Product Number

\" Pa

30

42

48

54

66

72

78

84

\$

\$

\$

\$

\$ \$

\$

\$

CCFP30

CCFP42

CCFP48

CCFP54

CCFP66

CCFP72

CCFP78

CCFP84

## CCFP30

### 21

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections


#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



CRESCENDO • Systems • Spec Guide

### Intersections • 180° 2-Way



In-Line Two Panels Different Heights Assembled View

120

**Base Product (CCFPV)** 

66" H

Plan View

In-Line Two Panels Different Heights

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Change	PRICING
180 Degree 2-Way In-Line Connection	CCFPV3042	30	42	12	\$
w/ Panels Change in Height	CCFPV3048	30	48	16	\$
	CCFPV3054	30	54	24	\$
<ul> <li>Includes full post, bottom cap, end- of-run top cap and adjustable glide</li> <li>Also includes non-upholstered</li> </ul>	CCFPV3066	30	66	36	\$
	CCFPV3072	30	72	42	\$
	CCFPV3084	30	84	54	\$
height change trim	CCFPV4254	42	54	12	\$
	CCFPV4266	42	66	24	\$
	CCFPV4284	42	84	42	\$
	CCFPV5466	54	66	12	\$
	CCFPV5484	54	84	36	\$
	CCFPV6684	66	84	12	\$

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



42" H

**TO ORDER:** Select the product number and then add the codes for the desired color finish.

For example, to order a Crescendo 30" Side A and 42" Side B 180D, 2-Way, In-Line D/H Intersection (CCFPV30), w/ Black Poly Color (B), select




CRESCENDO • Systems • Spec Guide

### Intersections • 180° 2-Way Spacer

Also includes two pieces of non-

upholstered universal trim



Also includes two pieces of upholstered universal trim

### In-Line Two Panels Same Heights Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	PRICING
180 Degree 2-Way In-Line Spacer	CCSP18030	30	\$
180 Degree 2-Way In-Line Spacer w/ Panels Same Height	CCSP18042	42	\$
Non-upholstered	CCSP18054	54	\$
<ul> <li>Includes 180° top cap. 3-way trim &amp;</li> </ul>	CCSP18066	66	\$
<ul> <li>Includes 180° top cap, 3-way trim &amp; base, two half posts, hardware, light shield, and adjustable glide</li> </ul>	CCSP18084	84	\$
shield, and adjustable glide			

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end of run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

66" H 66" H 3<sup>1</sup>/2" W In-Line Two Panels Same Heights Plan View

Base Product (CCSP180 & CCSPF180)

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	Fabric Grade A	Fabric Grade B	Fabric Grade C
180 Degree 2-Way In-Line Spacer	CCSPF18030	30	\$	\$	\$
w/ Panels Same Height	CCSPF18042	42	\$	\$	\$
Upholstered	CCSPF18054	54	\$	\$	\$
<ul> <li>Includes 180° top cap 3-way trim &amp;</li> </ul>	CCSPF18066	66	\$	\$	\$
<ul> <li>Includes 180° top cap, 3-way trim &amp; base, two half posts, hardware, light</li> </ul>	CCSPF18084	84	\$	\$	\$
shield, and adjustable glide					

#### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCSP180). For example, to order a Crescendo Upholstered 30" Side A 180D, 2-Way, Spacer S/H Intersection (CCSPF18030), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select	Product Number	Fabrc Seldon B 8068 PolyColor



### Intersections • 180° 2-Way Spacer



In-Line Panels Different Heights Assembled View



Base Product (CCSPV180)

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	PRICING
180 Degree 2-Way In-Line Spacer	CCSPV1803042	30	42	12	\$
180 Degree 2-Way In-Line Spacer w/ Two Different Panel Heights	CCSPV1803054	30	54	24	\$
Non-upholstered	CCSPV1803066	30	66	36	\$
<ul> <li>Includes end top cap. 3-way trim &amp;</li> </ul>	CCSPV1803084	30	84	54	\$
<ul> <li>Includes end top cap, 3-way trim &amp; base, "A" height half post, "B" height</li> </ul>	CCSPV1804254	42	54	12	\$
half post, light shield, and adjustable glide	CCSPV1804266	42	66	24	\$
<ul> <li>Also includes one upholstered</li> </ul>	CCSPV1804284	42	84	42	\$
universal trim and one non-	CCSPV1805466	54	66	12	\$
upholstered height change trim	CCSPV1805484	54	84	30	\$
	CCSPV1806684	66	84	18	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCSPV180).

Product Number

Poly Color

CCSPVF1803042 B For example, to order a Crescendo Upholstered 30" Side A and 42" Side B 180D, 2-Way, Spacer S/H Intersection (CCSPVF1803042), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select

24

CRESCENDO • Systems • Spec Guide


TO ORDER:

### "L" Corner Panels Same Height Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	PRICING
90 Degree 2-Way "L" Corner w/	CCCP9030	30	\$
Panels Same Height	CCCP9042	42	\$
Non-upholstered	CCCP9048	48	\$
<ul> <li>Includes 90° top cap 90° corner</li> </ul>	CCCP9054	54	\$
<ul> <li>Includes 90° top cap, 90° corner base trim, two half posts</li> </ul>	CCCP9066	66	\$
<ul> <li>Also includes two pieces of non- unbelatered universal trim</li> </ul>	CCCP9084	84	\$
upholstered universal trim			

`h∎́ní	

#### Base Product (CCSP90 & CCSPF90)



DESCRIPTION	PRODUCT NUMBER	Height	Grade A	Grade B	Grade C
90 Degree 2-Way "L" Corner Both	CCCPF9030	30	\$	\$	\$
90 Degree 2-Way "L" Corner Both Panels Same Height Upholstered	CCCPF9042	42	\$	\$	\$
Uphoistered	CCCPF9048	48	\$	\$	\$
<ul> <li>Includes 90° top cap, 90° corner</li> </ul>	CCCPF9054	54	\$	\$	\$
<ul> <li>Includes 90° top cap, 90° corner base trim, two half posts</li> </ul>	CCCPF9066	66	\$	\$	\$
<ul> <li>Also includes two pieces of upholstered universal trim</li> </ul>	CCCPF9072	72	\$	\$	\$
uphoistered universal trim	CCCPF9078	78	\$	\$	\$
	CCCPF9084	84	\$	\$	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER CCCP90: Select the product number and then add the codes for the desired color finish and fabric selection. For example, to order a Crescendo Unupholstered 30" Side A 90D, 2-Way, Spacer S/H Intersection (CCSP9030), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select	Product Number CCCSPF9030 B PolyColor

Intersections • 90° 2-Way "L" Corner

#### TO ORDER CCCPF90:

Select the product number and then add the codes for the desired color finish and fabric selection.

For example, to order a Crescendo Upholstered 30" Side A 90D, 2-Way, Spacer S/H Intersection (CCSPF9030), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select




Product Number

CCCSPF9030 B 8068

Poly Color


Fabrc Selecton

## Intersections • 90° 2-Way Other Conditions




"L" Corner Panels Different Height Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	PRICING
90 Degree 2-Way "I " Corper w/	CCCPV903042	30	42	12	\$
90 Degree 2-Way "L" Corner w/ Two Different Panel Heights Non-upholstered	CCCPV903054	30	54	24	\$
Non-uphoistered	CCCPV903066	30	66	36	\$
<ul> <li>Includes end top cap. 3-way trim &amp;</li> </ul>	CCCPV903084	30	84	54	\$
<ul> <li>Includes end top cap, 3-way trim &amp; base, "A" height half post, "B" height</li> </ul>	CCCPV904254	42	54	12	\$
half post, light shield, and adjustable glide	CCCPV904266	42	66	24	\$
	CCCPV904284	42	84	42	\$
<ul> <li>Also includes two pieces of non- upholstered universal trim</li> </ul>	CCCPV905466	54	66	12	\$
	CCCPV905484	54	84	30	\$
	CCCPV906684	66	84	18	\$



**Base Product (CCSPV90)** 



DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	Fabric Grade A	Fabric Grade B	Fabric Grade C
90 Degree 2-Way In-Line Spacer Two Different Heights	CCCPVF903042	30	42	12	\$	\$	\$
	CCCPVF903054	30	54	24	\$	\$	\$
Upholstered	CCCPVF903066	30	66	36	\$	\$	\$
<ul> <li>Includes end top cap, 3-way trim &amp; base, "A" height half post, "B"</li> </ul>	CCCPVF903084	30	84	54	\$	\$	\$
	CCCPVF904254	42	54	12	\$	\$	\$
height half post, light shield, and adjustable glide	CCCPVF904266	42	66	24	\$	\$	\$
<ul> <li>Also includes two pieces of</li> </ul>	CCCPVF904284	42	84	42	\$	\$	\$
upholstered universal trim and one upholstered height change trim	CCCPVF905466	54	66	12	\$	\$	\$
	CCCPVF905484	54	84	30	\$	\$	\$
	CCCPVF906684	66	84	18	\$	\$	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end of run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

2025 v1.46

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCCPV90).


For example, to order a Crescendo Upholstered 30" Side A and 42" Side B 90D, 2-Way, Spacer S/H Intersection (CCCPVF903042), w/ Black Poly


Fabrc Selecton Product Number CCCPVF903042 B 8068

Poly Color

Color (B) and 8068 Gravel Interlude Fabric (8068), select







4Way 90° Top Cap Different Heights (CCXPV90 or CCXPVF90) Pg. 35


## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Panel-to-panel connectors are universal for simplicity
- In-line connections include a full vertical post shared between two panels and 90 degree Intersections include a half-post which bolts into an extruded aluminum connector block
- Open portions of universal connectors can accept universal corner trim
- Top Cap extends the full width of the panel, easily installed with a press fit design, made from rigid PVC with trim color permeating throughout the entire part with textured surface to hide fingerprints
- Universal corner trim is constructed of .080 thick extruded PVC with integral flexible seal with the trim color permeated throughout the part or fabric covered
- Variable Height Universal Trim is constructed the same as Corner Trim with notch to provide clearance for horizontal rail on lower height panel

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423






### "T" Panels Same Height Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	PRICING
"T" 3-Way w/ Same Panel Heights	CCTP3W30	30	\$
"T" 3-Way w/ Same Panel Heights Non-upholstered	CCTP3W42	42	\$
	CCTP3W48	48	\$
<ul> <li>Includes 3-way top cap, base trim</li> </ul>	CCTP3W54	54	\$
<ul> <li>Includes 3-way top cap, base trim, three half-post, and adjustable glide</li> </ul>	CCTP3W66	66	\$
<ul> <li>Also includes one piece of non-</li> </ul>	CCTP3W84	84	\$
upholstered universal trim			•



#### Base Product (CCTP3W & CCTPF3W)



DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	Grade A	Grade B	Grade C
"T" 3-Way w/ Same Panel Heights	CCTPF3W30	30	\$	\$	\$
"T" 3-Way w/ Same Panel Heights Upholstered	CCTPF3W42	42	\$	\$	\$
	CCTPF3W48	48	\$	\$	\$
<ul> <li>Includes 3-way top cap base trim</li> </ul>	CCTPF3W54	54	\$	\$	\$
<ul> <li>Includes 3-way top cap, base trim, three half post, and adjustable glide</li> </ul>	CCTPF3W66	66	\$	\$	\$
<ul> <li>Also includes one piece upholstered universal trim</li> </ul>	CCTPF3W72	72	\$	\$	\$
upriorstered universal trim	CCTPF3W78	78	\$	\$	\$
	CCTPF3W84	84	\$	\$	\$

## **CRESCENDO**


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCTP3W). For example, to order a Crescendo Upholstered 30" Side A 3-Way S/H Intersection (CCTPF3W30), w/ Black Poly Color (B), 8068 Gravel Interlude Fabric (8068) and 8066 Pewter Interlude Fabric Side 2 (8066S2), select	Product Number Sde1 CCTPF3W30 B 8068 Poly Color




"T" 3-Way 90 Degree w/ Different Panel Heights Non-upholstered

Includes 90 degree top cap, 3-way base trim, one side "A" height half-post, two side "B" height half-post, and adjustable glide

Also includes one piece of non-upholstered height change trim and one piece of non-upholstered


universal trim



"T" Panels 90

	•
Degree, Different Heights Assembled View	
້ 1	

#### Base Product (CCTP3W & CCTPF3W)



DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	. Height Difference	Fabric Grade A	Fabric Grade B	Fabric Grade C
"T" 3-Way 90 Degree w/ Different Panel Heights	CCTPVF903042	30	42	12	\$	\$	\$
	CCTPVF903054	30	54	24	\$	\$	\$
Upholstered	CCTPVF903066	30	66	36	\$	\$     \$       \$     \$       \$     \$       \$     \$       \$     \$       \$     \$       \$     \$	\$
<ul> <li>Includes 90 degree top cap 3-way</li> </ul>	CCTPVF903084	30	84	54	\$	\$	\$
<ul> <li>Includes 90 degree top cap, 3-way base trim, one side "A" height half-</li> </ul>	CCTPVF904254	42	54	12	\$	\$	\$
post, two side "B" height half-post, and adjustable glide	CCTPVF904266	42	66	24	\$	\$	\$
Also includes one piece of	CCTPVF904284	42	84	42	\$	\$	\$
upholstered height change trim and one piece of upholstered universal	CCTPVF905466	54	66	12	\$	\$	\$
trim	CCTPVF905484	54	84	30	\$	\$	\$
	CCTPVF906684	66	84	18	\$	\$	\$

3." Par

42

54

66

84

54

66

84

66

84

84

12

24

36

54

12

24

42

12

30

18

\$

\$

\$

\$

\$ \$

\$

\$

\$

\$

30

30

30

30

42

42

42

54

54

66

CCTPV903042

CCTPV903054

CCTPV903066

CCTPV903084

CCTPV904254

CCTPV904266

CCTPV904284

CCTPV905466

CCTPV905484

CCTPV906684

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end of run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCTPV90).

For example, to order a Crescendo Upholstered 30" Side A and 42" Side B 90D, 3-Way, D/H Intersection (CCTPVF903042), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select



"T" Panels 90 Degree, Different Heights



"T" Panels Dead End, Different Heights Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	PRICING
"T" 3-Way Dead End w/ Different	CCTPV1W3042	30	42	12	\$
Panel Heights	CCTPV1W3054	30	54	24	\$
Non-uphoistered	CCTPV1W3066	30	66	36	\$
<ul> <li>Includes dead end cap 3-way base</li> </ul>	CCTPV1W3084	30	84	54	\$
<ul> <li>Includes dead end cap, 3-way base trim, two side "A" height half-post, one side "B" height half-post, and</li> </ul>	CCTPV1W4254	42	54	12	\$
adjustable glide	CCTPV1W4266	42	66	24	\$
	CCTPV1W4284	42	84	42	\$
<ul> <li>Also includes two piece of non- upholstered height change trim and</li> </ul>	CCTPV1W5466	54	66	12	\$
one piece of non-upholstered universal trim	CCTPV1W5484	54	84	30	\$
	CCTPV1W6684	66	84	18	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

31/2" W 31/2" W 42" H 42" H 66" H 42" H 42" H 66" H "T" Panels Dead End, Different Heights Plan View

Base Product (CCTPV1W & CCTPVF1W)

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	. Height Difference	Fabric Grade A	Fabric Grade B	Fabric Grade C
"T" 3-Way Dead End w/ Different	CCTPVF1W3042	30	42	12	\$	\$	\$
Panel Heights	CCTPVF1W3054	30	54	24	\$	\$	\$
Upholstered	CCTPVF1W3066	30	66	36	\$	\$	\$
<ul> <li>Includes dead end cap 3-way base</li> </ul>	CCTPVF1W3084	30	84	54	\$	\$	\$
<ul> <li>Includes dead end cap, 3-way base trim, two side "A" height half-post,</li> </ul>	CCTPVF1W4254	42	54	12	\$	\$	\$
one side "B" height half-post, and adjustable glide	CCTPVF1W4266	42	66	24	\$	\$	\$
<ul> <li>Also includes two piece of</li> </ul>	CCTPVF1W4284	42	84	42	\$	\$	\$
upholstered height change trim and	CCTPVF1W5466	54	66	12	\$	\$	\$
one piece of upholstered universal trim	CCTPVF1W5484	54	84	30	\$	\$	\$
	CCTPVF1W6684	66	84	18	\$	\$	\$

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- . Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCTPV1W).

For example, to order a Crescendo Upholstered 30" Side A and 42" Side B, 3-Way, Dead End D/H Intersection (CCTPVF1W3042), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select



Fabrc

Side 1

Product Number


CCTPVF1W3042 B 8068

"T" 3-Way 180 Degree w/ Different Panel Heights Non-upholstered

Includes 180 degree top cap, 3-way base trim, one side "A" height half-post, two side "B" height half-post, and adjustable glide

Also includes one piece of non-upholstered height change trim and one piece of non-upholstered


universal trim



"T" Panels 180 Degree, Different Heights Assembled View



### Base Product (CCTPV180 & CCTPVF180)



DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Difference	Grade A	Fabric Grade B	Fabric Grade C	l
'' 3-Way 180 Degree w/ Different nel Heights	CCTPVF1803042	30	42	12	\$	\$	\$	
	CCTPVF1803054	30	54	24	\$	\$	\$	
holstered	CCTPVF1803066	30	66	36	\$	\$	\$	
Includes 180 degree top cap 3-way	CCTPVF1803084	30	84	54	\$	\$	\$	
Includes 180 degree top cap, 3-way base trim, two side "A" height half-	CCTPVF1804254	42	54	12	\$	\$	\$	
post, one side "B" height half-post, and adjustable glide	CCTPVF1804266	42	66	24	\$	\$	\$	
Also includes one piece of	CCTPVF1804284	42	84	42	\$	\$	\$	
upholstered height change trim and one piece of upholstered universal trim	CCTPVF1805466	54	66	12	\$	\$	\$	
	CCTPVF1805484	54	84	30	\$	\$	\$	
	CCTPVF1806684	66	84	18	\$	\$	\$	

3." Par

42

54

66

84

54

66

84

66

84

84

12

24

36

54

12

24

42

12

30

18

Fabrc

Side 1

Product Number

CCTPVF1803042 B 8068

Poly Color

\$

\$

\$

\$

\$ \$

\$

\$

\$

\$

30

30

30

30

42

42

42

54

54

66

CCTPV1803042

CCTPV1803054

CCTPV1803066

CCTPV1803084

CCTPV1804254

CCTPV1804266

CCTPV1804284

CCTPV1805466

CCTPV1805484

CCTPV1806684

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based
- on the test method ASTM C-423



Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCTPV180).

"T"

Pan Upl

For example, to order a Crescendo Upholstered 30" Side A and 42" Side B 180D, 3-Way, D/H Intersection (CCTPVF1803042), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select




TO ORDER:

"X" 4-Way w/ Same Panel Heights


Includes 4-way top cap, 4-way light block, four half half post, and adjustable glide

Non-upholstered



#### "X" Panels Same Height Assembled View





#### TO ORDER:

Select the product number and then add the codes for the desired color finish.

For example, to order a Crescendo Upholstered 30" Side A 4-Way S/H Intersection (CCXP4W30), w/ Black Poly Color (B), select

Product Number

A" Pai

30

42

48

54

66

84

\$

\$

\$

\$

\$

\$

CCXP4W30

CCXP4W42 CCXP4W48

CCXP4W54

CCXP4W66

CCXP4W84

CCXP4W30 B PolyColor

### 32

## CRESCENDO


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



CRESCENDO • Systems • Spec Guide



"X" Panels Dead End, Different Heights Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	PRICING
"X" 4-Way Dead End w/ Different	CCXPV3W3042	30	42	12	\$
Panel Heights Non-uphoistered	CCXPV3W3048	30	48	18	\$
	CCXPV3W3054	30	54	24	\$
<ul> <li>Includes 3-way top cap 4-way light</li> </ul>	CCXPV3W3066	30	66	36	\$
<ul> <li>Includes 3-way top cap, 4-way light block, one side "A" height half-post, three side "B" height half-post, and</li> </ul>	CCXPV3W3084	30	84	54	\$
adjustable glide	CCXPV3W4254	42	54	12	\$
, ,	CCXPV3W4266	42	66	24	\$
<ul> <li>Also includes one piece of non- upholstered universal trim</li> </ul>	CCXPV3W4284	42	84	42	\$
	CCXPV3W5466	54	66	12	\$
	CCXPV3W5484	54	84	30	\$
	CCXPV3W6684	66	84	18	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### 66" H 66" H 42" H 31/2" x 31/2" W 66" H "X" Panels Dead End, Different Heights Plan View

Base Product (CCXPV3W & CCXPVF3W)

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	Fabric Grade A	Fabric Grade B	Fabric Grade C
' 4-Way Dead End w/ Different nel Heights	CCXPVF3W3042	30	42	12	\$	\$	\$
	CCXPVF3W3054	30	54	24	\$	\$	\$
holstered	CCXPVF3W3066	30	66	36	\$	\$	\$
Includes 3-way top cap 4-way light	CCXPVF3W3084	30	84	54	\$	\$	\$
block, one side "A" height half-post,	CCXPVF3W4254	42	54	12	\$	\$	\$
Includes 3-way top cap, 4-way light block, one side "A" height half-post, three side "B" height half-post, and adjustable glide	CCXPVF3W4266	42	66	24	\$	\$	\$
Also includes one piece of	CCXPVF3W4284	42	84	42	\$	\$	\$
upholstered height change trim	CCXPVF3W5466	54	66	12	\$	\$	\$
	CCXPVF3W5484	54	84	30	\$	\$	\$
	CCXPVF3W6684	66	84	18	\$	\$	\$

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- . Noise Reduction Coefficient is based on the test method ASTM C-423



### TO ORDER:

Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCXPV3W).

Pan

For example, to order a Crescendo Upholstered 30" Side A and 42" Side B, 3-Way, Dead End D/H Intersection (CCXPVF3W3042), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select


33

Fabro

Side 1


Product Number

CCXPVF3W3042 B 8068




"X" Panels 180 Degree, Different Heights Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	PRICING
"X" 4-Way 180 Degree w/ Different	CCXPV1803042	30	42	12	\$
"X" 4-Way 180 Degree w/ Different Panel Heights	CCXPV1803054	30	54	24	\$
Non-upholstered	CCXPV1803066	30	66	36	\$
Includes 180 degree top cap 4-way	CCXPV1803084	30	84	54	\$
<ul> <li>Includes 180 degree top cap, 4-way light block, two side "A" height half- post, two side "B" height half-post,</li> </ul>	CCXPV1804254	42	54	12	\$
and adjustable glide	CCXPV1804266	42	66	24	\$
Also includes two pieces of non-	CCXPV1804284	42	84	42	\$
upholstered height change trim	CCXPV1805466	54	66	12	\$
	CCXPV1805484	54	84	30	\$
	CCXPV1806684	66	84	18	\$



#### Base Product (CCXPV180 & CCXPVF180)



DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	Fabric Grade A	Fabric Grade B	Fabric Grade C
" 4-Way 180 Degree w/ Different mel Heights	CCXPVF1803042	30	42	12	\$	\$	\$
	CCXPVF1803054	30	54	24	\$	\$	\$
pholstered	CCXPVF1803066	30	66	36	\$	\$ \$ \$ \$	\$
Includes 180 degree top cap 4-way	CCXPVF1803084	30	84	54	\$	\$	\$
Includes 180 degree top cap, 4-way light block, two side "a" height half-	CCXPVF1804254	42	54	12	\$	\$	\$
post, two side "b" height half-post, and adjustable glide	CCXPVF1804266	42	66	24	\$	\$	\$
Also includes two pieces of	CCXPVF1804284	42	84	42	\$	\$	\$
upholstered height change trim	CCXPVF1805466	54	66	12	\$	\$	\$
	CCXPVF1805484	54	84	30	\$	\$	\$
	CCXPVF1806684	66	84	18	\$	\$	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCXPV180).

"T" Par Upl

For example, to order a Crescendo Upholstered 30" Side A and 42" Side B 180D, 4-Way, D/H Intersection (CCXPVF1803042), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select

34

U "X" Panels 180 Degree, Different Heights Plan View


CRESCENDO • Systems • Spec Guide



Fabrc Selecton


Product Number

CCXPVF1803042 B 8068




"X" Panels 90 Degree, Different Heights Assembled View

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	PRICING
"X" 4-Way 90 Degree w/ Different	CCXPV903042	30	42	12	\$
"X" 4-Way 90 Degree w/ Different Panel Heights	CCXPV903054	30	54	24	\$
Non-upholstered	CCXPV903066	30	66	36	\$
Includes 90 degree top cap 4-way	CCXPV903084	30	84	54	\$
<ul> <li>Includes 90 degree top cap, 4-way light block, two side "A" height half- post and two side "B" height half-</li> </ul>	CCXPV904254	42	54	12	\$
post and two side B" neight haif-	CCXPV904266	42	66	24	\$
	CCXPV904284	42	84	42	\$
<ul> <li>Also includes two pieces of non- upholstered height change trim</li> </ul>	CCXPV905466	54	66	12	\$
	CCXPV905484	54	84	30	\$
	CCXPV906684	66	84	18	\$



### Base Product (CCXPV90 & CCXPVF90)



DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	"B" Panel Height	Height Difference	Fabric Grade A	Fabric Grade B	Fabric Grade C
"X" 4-Way 90 Degree w/ Different Panel Heights	CCXPVF903042	30	42	12	\$	\$	\$
	CCXPVF903054	30	54	24	\$	\$	\$
Upholstered	CCXPVF903066	30	66	36	\$	\$	\$
<ul> <li>Includes 90 degree top cap 4-way</li> </ul>	CCXPVF903084	30	84	54	\$	\$	\$
<ul> <li>Includes 90 degree top cap, 4-way light block, two side "A" height half-</li> </ul>	CCXPVF904254	42	54	12	\$	\$	\$
post and two side "B" height half- post	CCXPVF904266	42	66	24	\$	\$	\$
<ul> <li>Also includes two pieces of</li> </ul>	CCXPVF904284	42	84	42	\$	\$	\$
upholstered height change trim	CCXPVF905466	54	66	12	\$	\$	\$
	CCXPVF905484	54	84	30	\$	\$	\$
	CCXPVF906684	66	84	18	\$	\$	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCXPV90).

For example, to order a Crescendo Upholstered 30" Side A and 42" Side B 180D, 3-Way, D/H Intersection (CCXPVF903042), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select


35

Fabrc Selecton

Product Number

CCXPVF903042 B 8068

### **Conditions** • Overview




## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423





End-of-Run Assembled View





End-of-Run Plan View

#### TO ORDER:

Select the product number and then add the codes for the desired color finish.

For example, to order a Crescendo 30" End-of-Run Intersection (CCEP30), w/ Black Poly Color (B), select

Product Number
CCEP30

В

Poly Color

### 37

CRESCENDO • Systems • Spec Guide

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	PRICING
End-of-Run	CCEP30	30	\$
Non-upholstered	CCEP42	42	\$
	CCEP48	48	\$
<ul> <li>Includes end-of-run trim top cap</li> </ul>	CCEP54	54	\$
<ul> <li>Includes end-of-run trim, top cap, and full-height post</li> </ul>	CCEP66	66	\$
	CCEP72	72	\$
	CCEP78	78	\$
	CCEP84	84	\$

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .




See Planning Guidelines for

power

applications



Off-Module Post Product Overview (CCOMP)



DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	PRICING
Off-Module Post	CCOMP30	30	\$
Non-upholstered	CCOMP42	42	\$
-	CCOMP48	48	\$
Includes off-module top trim end	CCOMP54	54	\$
<ul> <li>Includes off-module top trim end cap and half-post</li> </ul>	CCOMP66	66	\$
<ul> <li>Can be used at any height where a break in tiles exists</li> </ul>	CCOMP72	72	\$
	CCOMP84	84	\$
<ul> <li>Does not allow for the transfer of</li> </ul>		1	

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



TO ORDER:

Select the product number and then add the codes for the desired color finish.

For example, to order a Crescendo 30" Off-Module Post (CCOMP30), w/ Black Poly Color (B), select



Poly Color


38

Wall Track

included

instructions

See Planning Guidelines for installation and applications



Wall Track Assembled View

30 " H

Wall Track Plan View

DESCRIPTION	PRODUCT NUMBER	Highest Mounting Height	PRICING
Vall Track	CCWT30	30	\$
	CCWT36	36	\$
	CCWT42	42	\$
Single slotted track accommodates	CCWT48	48	\$
wall mounting of overhead	CCWT54	54	\$
components and worksurfaces without the use of Crescendo	CCWT60	60	\$
Panels	CCWT66	66	\$
1 1/4" wide by 1" deep steel construction with metal powder-	CCWT72	72	\$
coat finish	CCWT78	78	\$
Wall attachment hardware is not	CCWT84	84	\$
included		·	

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end of run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



#### TO ORDER:

Select the product number and then add the codes for the desired color finish and metal powder-coat finish.

Product Number

For example, to order a Crescendo 30" Wall Track (CCWT30), w/ Black Poly Color (B) and Starlight Silver Metal Powder Coat Color (34), select




CRESCENDO • Systems • Spec Guide

Adjustable up to 1-1/2" to correct wall deflection

See Planning Guidelines for applications

Adjustable Wall Mount


included



Adjustable Wall Mount Assembled View



**Base Product (CCWM)** 



#### TO ORDER:

Select the product number and then add the codes for the desired color finish and metal powder-coat finish.

For example, to order a Crescendo 30" Adjustable Wall Mount (CCWM30), w/ Black Poly Color (B) and Starlight Silver Metal Powder Coat Color (34), select

DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
djustable Wall Mount	CCWM30	30	\$
lajaolabio Han mount	CCWM42	42	\$
	CCWM48	48	\$
Attaches a panel to a wall at the	CCWM54	54	\$
start of a run	CCWM60	60	\$
Includes mounting plate and half- post with adjustable glide	CCWM66	66	\$
	CCWM72	72	\$
2-1/2" wide by 1-1/4" deep steel construction with metal powder-	CCWM78	78	\$
coat finish	CCWM84	84	\$
Wall attachment hardware is not			

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end of run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections
- Adjustable Wall Mount consist of a formed steel channel enclosed in a steel "U" channel to allow panels to be attached to existing building walls
- Method of attachment to the existing building depends on the existing wall construction

#### NOTES:

2025 v1.46

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



40

В

Poly Color

Product Number

CCWM30

Stackable Tiles 180° 2-Way In-Line

Includes one stackable half-post

Uses top cap from existing lower

Also includes two pieces of nonupholstered height change trim

Must be used with tiles of the same


Non-upholstered

panels

height


٠

•



Stackable Panel In-Line Assembled View





Stackable Panels In-Line Plan View

#### TO ORDER:

Select the product number and then add the codes for the desired color finish.

For example, to order a Crescendo 12" Stackable Panel Intersection, 180D, 2-Way S/H (CCSFP12), w/ Black Poly Color (B), select

Product Number

A" Ti

12

18

24

\$

\$

\$

CCSFP12

CCSFP18

CCSFP24

Poly Color

В

#### 11

c.	4	1
	-	•

CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



CRESCENDO • Systems • Spec Guide

Stackable Tiles End-of-Run



Stackable Panel End-of-Assembled

12" H

Stackable Panel End-of-Run

	Non-upholstered	CCSEP18	18	\$
		CCSEP24	24	\$
	<ul> <li>Includes one stackable half-post</li> <li>Uses top cap from existing lower panels</li> </ul>			
	<ul> <li>Also includes two pieces of non- upholstered end-of-run trim</li> </ul>			
kable Panel End-of-Run Assembled View				
Base Product (CCSEP)				
2" H				

CCSEP12

A" Ti 12

\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



#### TO ORDER:

Select the product number and then add the codes for the desired color finish.

**Plan View** 

For example, to order a Crescendo 12" Stackable Panel Intersection, End-of-Run (CCSEP12), w/ Black Poly Color (B), select

Product Number

CCSEP12 B Poly Color

Stackable Tiles 180°, 2-Way In-Line

Includes two stackable half posts and corner connector block

Uses top cap from existing lower

Also includes two pieces of non-upholstered stackable universal

Must be used with tiles of the same

Spacer


•

Non-upholstered

panels

trim


height



Stackable Panel In-Line Spacer Assembled View



**Base Product (CCSSP180)** 



DESCRIPTION	PRODUCT NUMBER	"A" Tile Height	Fabric Grade A	Fabric Grade B	Fabric Grade C
Stackable Tiles 180°, 2-Way In-Line	CCSSPF18012	12	\$	\$	\$
Spacer	CCSSPF18018	18	\$	\$	\$
Upholstered	CCSSPF18024	24	\$	\$	\$

CCSSP18012

CCSSP18018

CCSSP18024

A" Ti

12

18

24

\$

\$

\$

- Includes two stackable half posts and corner connector block ٠
- Uses top cap from existing lower panels Also includes two pieces of upholstered stackable universal
- trim • Must be used with tiles of the same
- height

CRESCENDO
-----------

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end of run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCSSP180).	Product Number	Fabrc Selecton
For example, to order a Crescendo 12" Stackable Panel 180D, 2-Way Spacer Intersection (CCSSPF18012), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select	CCSSPF18012	B 8068 Poly Color



Includes two stackable half posts and corner connector block

Uses top cap from existing lower

Also includes two pieces of non-upholstered stackable universal


Must be used with tiles of the same

panels


trim

height


٠



Stackable Panel "L" Corner Assembled View



**Base Product (CCSCP90)** 



DESCRIPTION	PRODUCT NUMBER	"A" Tile Height	Fabric Grade A	Fabric Grade B	Fabric Grade C
Stackable Tiles 90°, 2-Way, "L"	CCSCPF9012	12	\$	\$	\$
Corner Upholstered	CCSCPF9018	18	\$	\$	\$
	CCSCPF9024	24	\$	\$	\$

- Includes two stackable half posts and corner connector block • Uses top caps from existing lower ٠
- panels Also includes two pieces of upholstered stackable universal
- trim Must be used with tiles of the same height

DESCRIPTION	PRODUCT NUMBER	"A" Tile Height	PRICING
Stackable Tiles 90°, 2-Way, "L"	CCSCP9012	12	\$
Corner	CCSCP9018	18	\$
Non-upholstered	CCSCP9024	24	\$

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end of run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCSCP90)

For example, to order a Crescendo 12" Stackable Panel 90D, 2-Way "L" Corner Intersection (CCSCPF9012), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select



CRESCENDO • Systems • Spec Guide

Stackable Adjustable Wall Mount

Attaches a panel to a wall at the

2-1/2" wide by 1-1/4" deep steel construction with metal powder-

Wall attachment hardware is not

Adjustable up to 1" to correct wall

See Planning Guidelines for

Includes mounting plate and

start of a run

coat finish

included


deflection

applications

٠

٠

stackable half-post



Stackable Panel Adjustable Wall Mount Assembled View



Base Product (CCWM)



#### TO ORDER:

Select the product number and then add the codes for the desired color finish and metal powder-coat finish.

For example, to order a Crescendo 12" Stackable Adjustable Wall Mount (CCSWM12), w/ Black Poly Color (B) and Starlight Silver Metal Powder Coat Color (34), select

Product	Number	
CCSV	NM12	

2 B Poly Color

A" Ti

12

18

24

\$

\$

\$

CCSWM12

CCSWM18 CCSWM24




- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




CRESCENDO • Systems • Spec Guide



Stackable Panel "T" Intersection Assembled View



Base Product (CCSTP3W)



DESCRIPTION	PRODUCT NUMBER	"A" Tile Height	PRICING
Stackable Tiles 3-Way, "T"	CCSTP3W12	12	\$
Intersection	CCSTP3W18	18	\$
Non-upholstered	CCSTP3W24	24	\$
<ul> <li>Includes three stackable half posts and corner connector block</li> <li>Uses top cap from existing lower panels</li> </ul>			

Also includes one piece of non-upholstered stackable universal trìm

panels

trim

height

•

٠

•

Must be used with tiles of the same ٠ height

Includes three stackable half posts and corner connector block

Uses top caps from existing lower

Also includes one piece of upholstered stackable universal

Must be used with tiles of the same

DESCRIPTION	PRODUCT NUMBER	"A" Tile Height	Fabric Grade A	Fabric Grade B	Fabric Grade C
Stackable Tiles 3-Way, "T"	CCSTPF3W12	12	\$	\$	\$
Intersection	CCSTPF3W18	18	\$	\$	\$
Upholstered	CCSTPF3W24	24	\$	\$	\$


## CRESCENDO


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423





TO ORDER: Select the product number and then add the codes for the desired color finish and fabric selection (excluding CCSTP3W).	Product Number	Fabrc Selecton
For example, to order a Crescendo 12" Stackable Panel 3-Way "T" Intersection (CCSTPF3W12), w/ Black Poly Color (B) and 8068 Gravel Interlude Fabric (8068), select	CCSTPF3W12	B 8068 Poly Color





Stackable Panel "X" Intersection Assembled View





#### A" Ti CCSXP4W12 12 \$ Stackable Tiles 4-Way, "X" 18 \$ Intersection CCSXP4W18 Non-upholstered CCSXP4W24 24 \$

- Includes four stackable half posts, 4-way light block and corner connector block
- Uses top cap from existing lower panels
- Must be used with tiles of the same height
- CRESCENDO
- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions
- Panel End Caps made from extruded rigid PVC cover end-of-run cap panels
- In-Line Variable Height Panel End Caps cover vertical posts when in-line panels are of different heights
- Condition Caps (2-way, 3-way and 4way) cover the gap that exists between panel conditions as 90 degree intersections

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



#### TO ORDER:


Select the product number and then add the codes for the desired color finish.

For example, to order a Crescendo 12" Stackable Panel 4-Way "X" Intersection (CCSXPF4W12), w/ Black Poly Color (B), select

Product Number

CCSXPF4W12 B Poly Color

CRESCENDO • Systems • Spec Guide



### Panel Power Connector, Long Horizontal Jumper (UET6PJ20& UET4PJ20) Pg. 52

48

CRESCENDO


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Crescendo 10-wire electrical is able to integrate with existing Bravo and Classic System Panels
- Rated at 120 vAC @ 20 amps
- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared over-sized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared over-sized neutral wire & share an isolated ground wire

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




CRESCENDO • Systems • Spec Guide



Base Product (CCT\_RW)

4-4-2 24	\$
4-4-2 30	\$
4-4-2 36	\$
4-4-2 42	\$
4-4-2 48	\$
4-4-2 54	\$
4-4-2 60	\$
6-2-2 24	\$
6-2-2 30	\$
6-2-2 36	\$
6-2-2 42	\$
6-2-2 48	\$
6-2-2 54	\$
6-2-2 60	\$
	4-4-2     30       4-4-2     36       4-4-2     42       4-4-2     48       4-4-2     54       4-4-2     60       6-2-2     24       6-2-2     30       6-2-2     36       6-2-2     42       6-2-2     42       6-2-2     48       6-2-2     54



Power Pas Base Product (UET\_\_\_EPT)

DESCRIPTION	PRODUCT NUMBER	SYSTEM TYPE	Raceway Width	PRICING
ower Pass Through	UET442EPT12	4-4-2	12	\$
ener i dee interagii	UET442EPT18	4-4-2	18	\$
	UET442EPT24	4-4-2	24	\$
Provides continuation of power in a	UET442EPT30	4-4-2	30	\$
Provides continuation of power in a non-powered panel when powered panels are on either side	UET442EPT36	4-4-2	36	\$
Consists of flexible conduit with ten	UET442EPT42	4-4-2	42	\$
conductors and a connector on	UET442EPT48	4-4-2	48	\$
each end	UET442EPT54	4-4-2	54	\$
Does not include receptacle access	UET442EPT60	4-4-2	60	\$
	UET622EPT12	6-2-2	12	\$
	UET622EPT18	6-2-2	18	\$
	UET622EPT24	6-2-2	24	\$
	UET622EPT30	6-2-2	30	\$
	UET622EPT36	6-2-2	36	\$
	UET622EPT42	6-2-2	42	\$
	UET622EPT48	6-2-2	48	\$
	UET622EPT54	6-2-2	54	\$
	UET622EPT60	6-2-2	60	\$

#### TO ORDER ITEMS ON THIS PAGE:

Select the product number.

For example, to order a Crescendo 4-4-2 24" Width Rigid Wireway Add-on Kit (CCT4RW24), select

Product Number CCT4RW24


# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Crescendo 10-wire electrical is able to integrate with existing Bravo and **Classic System Panels**
- Rated at 120 vAC @ 20 amps
- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared over-sized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared over-sized neutral wire & share an isolated ground wire

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



May be used at any access height



Base Product (CCT\_RC\_) Assembled View

Base Product (460073)

٠

Bezel

	DESCRIPTION	PRODUCT NUMBER	SYSTEM TYPE	COLOR OPTION	PRICING
Receptacle		CCT4RC1	4-4-2	Yes	\$
		CCT4RC2	4-4-2	Yes	\$
		CCT4RC3I	4-4-2	Orange Only	\$
•	Includes receptacle, bezel and one filler plate	CCT4RC4I	4-4-2	Orange Only	\$
		CCT6RC1	6-2-2	Yes	\$
	Snaps to wireways in base raceways and powered panels	CCT6RC2	6-2-2	Yes	\$
		CCT6RC3	6-2-2	Yes	\$
	Rated 15 amps @ 120 volts	CCT6RC4I	6-2-2	Orange Only	\$
	1 0	CCT6RC5I	6-2-2	Orange Only	\$
•	Filler plate can be removed to accept Modular Data Plates (sold separately)	CCT6RC6I	6-2-2	Orange Only	\$

n/a

## **CRESCENDO**


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Crescendo 10-wire electrical is able to integrate with existing Bravo and
- **Classic System Panels** Rated at 120 vAC @ 20 amps


\$

- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared over-sized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared over-sized neutral wire & share an isolated ground wire

	DESCRIPTION	PRODUCT NUMBER	SPECIFICATIONS	PRICING	NOTES:
	Filler Plate	460074	n/a	\$	<ul> <li>Product dimensions are given in approximate inches</li> </ul>
	Used to close off unused electrical/ data access areas with a bezel				<ul> <li>Appearance of product may vary from descriptions</li> <li>When ordering Fabric Panels, the higher grade value will determine the price quote</li> <li>Power accessories are sold separately</li> <li>Vertical posts are sold separately</li> </ul>
Base Product (460074) TO ORDER ITEMS ON THIS PAGE: Select the product number and then add the codes	s for desired color finish (if applicable).		Product Number		<ul> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>
	cuit Receptacle (CCT4RC2), w/ Black Poly Color (B), se	elect	CCT4RC2 B	] x	
			50		——————————————————————————————————————

460073





\*

TO ORDE Select the pro For example,

Base Product (CCT\_BFNH)

DESCRIPTION	PRODUCT NUMBER	SYSTEM TYPE	LENGTH	PRICING
Universal Base Feed for Base-	CCT4BF72NH	4-4-2	6'	\$
Raceway	CCT6BF72NH	6-2-2	6'	\$
	CCT4BF216NH	4-4-2	18'	\$
Selectable finish	CCT6BF216NH	6-2-2	18'	\$
<ul> <li>Includes 1/2" wide 10 wire conduit</li> </ul>				

- Includes 1/2" wide 10-wire conduit, bezel and filler plate
- Non-handed
  - Receptacle/Data jacks not included

TO ORDER: Select the product number and then add the codes for desired color finish.	Product Number
For example, to order a Crescendo 4-4-2 Universal Base Feed for Base-Raceway (CCT4BFNH), w/ Black Poly Color (B), select	CCT4BF72NH B
	Poly Color

	DESCRIPTION	PRODUCT NUMBER	SYSTEM TYPE	Ceiling Pole Length	PRICING
r#	Power Top Feed	CCT4TF7PL	4-4-2	7	\$
		CCT4TF10PL	4-4-2	10	\$
		CCT6TF7PL	6-2-2	7	\$
	<ul> <li>Includes 12' long electrical in-feed.</li> </ul>	CCT6TF10PL	6-2-2	10	\$
	<ul> <li>Includes 12' long electrical in-feed, extruded aluminum ceiling pole (finished) and panel &amp; ceiling trim</li> </ul>				
Base Product (CCT_TF_ Assembled V					
TO ORDER: Select the product number and then add t	he codes for desired color finish and metal powder-coat finish colo	r.		Product Number	stal Powder-Coat Frish

For example, to order a Crescendo 7' 4-4-2 Power Top Feed (CCT4TF7PL), w/ Black Poly Color (B) and Starlight Silver Metal Powder-Coat Color (34), select



## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Crescendo 10-wire electrical is able to integrate with existing Bravo and **Classic System Panels**
- Rated at 120 vAC @ 20 amps
- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1. 2, & 3) have a hot wire with shared over-sized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared over-sized neutral wire & share an isolated ground wire

6	DESCRIPTION	PRODUCT NUMBER	Ceiling Pole Length	PRICING
	Data Top Feed	CCDF87	7	\$
		CCDF810	10	\$
	<ul> <li>Includes extruded aluminum ceiling pole (finished) and panel &amp; ceiling trim</li> </ul>			
Base Product (CCDF8) Assembled View				
ER: roduct number and then add the co	les for desired color finish and metal powder-coat finish color.		N Product Number	letal Powder-Coat Frish I
e, to order a Crescendo 7' Data Top	D Feed (CCCD87), w/ Black Poly Color (B) and Starlight Sil	ver Metal Powder-Coat Cold	or (34), select CCDF87 B PolyCol	g 34

#### DTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



Panel Power Connector, Short

Panel Power Connector, Long

Jumps power from base to ADAheight, base to worksurface-height,

base-height to standing height, or

ADA-height to standing height

Jumps power from base to ADAheight to worksurface-height or worksurface-height to standing

Vertical Jumper

heiaht

Vertical Jumper







DESCRIPTION	PRODUCT NUMBER	SYSTEM TYPE		PRICING		
Panel Power Connector, Short	UET4PJ17	4-4-2	17	\$		
Horizontal Jumper	UET6PJ17	6-2-2	17	\$		
<ul> <li>Jumps power in-line and inside 90 degree "L" corner intersections</li> </ul>						

CCET4VJ20

CCET6VJ20

CCET4VJ56

CCET6VJ56

4-4-2

6-2-2

4-4-2

6-2-2

20

20

56


56


\$

\$

\$

\$





DECOMINITION		OTOTEM THE		1140110		
Panel Power Connector, Long	UET4PJ20	4-4-2	20	\$		
Horizontal Jumper	UET6PJ20	6-2-2	20	\$		
<ul> <li>Jumps power outside 90 degree corners and straight thru "T" intersections</li> </ul>						

Base Product (UET\_PJ20)

### TO ORDER ITEMS ON THIS PAGE:

Select the product number.

For example, to order a Crescendo 4-4-2 Panel Power Connector, Short Vertical Jumper (CCET4VJ20), select

Product Number

## CCET4VJ20

# CRESCENDO


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- 10-wire system is available in two configurations (6-2-2 and 4-4-2)
- UL label is green for 6-2-2 and blue for 4-4-2 applications
- Crescendo 10-wire electrical is able to integrate with existing Bravo and Classic System Panels
- Rated at 120 vAC @ 20 amps
- All receptacles rated at 15 amps
- Different receptacles for each system, and different connectors specific to each system
- Poly colored "convenience" circuits (1, 2, & 3) have a hot wire with shared over-sized neutral wire & building ground wire
- "Isolated ground" circuits colored orange (4, 5 & 6) have separate hot wires, shared over-sized neutral wire & share an isolated ground wire

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




### Wire Management • Overview

Pg. 55




Acoustical Tile Horizontal Cable Support (460099)



(460097)





Pg. 56



- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Data cables are managed behind acoustic tiles by using vertical cable guides and horizontal cable supports.
- Vertical cable guides hold and protect cables that run from panel to Panel, also conceal the data cables as they are routed between tiles
- A second type of cable guide insures that a one inch bend radius is maintained
- Acoustical tile horizontal cable supports help support the cables in the center of a panel, as well as allow excess loops of cable to be hung from them
- All raceway tiles include a steel cable trough, which hangs in the slots in the vertical posts

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423





Horizontal Rail Cable Guard Pg. 56 (460200)

2025 v1.46

Acoustical Tile Vertical Cable Guide	

Pg. 55

Acoustical Tile 90° Cable Guard (460096)

Pg. 55

Horizontal Rail Cable Guard (460098)

### **Components** • Cable Management

Acoustical Tile Horizontal Cable

Clips into bottom midpoint of

supported at midpoint of panels

Can also support loops of cable

when cable trough is utilized

Cannot be used with raceway tile,

Can be ganged vertically

horizontal rail, aligning with vertical cable guides to keep cables

Support

٠



Base Product (460099)





DESCRIPTION	PRODUCT NUMBER	SPECIFICATIONS	PRICING
Acoustical Tile Vertical Cable	460097PCK	Pack of 25	\$
Guide			
	_		
<ul> <li>Clips into slots in vertical post, allowing cables to be laid in- between vertical posts and acoustic tile</li> </ul>			
<ul> <li>Cannot be used with raceway tiles</li> </ul>			
<ul> <li>Each 12" of panel height accommodate two guides for every vertical post</li> </ul>			

460099PCK



- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Data cables are managed behind acoustic tiles by using vertical cable guides and horizontal cable supports.
- Vertical cable guides hold and protect cables that run from panel to Panel, also conceal the data cables as they are routed between tiles
- A second type of cable guide insures that a one inch bend radius is maintained
- Acoustical tile horizontal cable supports help support the cables in the center of a panel, as well as allow excess loops of cable to be hung from them
- All raceway tiles include a steel cable trough, which hangs in the slots in the vertical posts



Base Product (460096)

- 460096PCK Pack of 25 \$ Acoustical Tile 90° Cable Guard Clips into slots in vertical half post, allowing cables to be laid in between vertical half posts and acoustic tile at the inside of a 90°
- Cannot be used with raceway tile ٠

corner

- Need two guides per 12" high tile ٠
- TO ORDER ITEMS ON THIS PAGE:

Select the product number.

For example, to order a Crescendo Pack of 25 Acoustical Tile Vertical Cable Guide (460097), select

Product Number

Pack of 25


\$



- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### **Components • Cable Managment**



Base Produ

DESCRIPTION	PRODUCT NUMBER	SPECIFICATIONS	PRICING
Top Cap 90° Cable Guard	460098PCK	Pack of 25	\$
<ul> <li>Clips between vertical half posts in alignment with top trough, protecting cables when managed 90° between top troughs of adjacent panels</li> </ul>			

Base	Product	(460098)
------	---------	----------

	DESCRIPTION	PRODUCT NUMBER	SPECIFICATIONS	PRICING
	Horizontal Rail Cable Guard	460200PCK	Pack of 25	\$
luct (460200)	Clips into end notch of horizontal rail, protecting cables when managed from top trough through notch to a different height within the panel			

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Data cables are managed behind acoustic tiles by using vertical cable guides and horizontal cable supports.
- Vertical cable guides hold and protect cables that run from panel to Panel, also conceal the data cables as they are routed between tiles
- A second type of cable guide insures that a one inch bend radius is maintained
- Acoustical tile horizontal cable supports help support the cables in the center of a panel, as well as allow excess loops of cable to be hung from them
- All raceway tiles include a steel cable trough, which hangs in the slots in the vertical posts

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423
- on the test method ASTM C-423
  Review finish options on pgs.103–104




TO ORDER ITEMS ON THIS PAGE:

Select the product number.


For example, to order a Crescendo Pack of 25 Top Cap 90° Cable Guard (460096), select

Product Number

55



### Worksurfaces • Overview



# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate
- Laminate worksurface cores is encased in a .028" phenolic backer and a .030" face sheet of high-pressure laminate
- Corner surfaces is pre-drilled for keyboards
- The 60" wide surfaces have an integrated steel reinforcement to allow adequate support for load bearing
- Worksurfaces 60" and wider include additional left-hand cantilever bracket
- All worksurfaces have a integral top bracket to prevent dislodgement

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based
- on the test method ASTM C-423 • Review finish options on pgs.103-104

**Rectangular Work** 



20" x 30" Rectangular Worksurface w/ "E" Banding and Center Grommet Option (Base Product: CCWS2030)



20" x 54" Rectangular Worksurface w/ "T" Banding and Left/Right Grommet Options (Base Product: CCWS2054)

DECODIDITION		DEDTU	MINTH	Included Grommet	DDIOINO
DESCRIPTION	PRODUCT NUMBER	DEPTH	WIDTH	Quantity	PRICING
Rectangular Worksurface	CCWS1824	18	24	0	\$
tootangular Hontounado	CCWS1830	18	30	0	\$
	CCWS1836	18	36	0	\$
Includes on-module cantilever	CCWS1842	18	42	0	\$
brackets (60" & wider included an	CCWS1848	18	48	0	\$
additional left-hand cantilever	CCWS1854	18	54	0	\$
bracket and an integrated steel	CCWS1860	18	60	0	\$
reinforement for load bearing)	CCWS1872	18	72	0	\$
No Grommet is included with 18"	CCWS2024	20	24	1	\$
Deep surface	CCWS2030	20	30	1	\$
20" & deeper surfaces have one	CCWS2036	20	36	1	\$
grommet included with	CCWS2042	20	42	1	\$
worksurfaces up to 48" wide (in the	CCWS2048	20	48	1	\$
center) and two with 54" & wider (one-guarter of the width from the	CCWS2054	20	54	2	\$
left and right)	CCWS2060	20	60	2	\$
M-Style Banding (2mm PVC	CCWS2066	20	66	2	\$
Extrusion) and Slimline (7" wide)	CCWS2072	20	72	2	\$
Grommet	CCWS2418	24	18	0	\$
	CCWS2424	24	24	1	\$
	CCWS2430	24	30	1	\$
	CCWS2436	24	36	1	\$
	CCWS2442	24	42	1	\$
	CCWS2448	24	48	1	\$
	CCWS2454	24	54	2	\$
	CCWS2460	24	60	2	\$
	CCWS2466	24	66	2	\$
	CCWS2472	24	72	2	\$
	CCWS2478	24	78	2	\$
	CCWS2484	24	84	2	\$
	CCWS2490	24	90	2	\$
	CCWS2496	24	96	2	\$
	CCWS3024	30	24	1	\$
	CCWS3030	30	30	1	\$
	CCWS3036	30	36	1	\$
	CCWS3042	30	42	1	\$
	CCWS3048	30	48	1	\$
	CCWS3054	30	54	2	\$
	CCWS3060	30	60	2	\$
	CCWS3066	30	66	2	\$
	CCWS3072	30	72	2	\$
	CCWS3078	30	78	2	\$
	CCWS3084	30	84	2	\$
	CCWS3096	30	96	2	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Worksurfaces consist of 1-1/4" particleboard with high-pressure . Iaminate
- Laminate worksurface cores is encased in a .028" phenolic backer and a .030" face sheet of high-pressure laminate
- Corner surfaces is pre-drilled for keyboards
- The 60" wide surfaces have an integrated steel reinforcement to allow adequate support for load bearing and include additional lefthand cantilever bracket
- All worksurfaces have a integral top bracket to prevent dislodgement

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




TO ORDER:

Select the product number and then add the codes for the desired edge banding style, laminate surface finish, color finish and Grommet location. For example, to order a Crescendo 20" x 60" Rectangular Worksurface (CCWS2060), w/ Biltmore Cherry Laminate Finish (4031), Black Poly Color (B), select

Lamnate Selection Product Number CCWS2060 B 4031 Poly Color

57




Base Product (CCWD) w/ "R" Edge Banding and Slimline Grommet

DESCRIPTION	PRODUCT NUMBER	Left Depth	Left Width	Right Depth	Right Width	"K" Length	PRICING
Diagonal 90 Degree Corner	CCWD243624	24	36	36	24	17	\$
Worksurface	CCWD244224	24	42	42	24	25-1/2	\$
	CCWD244230	24	42	42	30	21-1/2	\$
Includes cantilevers	CCWD244824	24	48	48	24	34	\$
Three edge and grommet banding	CCWD244830	24	48	48	30	30	\$
combinations	CCWD304224	30	42	42	24	21-1/2	\$
Worksurfaces had one Slimline     grammat leasted 12" from room	CCWD304230	30	42	42	30	17	\$
grommet located 12" from rear corner along right read edge	CCWD304824	30	48	48	24	30	\$
<ul> <li>Pre-drilled to accept adjustable keyboard arm</li> </ul>	CCWD304830	30	48	48	30	25-1/2	\$

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Worksurfaces consist of 1-1/4" particleboard with high-pressure . Iaminate
- Laminate worksurface cores is encased in a .028" phenolic backer and a .030" face sheet of highpressure laminate
- Corner surfaces is pre-drilled for keyboards
- The 60" wide surfaces have an integrated steel reinforcement to allow adequate support for load bearing
- Worksurfaces 60" and wider include additional left-hand cantilever bracket
- All worksurfaces have a integral top bracket to prevent dislodgement



DESCRIPTION	PRODUCT NUMBER	Depth	Width	Depth		Length	PRICING
Curvlinear 90 Degree Corner	CCWC243624	24	36	36	24	17	\$
Worksurface	CCWC244224	24	42	42	24	25-1/2	\$
	CCWC244824	24	48	48	24	34	\$
Includes cantilevers	CCWC244230	24	42	42	30	21-1/2	\$
Worksurface has one Slimline	CCWC244830	24	48	48	30	30	\$
grommet located 12" from rear	CCWC304224	30	42	42	24	21-1/2	\$
corner along right read edge	CCWC304824	30	48	48	24	30	\$
<ul> <li>Pre-drilled to accept adjustable keyboard arm</li> </ul>	CCWC303630	30	36	36	30	8-1/2	\$
,	CCWC304230	30	42	42	30	17	\$

30

48

48

30 25-1/2

\$

CCWC304830

### TO ORDER: Product Number Poly Color Select the product number and then add the codes for the desired edge banding style, laminate surface finish and color finish. CCWD243624 M B 4031 For example, to order a Crescendo 24" x 36" X 24" Diagonal 90 Degree Corner Worksurface (CCWD243624), w/ 2mm PVC Extrusion Edge Banding (M), Biltmore Cherry Laminate Finish (4031) and Black Poly Color (B), select Edge Banding Lamnate Option 2mm PVC Extrusion and м Slimline (7" Wide) Grommet

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423




2025 v1.46

24" x 48" x 60" Left Direction "P" Shaped Peninsula Worksurface (Base Product CCWPT244860)



24" x 48" x60" Left Direction Piano Peninsula Worksurface Base Product (CCWPP244860)




24" x 48" Left Direction Radius Corner Peninsula Worksurface (Base Product CCWRC2448)

### TO ORDER ITEMS ON THIS PAGE:

Select the product number and then add the codes for the desired Surface Direction, edge (banding) style, laminate finish and color finish.

For example, to order a Crescendo 24" x 48" x 60" "P" Shaped Peninsula Worksurface (CCWPT244860), w/ Left Surface Direction (L), 2mm PVC Extrusion Edge Banding with Slimline Grommet(S) (M), Biltmore Cherry Laminate Finish (4031), and Black Poly Color (B), select



## Panels • Worksurfaces

DESCRIPTION	PRODUCT NUMBER	DEPTH		LENGTH	PRICING
"P" Shaped Peninsula	CCWPT244860	24	48	60	\$
Worksurface	CCWPT244872	24	48	72	\$
	CCWPT304872	30	48	72	\$

- Includes cantilevers (72" Long has integrated reinforcing bars)
- 2mm PVC edge banding
- One Slimline Grommet included at the center on the rear edge
- Surface direction is selectable (see options)

Piano Shaped Peninsula	CCWPP244860	24	48	60	\$
Worksurface	CCWPP244872	24	48	72	\$
	CCWPP304872	30	48	72	\$
<ul> <li>Includes cantilevers (72" Long has integrated reinforcing bars)</li> <li>2mm PVC edge banding</li> <li>One Slimline Grommet included at the center on the read edge</li> <li>Surface direction is selectable (see options)</li> </ul>					
DESCRIPTION	PRODUCT NUMBER	DEPTH		WIDTH	PRICING
Radius Corner Peninsula	CCWRC2448	24		48	\$
Worksurface	CCWRC2460	24		60	\$
	CCWRC2472	24		72	\$
Includes cantilevers (72" Long has	CCWRC3048	30		48	\$

30

30

CCWRC3060

CCWRC3072

Includes cantilevers (72" Long has integrated reinforcing bars)

- 2mm PVC edge banding
- 48" Wide has One Slimline Grommet included at the center and 60" & 72" Long have two
- Surface direction is selectable (see options)

### Product Number EdgeBanding Lamnate Selection CCWPT244860 L M B 4031 Surface Direction Poly Color

\$

\$

60

72

NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



# CRESCENDO


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate
- Laminate worksurface cores is encased in a .028" phenolic backer and a .030" face sheet of highpressure laminate
- Corner surfaces is pre-drilled for keyboards
- The 60" wide surfaces have an integrated steel reinforcement to allow adequate support for load bearing
- Worksurfaces 60" and wider include additional left-hand cantilever bracket
- All worksurfaces have a integral top bracket to prevent dislodgement

59

Two Slimline Grommets (centered on side and rear edge)

Surface direction is selectable (see

options)




24" x 48" x 60" Left Direction Square Shoe Worksurface Base Product (CCWSS244860)


DESCRIPTION	PRODUCT NUMBER	DEPTH	WIDTH	LENGTH	PRICING
Square Shoe Worksurface	CCWSS244860	24	48	60	\$
equale ence menteuride	CCWSS244866	24	48	66	\$
	CCWSS244872	24	48	72	\$
<ul> <li>Includes cantilevers (60" &amp; longer</li> </ul>	CCWSS244884	24	48	84	\$
<ul> <li>Includes cantilevers (60" &amp; longer have integrated reinforcing bars)</li> </ul>	CCWSS304866	30	48	66	\$
Extra left-hand cantilever bracket	CCWSS304872	30	48	72	\$
provided with 66" & longer	CCWSS304884	30	48	84	\$
<ul> <li>Optional edge (banding) (see options)</li> </ul>					


CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Worksurfaces consist of 1-1/4" particleboard with high-pressure . Iaminate
- Laminate worksurface cores is encased in a .028" phenolic backer and a .030" face sheet of high-pressure laminate
- Corner surfaces is pre-drilled for keyboards
- The 60" wide surfaces have an integrated steel reinforcement to allow adequate support for load bearing
- Worksurfaces 60" and wider include additional left-hand cantilever bracket
- All worksurfaces have a integral top bracket to prevent dislodgement

#### TO ORDER ITEMS ON THIS PAGE:









### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




2025 v1.46

PT244860	L	M	В	40	31
Si	urface Drect	ion	PolyColo	ſ	



Base Product (CCWP)



## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Worksurfaces consist of 1-1/4" particleboard with high-pressure . laminate
- Laminate worksurface cores is encased in a .028" phenolic backer and a .030" face sheet of high-pressure laminate
- All worksurfaces have a integral top bracket to prevent dislodgement

- Worksurface Mount Peninsula Includes mounting between 29-33" hig integrated reinforci Extra left-hand cantilever bracket provided with 72"
- **Base Product (CCWSMP)**
- Includes two 3" diameter metal columns with adjustable glides up to 4" in height

Includes two 3" diameter metal columns with adjustable glides up to 4" in height

TION	PRODUCT NUMBER	DEPTH	WIDTH	PRICING
ted "D" Shaped	CCWSMP3048	30	48	\$
liou D ollapou	CCWSMP3054	30	54	\$
	CCWSMP3060	30	60	\$
g hardware	CCWSMP3072	30	72	\$
high (72" has two cing bars)	CCWSMP3660	36	60	\$
cing bars) antilever bracket	CCWSMP3672	36	72	\$

Select th For exan	e produ iple, to	order a Crescendo 30" x 54"	E: des for the desired edge (banding) style, laminate finish and metal powder-coat finish. "D" Shaped Peninsula Worksurface (CCWP3054), w/ 2mm PVC Extrusion Edge Banding (M), Biltmore Silver Metal Powder-Coat Color (34), select	Product Number	
	Band	ding and Grommet			
м		2mm PVC Extrusion and NO Grommet			

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



\_\_\_\_\_

Connects two worksurfaces with a round end, allowing a space for the panel & end cap (mounting hardware is included)

Worksurface Depth "A" must be the same on both sides of the Panel

Mobile Semi-Circle Worksurface

Includes three 3" diameter metal columns with adjustable glides (allowing 4" adjustment for height)

Optional 3" Casters (two of which are locking) are field installed, the height of the worksurface is 29"

Nests next to two worksurfaces, allowing a space for the panel & end cap (mounting hardware is

Worksurface Depth "A" must be the same on both sides of the Panel

(see options below)

included)



#### **Base Product (CCWCE)**



Base Product (CCWMSCPW) w/ Caster Option (C)

DESCRIPTION	PRODUCT NUMBER	"A" DEPTH		WIDTH	PRICING
Worksurface Mounted Conference	CCWCE2652	24	26	52	\$
End	CCWCE3152	24	31	52	\$
	CCWCE3264	30	32	64	\$
<ul> <li>Includes two 3" diameter metal</li> </ul>	CCWCE3764	30	37	64	\$
columns with adjustable glides and cantilevers					

PVC

PVC

CCWMSCPW52

CCWMSCPW64

24

30

25

31

29-31'

64 29-31'

\$

\$

52

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Worksurfaces consist of 1-1/4" particleboard with high-pressure . Iaminate
- Laminate worksurface cores is encased in a .028" phenolic backer and a .030" face sheet of high-pressure laminate
- All worksurfaces have a integral top bracket to prevent dislodgement

TO ORDER ITEMS ON THIS PAGE: Product Number Poly Color Select the product number and then add the codes for the desired edge (banding) style, laminate finish, metal powder-coat finish and

### caster option (excluding CCWCE). CCWMSCPW52 M B 4031 For example, to order a Crescendo 25" x 52" Mobile Semi-Circle Worksurface (CCWMSCPW52), w/ 2mm PVC Extrusion Edge Banding (M), Biltmore Cherry Laminate Finish (4031) and Starlight Silver Metal Powder-Coat Color (34), select Lamnate Selection Edge Banding **Banding and Grommet Options** 2mm PVC Extrusion



- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based
- on the test method ASTM C-423







М


2025 v1.46



**Base Prodcut (CCWC** Assembled Vie







Straight Countertops	CCWCT24	24	\$	<ul> <li>The essence of</li> </ul>
	CCWCT30	30	\$	reconfiguration changing office
	CCWCT36	36	\$	• Assemble and
Can be mounted on top of	f panels CCWCT42	42	\$	with segment
of the same height (in-line	CCWCT48	48	\$	assembled in
<ul> <li>Includes two steel bracket</li> </ul>		54	\$	allowing on-m accessories m
clips to prevent dislodger M-Style Banding (2mm P	VC Edge) CCWCT60	60	\$	Finishes
<ul> <li>Mounts on the inside of the</li> </ul>		66	\$	Accommodate
workstation allowing for a	4" CCWCT72	72	\$	cables, easily
extension over the top of to conform with ADA guid	elines CCWCT78	78	\$	laid managen
The 16" deep countertops	s also CCWCT84	84	\$	Even full-scale
accommodate a task ligh				<ul> <li>easier with st letting you or</li> </ul>
<ul> <li>If countertop is installed a an in-line height change f notch must be specified o</li> </ul>	idjacent to ull post, a			need, and re- than warehou
right or both sides of the worksurface				<ul> <li>Worksurfaces particleboard laminate</li> </ul>
				<ul> <li>Laminate wor</li> </ul>
DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING	
DESCRIPTION	PRODUCT NUMBER	WIDTH 24	PRICING	encased in a . and a .030" fi
DESCRIPTION 90 Degree Corner Counte	rtops CCWCT9024	24	\$	encased in a .
	0014/070004			encased in a . and a .030" fi
	rtops CCWCT9024 CCWCT9030 CCWCT9036 f two corner ght at 36" ts, locking rent and VC Edge) re 4" the panel elines s also	24 30	\$ \$	encased in a . and a .030" fa pressure lami • All worksurfa

0014/070

# CRESCENDO

- The essence of modularity and ffice environment
- nd disassemble 'modules' nted and stackable panels in any combination, module and off-module matching OFG System
- ates all standard types of ly customized with frame ément
- ale renovations are made standardized components order exactly what you e-purpose materials rather ousing them
- es consist of 1-1/4" rd with high-pressure
- orksurface cores is a .028" phenolic backer face sheet of highninate
- faces have a integral top prevent dislodgement

### TO ORDER:

Note: V

s

н.

R


в

Select the product number and then add the codes for the desired notch location, metal powder-coat finish, laminate surface finish and color finish.

worksurface


٠

м



If countertop is installed adjacent to an in-line height change full post, a notch must be specified on the left, right or both sides of the worksurface

2mm PVC Extrusion



### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



CRESCENDO • Systems • Spec Guide

ptch Location from the side of the pane the Worksurface

Standard top without notch cut-out


Left side with notch cut-out


Right side with notch cut-out


Both sides with notch cut-out



**Base Prodcut (CCWCTWC)** Assembled View








	TRODUCTRUMBER	WID III		
Straight Countertops - Wheelchair	CCWCTWC24	24	\$	•
Height	CCWCTWC30	30	\$	1
-	CCWCTWC36	36	\$	• ,
Use with 30" high panels (in-line)	CCWCTWC42	42	\$	
<ul> <li>Use with 30" high panels (in-line) (34" high assembled)</li> </ul>	CCWCTWC48	48	\$	
<ul> <li>Includes two steel brackets and looking align to provent</li> </ul>	CCWCTWC54	54	\$	
locking clips to prevent dislodgement	CCWCTWC60	60	\$	1
Mounts on the inside of the	CCWCTWC66	66	\$	• /
workstation allowing for a 4" extension over the top of the panel to conform with ADA guidelines	CCWCTWC72	72	\$	Î
<ul> <li>The 16" deep countertops also accommodate a task light</li> </ul>				• 1
<ul> <li>If countertop is installed adjacent to an in-line height change full post, a notch must be specified on the left, right or both sides of the</li> </ul>				
worksurface				•
DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING	•
0 Degree Corner Countertops -	CCWCTWC9024	24	\$	
Wheelchair Height	CCWCTWC9030	30	\$	
	CCWCTWC9036	36	\$	•
Can be mounted on top of two 30" high panels at a 90 degree condition (34" high assembled)	CCWCTWC9048	48	\$	
Includes two steel brackets and locking clips to prevent dislodgement				
<ul> <li>Mounts on the inside of the</li> </ul>				

- Mounts on the inside of the workstation allowing for a 4" extension over the top of the panel to conform with ADA guidelines
- The 16" deep countertops also accommodate a task light .
- If countertop is installed adjacent to an in-line height change full post, a notch must be specified on the left, right or both sides of the worksurface

#### TO ORDER:



## CRESCENDO

- he essence of modularity and econfiguration in today's ever hanging office environment
- ssemble and disassemble 'modules' ith segmented and stackable panels ssembled in any combination, llowing on-module and off-module ccessories matching OFG System inishes
- Accommodates all standard types of ables, easily customized with frame aid management
- ven full-scale renovations are made asier with standardized components tting you order exactly what you eed, and re-purpose materials rather han warehousing them
- orksurfaces consist of 1-1/4" articleboard with high-pressure minate
- aminate worksurface cores is ncased in a .028" phenolic backer ind a .030" face sheet of high-pressure laminate
- II worksurfaces have a integral top racket to prevent dislodgement

• Product dimensions are given in

Appearance of product may vary from

When ordering Fabric Panels, the higher grade value will determine the

Power accessories are sold separately


 Vertical posts are sold separately Noise Reduction Coefficient is based on the test method ASTM C-423

approximate inches

descriptions


price auote

### Worksurface Accessories • Overview





- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- All worksurface accessories are sold as complete kit for installation






Pg. 71

Grommets (39066020, 39066021)

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423






## Base Product (CCCLEG) Left Surface Direction Shown

20 24 30	29 29 29	\$ \$ \$
	-	\$ \$
30	29	\$

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Included adjustable glides allow the worksurface to remain level within the advised height range



Includes mounting hardware and leveling glide

Edge style selectable to match worksurface

.



Base Product (PSL) Left Surface Direction Shown

DESCRIPTION	PRODUCT NUMBER	Mounting Direction	DEPTH	HEIGHT	PRICING
Panel Mounted Worksurface	PSL1829L2L	left	18	29	\$
Support, Open Leg	PSL2429L2L	left	24	29	\$
	PSL3029L2L	left	30	29	\$
<ul> <li>Provides additional support for worksurface of the same depth</li> </ul>	PSL1829R2L	right	18	29	\$
	PSL2429R2L	right	24	29	\$
<ul> <li>Edge style selectable to match</li> </ul>	PSL3029R2L	right	30	29	\$
worksurface					

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Included adjustable glides allow the worksurface to remain level within the advised height range



Base Product (PSLI) Left Surface Direction Shown

DESCRIPTION	PRODUCT NUMBER	Mounting Direction	DEPTH	HEIGHT	PRICING
Panel Mounted Worksurface	PSLI1829L2L	left	18	29	\$
Support, Insert Leg	PSLI2429L2L	left	24	29	\$
	PSLI3029L2L	left	30	29	\$
Includes mounting hardware, leveling glide and bracket frame insert     Drovides additional support for	PSLI1829R2L	right	18	29	\$
	PSLI2429R2L	right	24	29	\$
	PSLI3029R2L	right	30	29	\$
<ul> <li>Provides additional support for worksurface of the same depth</li> </ul>					

<b>TO ORDER:</b> Select the product number and then add the codes for the color finish         For example, to order a Crescendo Left Facing 18" Panel Mounted Worksurface Support, Open Leg w/ 2mm PVC Extrustion Edge (PSL1829L), w/         Black Metal Powder-Coat (27), select         2L       2mm PVC Extrusion	Product Number PSL1829L2L 27 Metal Powder-Coat Frish	<ul> <li>NOTES:</li> <li>Product dimensions are given in approximate inches</li> <li>Appearance of product may vary from descriptions</li> <li>When ordering Fabric Panels, the higher grade value will determine the price quote</li> <li>Power accessories are sold separately</li> <li>Vertical posts are sold separately</li> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>

2025 v1.46



Base Product (CCWSSP) Left Surface Direction Shown




Base Product (CCWSSP) Unfolded View

DESCRIPTION	PRODUCT NUMBER		HEIGHT	PRICING
Worksurface Support Panel,	CCWSSPL2029	20	29	\$
Laminate & Laminate	CCWSSPL2429	24	29	\$
	CCWSSPL3029	30	29	\$
<ul> <li>Laminate finish on both sides</li> <li>Provides additional support for worksurface of the same depth</li> <li>Edge style selectable to match worksurface</li> </ul>				
<ul> <li>Includes mounting hardware and leveling glide</li> </ul>				

## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- The worksurface support panel is 11/4" thick and constructed of 45pound density particleboard with high-pressure laminate on both sides and high-pressure laminate on one side with fabric on the other side
- The front edge of the high-pressure laminate panel a selectable trim style
- Worksurface support panel brackets prevent dislodgement from the vertical post of the panel
- 18 gage support bracket attaches to the side of the support panel and to the underside of the worksurface






Base Product (CCWSB) Left Surface Direction Shown Presentation View

DESCRIPTION	PRODUCT NUMBER	FACING	DEPTH	HEIGHT	PRICING
Worksurface Support Bracket	CCWSBL	left	20	29	\$
Herioundee Support Bracket	CCWSBR	right	20	29	\$
Provides auxiliary support at front edge of worksurface where a return panel condition exists					
<ul> <li>Worksurface depth must match return panel width</li> <li>Should not be used in place of</li> </ul>					


cantilever bracket

- **CRESCENDO**
- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' Assemble and alsossemble modules with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- 18 gage support bracket attaches to the side of the support panel and to the underside of the worksurface

TO ORDER:   Select the product number and then add the codes for the desired surface direction (excluding CIWSVF) and color finish.   For example, to order a Crescendo Left Surface Direction 20" Deep x 29" High Worksurface Support Bracket (CCWSBL), w/ Left Surface Direction (L   Surface Direction Options   L   L   Left Surface Direction   R   V   R   R   Kight Surface Direction	<ul> <li>NOTES:</li> <li>Product dimensions are given in approximate inches</li> <li>Appearance of product may vary from descriptions</li> <li>When ordering Fabric Panels, the higher grade value will determine the price quote</li> <li>Power accessories are sold separately</li> <li>Vertical posts are sold separately</li> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>
GPESCENDO • Sustams • Spac Cuida	<b>PER PARATE PER PER PER PER PER PER PER PER PER PE</b>



Base Product (3CD) Presentation View



Base Product (3CD

DESCRIPTION	PRODUCT NUMBER	WIDTH			PRICING
Center Drawer	3CD	18	18	2-3/4	\$
<ul> <li>One piece molded construction with ball-bearing slides</li> <li>Available with key al ke (speak to a sales representative, or include preferred key core number)</li> <li>Available in selectable Poly color</li> </ul>				2 017	J

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Easily installed with included hardware kit

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
   Noise Reduction Coefficient is based on the test method ASTM C-423



CRESCENDO • Systems • Spec Guide

Select the product number and then add the codes for the desired color finish (3CD only).

For example, to order a Crescendo Center Drawer (3CD), w/ Black Poly Color (B), select

TO ORDER:

70

Product Number

3CD


В

Poly Color

2025 v1.46



#### Base Product (39066021)



#### Base Product (39066020)

DESCRIPTION	FRODUCT NUMBER	VVID I I I	LENGIII
Slimline Outer Grommet	39066021	8-1/2	2-1/4

39066020

7

Used with Slimline Inner Grommet to allow cable access above and below worksurfaces

Used with Slimline Outer Grommet to allow cable management above and below worksurfaces

Slimline Inner Grommet

 WIDTH
 LENGTH
 PRICING

 8-1/2
 2-1/4
 \$

2

\$

## **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them

• Matching Poly color

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



Select the product number and then add the codes for the desired color finish. For example, to order a Crescendo Outer Grommet (39066021), w/ Black Poly Color (B), select



Product Number

39066021


В

Poly Color

CRESCENDO • Systems • Spec Guide

TO ORDER:

### **Overhead Storage • Overview**



## CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- On-module overheads (excluding markerboards, tackboards and tool rails) include a specially designed hanger bracket to prevent accidental dislodgement from the panel or wall track
- Meets or exceeds the BIFMA standards for on-module components, excelling in two load tests: functional load and proof load (see Planning Guidelines for more details)
- Off-module Mounted Shelves & Cabinets can only be hung with the top aligned to a 12" tile, securing it to the horizontal rail
- On-module Mounted Shelves & Cabinets have integral teeth to engage in the vertical post, by easily holding the cabinet bottom out about 30 degrees then rotate into place

#### NOTES:

2025 v1.46

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423





# **Overhead Storage • Universal Shelf**

Universal

Universal

increments






DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
niversal Low Shelf	CCLS24	24	\$
	CCLS30	30	\$
	CCLS36	36	\$
5" high back included with 13-1/4"	CCLS42	42	\$
deep shelf	CCLS48	48	\$
Includes mounting brackets (see options below)	CCLS54	54	\$
	CCLS60	60	\$
Accepts shelf dividers at increments		L	· · · · · · · · · · · · · · · · · · ·

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- End panels re constructed of 14-gage steel with a powder-coat finish
- The shelf is an 18-gage steel weldment with a powder-coat finish
- The shelf front edge has a PVC extrusion that also provides space for a concealed flush mount task light



**Universal Regular Shelf (CCRS)** Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
niversal Regular Shelf	CCRS24	24	\$
intereal negatial energy	CCRS30	30	\$
	CCRS36	36	\$
16-1/2" high back included with	CCRS42	42	\$
16-1/2" high back included with 13-1/4" deep shelf	CCRS48	48	\$
Includes mounting brackets (see	CCRS54	54	\$
options below) Accepts shelf dividers at	CCRS60	60	\$
Accepts shell ulviders at			

73

#### TO ORDER:

Select the product number and then add the codes for the desired mounting brackets and color finish.

For example, to order a Crescendo 24" Universal Low Shelf (CCLS24), w/ On-Module Mounting (PM) and Starlight Silver Finish (W), select

	Mounting Option		Selection ditional components with a
РМ	On-module mounted		lection will be matched) Metal Trim Style
		Black (B)	Black (27)
	Grey (G)	Gray (29)	
ОМ	Off-module mounted	1.1.1.7	Light Tone (32)
		Light Tone (L)	Cottonwood (35)
		Sand (S)	Sand (28)
		14/2000 0000 0000	Warm Gray (33)
	Warm Grey (W)	Starlight Silver (34)	

Product	Number		Fnish
CCL	S24	] <b>OM</b>	34

Bracket Opton

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- . Noise Reduction Coefficient is based on the test method ASTM C-423



# **Overhead Storage • Bookshelf**



Base Product (CCSFCB\_\_\_\_M)

DESCRIPTION	PRODUCT NUMBER	Side 1 Panel Width	Side 2 Panel Width	PRICING
3mm PVC Edge Corner Bookshelf	CCSFCB2424M	24	24	\$
ennin ve zage eenne zeekenen	CCSFCB3030M	30	30	\$
	CCSFCB3636M	36	36	\$
<ul> <li>1-1/4" particleboard sandwiched</li> </ul>	CCSFCB4242M	42	42	\$
<ul> <li>1-1/4" particleboard sandwiched between laminate backer with vinyl 2mm PVC edge banding</li> </ul>	CCSFCB4848M	48	48	\$
2mm PVC edge banding				

2mm

16" depth

 Allows height adjustment with brackets at 1" increments **CRESCENDO** 

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- The shelf is an 18-gage steel weldment with a powder-coat finish and laminate finish underneath
- The shelf front edge has a PVC extrusion that also provides space for a concealed flush mount task light

#### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the desired color finish and laminate surface finish.	Product Number	Lamnate Finish
For example, to order a Crescendo 24" x 24" Corner Bookshelf w/ M-Edge (CCSFCB2424M), w/ Black Poly Color (B) and Biltmore Cherry Laminate Finish (4031), select	CCSFCB2424T	B 4031 Poly Color


### **Overhead Storage • Cabinet**

Door retracts inside overhead



Base Product (CCRDS) Presentation View

RICING
\$
\$
\$
\$
\$
\$
\$



**Base Product (CCRDF)** Presentation View

|--|

Base Product (CCRDL) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	Fabric Grade A	Fabric Grade B	Fabric Grade C
Universal Overhead Cabinet w/	CCRDF24	24	\$	\$	\$
Fabric Covered Door	CCRDF30	30	\$	\$	\$
	CCRDF36	36	\$	\$	\$
<ul> <li>16-1/2 high and 14-1/2" deep</li> </ul>	CCRDF42	42	\$	\$	\$
<ul> <li>16-1/2 high and 14-1/2" deep cabinet with solid paint finish</li> </ul>	CCRDF48	48	\$	\$	\$
<ul> <li>Includes mounting brackets (see</li> </ul>	CCRDF54	54	\$	\$	\$
options)	CCRDF60	60	\$	\$	\$
<ul> <li>Fabric Covered Door retracts inside</li> </ul>		•	•		

24 \$ CCRDL24 Universal Overhead Cabinet w/ 30 \$ Laminate Covered Door CCRDL30 CCRDL36 36 \$ CCRDL42 42 \$ 16-1/2 high and 14-1/2" deep cabinet with solid paint finish CCRDL48 48 \$ Includes mounting brackets (see CCRDL54 54 \$ CCRDL60 60 \$ Laminate Covered Door retracts

Product Number

CCRDF24

Poly Color

PM W 8066

Door Finish

Mounting Option

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- End panels re constructed of 14-gage steel with a powder-coat finish
- The shelf is an 18-gage steel weldment with a powder-coat finish
- The shelf front edge has a PVC extrusion that also provides space for a concealed flush mount task light
- The lifting force required to open an overhead door (based upon a 48" unit) is 6.0 lbs
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Shelf dividers are available and easily installed and adjusted with incremental slots

#### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



Select the product number and then add the codes for the desired mounting option, color finish and door finish (excluding CCRDS).

For example, to order a Crescendo 24" Universal Overhead Cabinet w/ Fabric Covered Door (CCRDF24), w/ On-Module Mounting (PM), Warm Grey Color (W) and Door Finish 8066 Pewter Interlude Fabric (8066), select

inside overhead





options)

overhead

# **Overhead Storage • Cabinet**

Venus Overhead Cabinet w/ Fabric

17" high and 19-1/4" deep cabinet with a lower door and fabric

Includes mounting brackets (see

**Covered Upper Door** 

covered upper door

options)

Venus Over

Upper Door

options)



Base Product (CCVNOS)

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
enus Overhead Cabinet w/ Solid	CCVNOS30	30	\$
pper Door Color	CCVNOS36	36	\$
	CCVNOS42	42	\$
17" high and 19-1/4" deep cabinet	CCVNOS48	48	\$
17" high and 19-1/4" deep cabinet with a lower and upper door finish	CCVNOS54	54	\$
difference	CCVNOS60	60	\$
Includes mounting brackets (see			

CCVNOF30

CCVNOF36

CCVNOF42

CCVNOF48

CCVNOF54

CCVNOF60

30

36

42

48

54

60



**Base Product (CCVNOF)** 



DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Venus Overhead Cabinet w/	CCVNOL30	30	\$
Laminate Covered Upper Door	CCVNOL36	36	\$
	CCVNOL42	42	\$
<ul> <li>17" high and 19-1/4" deep cabinet</li> </ul>	CCVNOL48	48	\$
<ul> <li>17" high and 19-1/4" deep cabinet with a lower and laminated upper</li> </ul>	CCVNOL54	54	\$
door finish	CCVNOL60	60	\$
<ul> <li>Includes mounting brackets (see</li> </ul>			

# TO ORDER:

Select the product number and then add the codes for the desired mounting option, color finish and upper door finish

For example, to order a Crescendo 30" Venus Overhead Cabinet w/ Solid Color Door (CCVNOS30), w/ On-Module Mounting (PM), Warm Grey Color (W) and Translucent Upper Door Finish (TR), select

options)

Mounting Option		Upper Door Finish Options	
РМ	On-module mounted	TR	No Finish Option (frosted acrylic)
	(No Upcharge)	See Poly Finishes for options	Normal Poly Color Selection
ом	Off-module mounted (\$25 Upcharge)	See Fabric Finish options	Select Fabric code (xxxx)
LB	Load Bar mounted (\$40 Upcharge)	See Laminat Finish options	Belect laminate code (xx)

#### Product Number Poly Color CCVNOS30 PM W TR Mounting Option Door Finish

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- End panels re constructed of 14-gage steel with a powder-coat finish
- The shelf is an 18-gage steel weldment with a powder-coat finish
- The shelf front edge has a PVC extrusion that also provides space for a concealed flush mount task light
- Included lock can have specific keying combinations, available at no additional charge. Any request must be included with the order
- Shelf dividers are available and easily installed and adjusted with incremental slots
- Shelf is resistance welded so there are no visible weld marks
- A 10-gage hot rolled steel link arm connects the Poly door and lower door
- Spring tension allows less than 5 lbs. of force used to assist in the opening and closing of the doors, even with a closed fist (ADA compliant)

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### **Overhead Storage • Accessories**

Attachment bracket that attaches to

bottom of overhead to accept overhead tackboard

**Universal On-Module Mounting** 

Included with "PM" mounting option with Universal Shelves & Universal

Load Bar Brackets

462103SET

460233SET

460234SET

Not available

Not available

Not available

Poly Color

\$

\$

\$

	$\checkmark$	
<b>*</b> ·		
$\square$		

#### Base Product (462103SET)



Base	Product	(460233SET
Dusc	inouuce	(100233521



#### Included with "PM" mounting option with Universal Shelves & Universal Cabinets Sold for after market ٠ reconfiguration Base Product (460234SET)

٠

Available in Black only ٠

Bracket

Bracket

٠

٠

Cabinets

Sold for after market reconfiguration

Available in Black only

Universal Off-Module Mounting



	DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING	NOTES:
NSD	<ul> <li>Notch Shelf Divider</li> <li>Used in Venus Cabinet, Universal Shelves and Universal Cabinets, which are slotted, allowing 1" increment adjustments</li> <li>Selectable Metal Powder-Coat Finish</li> </ul>	NSD	7-1/4	11-1/2	\$	<ul> <li>Product dimensions are given in approximate inches</li> <li>Appearance of product may vary from descriptions</li> <li>When ordering Fabric Panels, the higher grade value will determine the price quote</li> <li>Power accessories are sold separately</li> <li>Vertical posts are sold separately</li> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>
TO ORDER ITEMS ON THIS PAGE: Select the product number and then add the codes for	or desired color finish (NSD only).			Product Number		
For example, to order a Notched Shelf Divider (NS			NSD		/ 💻 IINICOB	




# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them

77

### Accessories • Overview



# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Matches Panels and easily integrates into your office environment

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### Accessories • Paper Management

On-M

•

•

Pencil Cup

rail

and pencils

Injection-molded plastic

The pencil cup for storage of pens

Includes one hook to mount on tool



#### Base Product (CCPMTR)

DESCRIPTION	PRODUCT NUMBER		PRICING
On-Module Tool Rail	CCPMTR12	12	\$
	CCPMTR18	18	\$
	CCPMTR24	24	\$
Attaches to panel, field-installable	CCPMTR30	30	\$
Painted aluminum construction	CCPMTR36	36	\$
4-1/2" height has four slots to	CCPMTR42	42	\$
accept components	CCPMTR48	48	\$
Must match width of panel to be installed	CCPMTR54	54	\$
installed	CCPMTR60	60	\$
	CCPMTR72	72	\$

4

4

3-1/2



Base	Product	t (PPC)

	DESCRIPTION	PRODUCT NUMBER			DEPTH	PRICING
_	Plastic Paper Tray	PLL	4	4	3-1/2	\$
	<ul> <li>Suspends from tool rail or freestanding on worksurfaces or shelves</li> </ul>					
	<ul> <li>Injection-molded plastic construction</li> </ul>					
Base Product (PVS)						

PPC

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Selection color to match Panels

\$


- NOTES:
- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



#### TO ORDER:

#### Select the product number and then add the codes desired color finish.

For example, to order a Crescendo 18" Tool Rail (CCPMTR18), w/ Black Poly Color (B), select



79

Poly Color

2025 v1.46

### Accessories • Paper Management



Base Product (CCPAT)



DESCRIPTION	PRODUCT NUMBER	WIDTH		DEPTH	PRICING
Plastic Vertical Storage	PVS	5	9	10-1/2	\$
haddo Vordodi Otorago					
lais stice as alded also the					

PAT

9-1/2

2

10

\$

Injection-molded plastic Suspends from tool rail to store paper supplies and other bound

Suspends from tool rail to store stamps, tape dispenser, post-it pads and paper clips

Injection-molded plastic

Duspension for the formation of the store paper supplies and other bound reading materials
May also be used freestanding

Accessory Tray

construction

Base Product (CCPVS)



- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Selection color to match Panels

- NOTES:
- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:

Select the product number and then add the codes desired color finish.

For example, to order a Crescendo Accessory Tray (PTC), w/ Black Poly Color (B), select




2025 v1.46

### Accessories • Markerboard

Includes black mounting brackets

(see options)

٠



Markerboard (CCMB) Presentation View



Base Product (CCMB)

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Markerboard	CCMB2432	24	\$
Marterbourd	CCMB3032	30	\$
	CCMB3632	36	\$
32" tall White porcelain painted	CCMB4232	42	\$
<ul> <li>32" tall White porcelain painted steel surface with matching white</li> </ul>	CCMB4832	48	\$
frame	CCMB5432	54	\$
<ul> <li>Includes magnetic removable 18" tray with markers and eraser</li> </ul>	CCMB6032	60	\$


# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- On-module mounts utilize the slots in vertical posts and component must match width of panel, allowing a vertical adjustment in 1" increments
- Off-module mounts into the integral track in the horizontal rail, allowing shelf to slide along track (Requires a 12" tile for mounting, i.e., must be a half or fully segmented panel)


	he product number and then add the c	odes for the desired mounting brackets and color finish (availabe in Black (B) only). <b>Markerboard</b> (CCMB2432), w/ <b>On-Module Mounting</b> (PM), select	Product Number Poly Color CCMB2432 PM B Mounting Option	<ul> <li>NOTES:</li> <li>Product dimensions are given in approximate inches</li> <li>Appearance of product may vary from descriptions</li> </ul>
PM OM	Mounting Option On-module mounted Off-module mounted			<ul> <li>When ordering Fabric Panels, the higher grade value will determine the price quote</li> <li>Power accessories are sold separately</li> <li>Vertical posts are sold separately</li> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>



### Accessories • Tackboards



Fabric Covered Tackboard (CCTB) Presentation View



Base Product (CCTB)

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	Fabric Grade A	Fabric Grade B	Fabric Grade C
Fabric Covered Tackboard	CCTB2412	24	12	\$	\$	\$
	CCTB3012	30	12	\$	\$	\$
	CCTB3612	36	12	\$	\$	\$
<ul> <li>Includes mounting brackets (see</li> </ul>	CCTB4212	42	12	\$	\$	\$
options)	CCTB4812	48	12	\$	\$	\$
<ul> <li>Constructed of 3/4" tackable core and covered with fabric</li> </ul>	CCTB5412	54	12	\$	\$	\$
and covered with lablic	CCTB6012	60	12	\$	\$	\$
	CCTB2416	24	16	\$	\$	\$
	CCTB3016	30	16	\$	\$	\$
	CCTB3616	36	16	\$	\$	\$
	CCTB4216	42	16	\$	\$	\$
	CCTB4816	48	16	\$	\$	\$
	CCTB5416	54	16	\$	\$	\$
	CCTB6016	60	16	\$	\$	\$
	CCTB2430	24	30	\$	\$	\$
	CCTB3030	30	30	\$	\$	\$
	CCTB3630	36	30	\$	\$	\$
	CCTB4230	42	30	\$	\$	\$
	CCTB4830	48	30	\$	\$	\$
	CCTB5430	54	30	\$	\$	\$
	CCTB6030	60	30	\$	\$	\$
	CCTB2448	24	48	\$	\$	\$
	CCTB3048	30	48	\$	\$	\$
	CCTB3648	36	48	\$	\$	\$
	CCTB4248	42	48	\$	\$	\$
	CCTB4848	48	48	\$	\$	\$
	CCTB5448	54	48	\$	\$	\$
	CCTB6048	60	48	\$	\$	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- On-module mounts utilize the slots in vertical posts and component must match width of panel, allowing a vertical adjustment in 1" increments
- Off-module mounts into the integral track in the horizontal rail, allowing shelf to slide along track (Requires a 12" tile for mounting, i.e., must be a half or fully segmented panel)


Sele	example, to order a <b>Crescendo 24" x 12"</b> sh (4031), select Mounting Option On-module mounted	odes for the desired mounting brackets and laminate finish. Fabric Covered Tackboard (CCTB2412), w/ On-Module Mounting (PM) and Biltmore Cherry Laminate	 FabrcSelecton	<ul> <li>NOTES:</li> <li>Product dimensions are given in approximate inches</li> <li>Appearance of product may vary from descriptions</li> <li>When ordering Fabric Panels, the higher grade value will determine the price quote</li> <li>Power accessories are sold separately</li> <li>Vertical posts are sold separately</li> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>



2025 v1.46

### Accessories • Overhead Tackboard

Twelve inch high allows access to data face-plate as well as duplex receptacle worksurface-height raceway tile



Base Product (CCTBO)

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	Grade A	Grade B	Grade C	
Overhead Tackboard	CCTBO2412	24	12	\$	\$	\$	• T
	CCTBO3012	30	12	\$	\$	\$	re cl
	CCTBO4212	42	12	\$	\$	\$	• A
Hangs from bottom of overhead	CCTBO2416	24	16	\$	\$	\$	
storage products (see pgs)	CCTBO3016	30	16	\$	\$	\$	a
<ul> <li>Includes mounting brackets (Venus</li> </ul>	CCTBO4216	42	16	\$	\$	\$	a a
Overhead requires additional component "Attachment Bar (BMB)")							Fi

# **CRESCENDO**

The essence of modularity and reconfiguration in today's ever changing office environment

Eabric Eabric

- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them

Overhead Tackboard (CCTBO) Assembled View

TO ORDER OVERHEAD TACKBOARD: Select the product number and then add the codes desired color finish and fabric finish.	Product Number	Fabric Finish
For example, to order a Crescendo 24" x 12" Overhead Tackboard (CCTBO2412), w/ Black Poly Color (B) and 8066 Pewter Interlude Fabric (8066), select	CCTBO2412 E	



Attachment	Bar (	RWR)
	Base	View

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICE
Attachment Bar for	BMB30	30	\$
Venus Overhead	BMB42	42	\$
<ul> <li>Attachment bracket at the bottom of Venus Overhead (CCVO) to accept Overhead Tackboard (CCTBOxxXX)</li> <li>Purchase acordingly to Width</li> <li>Formed from 18-gauge steel</li> <li>Offered in Black Only</li> </ul>			

83

TO ORDER ATTACHMENT BAR:

Select the product number

For example, to order a 30" Attachment Bar for Venus Overhead (CCTBO2412), select

Product Number



#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### Accessories • Other



DESCRIPTION	PRODUCT NUMBER	
Tackboard and Markerboard Off-	460371MBKIT	
Module Bracket		
<ul> <li>Off-module brackets</li> </ul>		

- Used with tackboards and markerboards
- Sold in pairs (black only)

markerboards Sold in pairs (black only)

Base Product	(460371KIT)
--------------	-------------



DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
Tackboard and Markerboard On-	460078MBKIT	n/a	\$
Module Bracket			
	_		
On-module brackets			
<ul> <li>Used with tackboards and</li> </ul>			

n/a

\$

Base Product (460078 KIT)



Base Product (TLELED\_\_DMS)

DESCRIPTION	PRODUCT NUMBER	WIDTH	Width of Overhead	PRICING
Tuck LED Tasklight	TLELED17DMS	18	24-36	\$
	TLELED31DMS	24	42-48	\$
	TLELED44DMS	36	54 & wider	\$

- Attaches to the bottom of overhead storage cabinets or shelving (product width to which they are attached)
- Attachment hardware included attaches effortlessly
- Touch and hold dimmability with last-state memory 100%-15%
- Silver anodized aluminum body/ black plastic end caps
- 60W transformer with 11' cord
- · Includes 2 cord managers
- Automatic shut off after 12 hours

#### TO ORDER:

Select the product number to order.

For example, to order a 17" Tuck LED Tasklight (TLELED22DMS), select

Product Number

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them

#### NOTES:


2025 v1.46

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based
- on the test method ASTM C-423



84

### **Build-Your-Own • Panel Additions**



# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Build-Your-Own includes mounting brackets necessary to install.

# Build-Your-Own Steel Marker Tile Pgs. 102108

#### NOTES:

2025 v1.46

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### Panel Additions • Acrylic



Base Product (PWAD) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Stackable Acrylic Divider w/ Clear Plastic	PWAD1224ACL	24	12	\$
	PWAD1230ACL	30	12	\$
	PWAD1236ACL	36	12	\$
Two piece top cap design spans	PWAD1242ACL	42	12	\$
<ul> <li>Two piece top cap design spans The width of a single panel</li> </ul>	PWAD1248ACL	48	12	\$
<ul> <li>.30" spacing between acrylic</li> </ul>	PWAD1254ACL	54	12	\$
<ul> <li>Available in flat metal trim only</li> </ul>	PWAD1260ACL	60	12	\$
, , , , , , , , , , , , , , , , , , ,	PWAD1824ACL	24	18	\$
<ul> <li>Do not use window cleaners, use softcloth with mild dishwashing detergent and lukewarm water</li> </ul>	PWAD1830ACL	30	18	\$
detergent and lukewarm water	PWAD1836ACL	36	18	\$
	PWAD1842ACL	42	18	\$
	PWAD1848ACL	48	18	\$
	PWAD1854ACL	54	18	\$
	PWAD1860ACL	60	18	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them



Base Product (PWAD) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Stackable Acrylic Narrow Divider w/ Clear Plastic	PWAD1224NACL	24	12	\$
	PWAD1230NACL	30	12	\$
	PWAD1236NACL	36	12	\$
Two piece top cap design spans	PWAD1242NACL	42	12	\$
the width of a single panel, approximately 1.7" narrower to accommodate in-line change of	PWAD1248NACL	48	12	\$
accommodate in-line change of	PWAD1254NACL	54	12	\$
height conditions	PWAD1260NACL	60	12	\$
<ul> <li>Available in flat metal trim only</li> </ul>	PWAD1824NACL	24	18	\$
<ul> <li>Do not use window cleaners, use softcloth with mild dishwashing</li> </ul>	PWAD1830NACL	30	18	\$
detergent and lukewarm water	PWAD1836NACL	36	18	\$
Ū.	PWAD1842NACL	42	18	\$
	PWAD1848NACL	48	18	\$
	PWAD1854NACL	54	18	\$
	PWAD1860NACL	60	18	\$

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423



TO ORDER: Select the product number and then add the codes for the acrylic option and metal powder-coat finish. For example, to order a Crescendo 12" x 12" Stackable Acrylic Divider (PWAD1212), w/ Clear Arylic (ACL) and Starlight Silver Paint (34), select	Metal Powder-Coat Product Number Frish PWAD1212 ACL 34 AcyteCoaton
	Advicoption

86

Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame

<sup>• 5/16&</sup>quot; thick acrylic

### Panel Additions • Acrylic



Base Product (PWAD) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Stackable Acrylic Divider w/ Satin-	PWAD1224AFR	24	12	\$
Etched Plastic	PWAD1230AFR	30	12	\$
	PWAD1236AFR	36	12	\$
Two piece top cap design spans	PWAD1242AFR	42	12	\$
<ul> <li>Two piece top cap design spans The width of a single panel</li> </ul>	PWAD1248AFR	48	12	\$
<ul> <li>.30" spacing between acrylic sections</li> </ul>	PWAD1254AFR	54	12	\$
<ul> <li>Available in flat metal trim only</li> </ul>	PWAD1260AFR	60	12	\$
	PWAD1824AFR	24	18	\$
<ul> <li>Do not use window cleaners, use softcloth with mild dishwashing detergent and lukewarm water</li> </ul>	PWAD1830AFR	30	18	\$
detergent and lukewarm water	PWAD1836AFR	36	18	\$
	PWAD1842AFR	42	18	\$
	PWAD1848AFR	48	18	\$
	PWAD1854AFR	54	18	\$
	PWAD1860AFR	60	18	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame



Base Product (PWAD) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Stackable Acrylic Narrow Divider	PWAD1224NAFR	24	12	\$
w/ Satin-Etched Plastic	PWAD1230NAFR	30	12	\$
	PWAD1236NAFR	36	12	\$
Two piece top cap design spans	PWAD1242NAFR	42	12	\$
the width of a single panel,	PWAD1248NAFR	48	12	\$
the width of a single panel, approximately 1.7" narrower to accommodate in-line change of	PWAD1254NAFR	54	12	\$
height conditions	PWAD1260NAFR	60	12	\$
<ul> <li>Available in flat metal trim only</li> </ul>	PWAD1824NAFR	24	18	\$
<ul> <li>Do not use window cleaners, use soft cleth with mild dish washing</li> </ul>	PWAD1830NAFR	30	18	\$
soft-cloth with mild dish-washing detergent and lukewarm water	PWAD1836NAFR	36	18	\$
-	PWAD1842NAFR	42	18	\$
	PWAD1848NAFR	48	18	\$
	PWAD1854NAFR	54	18	\$
	PWAD1860NAFR	60	18	\$

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




	TO ORDER: Select the product number and then add the codes for the acrylic option and metal powder-coat finish. For example, to order a Crescendo 12" x 12" Stackable Acrylic Divider (PWAD1212), w/ Satin-Etched Arylic (AFR) and Starlight Silver Paint (34), select	MetalPowder-Coat Product Number Frish PWAD1212 AFR 34 Acrylc Opton
--	---	---

87

<sup>5/16&</sup>quot; thick acrylic

# Panel Additions • Fabric Tile



Base Product (CPTF) Presentation View

DESCRPTION         PRODUCT MARGER         WOTH         HEGHT         Orade &         Orade C           Build-Your-Own Fabric Acoustic Tile         CPTF1212         12         12         \$         \$         \$           • One fabric tile         CPTF2412         12         12         \$         \$         \$           • Four nyion hooks included         Fabric tiles noise reduction coefficient rated 0.85         CPTF3612         30         12         \$         \$         \$           • Fabric tiles noise reduction coefficient rated 0.85         CPTF4212         42         12         \$         \$         \$         \$           • CPTF5412         48         12         \$         \$         \$         \$         \$           • CPTF5412         48         12         \$         \$         \$         \$         \$           • CPTF5412         60         12         \$         \$         \$         \$         \$           • CPTF5412         12         18         \$         \$         \$         \$         \$           • CPTF5418         12         18         \$         \$         \$         \$         \$         \$           • CPTF5418         60         18							
Dimension rout-connection         CPTF1812         18         12         \$         \$           The         CPTF2412         24         12         \$         \$         \$           • One fabric tile         CPTF2412         24         12         \$         \$         \$           • Four nylon hooks included         Fabric tiles noise reduction coefficient rated 0.65         CPTF4212         42         12         \$         \$         \$           CPTF4812         48         12         \$ <t< th=""><th>DESCRIPTION</th><th>PRODUCT NUMBER</th><th></th><th></th><th>Grade A</th><th></th><th></th></t<>	DESCRIPTION	PRODUCT NUMBER			Grade A		
Tile         CPTF1812         18         12         \$         \$         \$           • One fabric tile         CPTF2412         24         12         \$	Build-Your-Own Fabric Acoustic	CPTF1212	12		\$		
One fabric tile         CPTF3012         30         12         \$         \$           • Four nylon hooks included         Fabric tiles noise reduction coefficient rated 0.65         CPTF412         36         12         \$         <		CPTF1812	18	12	\$	\$	\$
CPTF Value         CPTF3612         36         12         \$         \$           Four nylon hooks included         Fabric tiles noise reduction coefficient rated 0.65         CPTF4212         42         12         \$ </td <td></td> <td>CPTF2412</td> <td>24</td> <td>12</td> <td>\$</td> <td>\$</td> <td>\$</td>		CPTF2412	24	12	\$	\$	\$
Fabric tiles noise reduction coefficient rated 0.65       CPTF4212       42       12       \$       \$       \$         CPTF412       54       12       \$	One fabric tile	CPTF3012	30	12	\$	\$	\$
Coefficient rated 0.85         CPTF4812         48         12         \$         \$           CPTF412         54         12         \$         \$         \$         \$           CPTF6012         60         12         \$         \$         \$         \$         \$           CPTF1218         12         18         \$         \$         \$         \$         \$           CPTF1218         12         18         \$         \$         \$         \$         \$           CPTF3018         30         18         \$         \$         \$         \$         \$           CPTF3018         36         18         \$         \$         \$         \$         \$           CPTF4218         42         18         \$         \$         \$         \$         \$           CPTF4218         42         18         \$         \$         \$         \$         \$           CPTF41818         48         18         \$         \$         \$         \$         \$           CPTF4218         42         18         \$         \$         \$         \$         \$           CPTF424         12         24         \$	Four nylon hooks included	CPTF3612	36	12	\$	\$	\$
CPTF5412       54       12       \$	Fabric tiles noise reduction	CPTF4212	42	12	\$	\$	\$
CPTF6012       60       12       \$       \$       \$         CPTF1218       12       18       \$       \$       \$       \$         CPTF1218       12       18       \$       \$       \$       \$       \$         CPTF218       18       18       18       \$       \$       \$       \$       \$         CPTF218       24       18       \$       \$       \$       \$       \$       \$         CPTF3018       30       18       \$       \$       \$       \$       \$       \$         CPTF3618       36       18       \$ </td <td>coefficient rated 0.65</td> <td>CPTF4812</td> <td>48</td> <td>12</td> <td>\$</td> <td>\$</td> <td>\$</td>	coefficient rated 0.65	CPTF4812	48	12	\$	\$	\$
CPTF1218       12       18       \$		CPTF5412	54	12	\$	\$	\$
CPTF1818       18       18       18       \$       \$       \$         CPTF2418       24       18       \$       \$       \$       \$       \$         CPTF3018       30       18       \$       \$       \$       \$       \$       \$         CPTF3018       36       18       \$       \$       \$       \$       \$       \$       \$         CPTF4218       42       18       \$		CPTF6012	60	12	\$	\$	\$
CPTF2418       24       18       \$       \$       \$         CPTF3018       30       18       \$       \$       \$       \$         CPTF3018       36       18       \$       \$       \$       \$       \$         CPTF3618       36       18       \$       \$       \$       \$       \$       \$         CPTF4218       42       18       \$       \$       \$       \$       \$       \$         CPTF4818       48       18       \$       \$       \$       \$       \$       \$         CPTF618       60       18       \$ </td <td></td> <td>CPTF1218</td> <td>12</td> <td>18</td> <td>\$</td> <td>\$</td> <td>\$</td>		CPTF1218	12	18	\$	\$	\$
CPTF3018       30       18       \$		CPTF1818	18		\$	\$	\$
CPTF36183618\$\$CPTF42184218\$\$CPTF48184818\$\$CPTF54185418\$\$CPTF60186018\$\$CPTF12241224\$\$CPTF12241224\$\$CPTF30243024\$\$CPTF30243024\$\$CPTF42244224\$\$CPTF30243024\$\$CPTF42244224\$\$CPTF42244224\$\$CPTF42244224\$\$CPTF422442\$\$\$CPTF422442\$\$\$CPTF52245424\$\$CPTF60246024\$\$CPTF12301230\$\$CPTF12301230\$\$CPTF30303030\$\$CPTF303030\$\$\$CPTF36303630\$\$CPTF42304230\$\$CPTF48304830\$\$		CPTF2418	24	18	\$	\$	\$
CPTF42184218\$\$CPTF48184818\$\$\$CPTF54185418\$\$\$CPTF60186018\$\$\$CPTF12241224\$\$\$CPTF12241224\$\$\$CPTF3242424\$\$\$CPTF30243024\$\$\$CPTF36243624\$\$\$CPTF42244224\$\$\$CPTF36243624\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42301230\$\$\$CPTF12301230\$\$\$CPTF30303030\$\$\$CPTF30303030\$\$\$CPTF36303630\$\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF3018	30	18	\$	\$	\$
CPTF48184818\$\$CPTF54185418\$\$\$CPTF60186018\$\$\$CPTF12241224\$\$\$CPTF18241824\$\$\$CPTF24242424\$\$\$CPTF30243024\$\$\$CPTF36243624\$\$\$CPTF42244224\$\$\$CPTF36243624\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42406024\$\$\$CPTF60246024\$\$\$CPTF12301230\$\$\$CPTF24302430\$\$\$CPTF30303030\$\$\$CPTF30303030\$\$\$CPTF42304230\$\$CPTF42304230\$\$CPTF48304830\$\$		CPTF3618	36	18	\$	\$	\$
CPTF54185418\$\$\$CPTF60186018\$\$\$\$CPTF12241224\$\$\$\$CPTF18241824\$\$\$\$CPTF2424242424\$\$\$CPTF30243024\$\$\$\$CPTF36243624\$\$\$\$CPTF42244224\$\$\$\$CPTF42244224\$\$\$\$CPTF42244224\$\$\$\$CPTF42244224\$\$\$\$CPTF42244224\$\$\$\$CPTF4246024\$\$\$\$CPTF12301230\$\$\$\$CPTF12301230\$\$\$\$CPTF36303030\$\$\$\$CPTF36303630\$\$\$\$CPTF48304830\$\$\$\$		CPTF4218	42		· · ·		
CPTF60186018\$\$\$CPTF12241224\$\$\$CPTF18241824\$\$\$CPTF2424242424\$\$CPTF30243024\$\$\$CPTF36243624\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF42244224\$\$\$CPTF4244824\$\$\$CPTF54245424\$\$\$CPTF60246024\$\$\$CPTF12301230\$\$\$CPTF12301830\$\$\$CPTF24302430\$\$\$CPTF36303630\$\$\$CPTF36303630\$\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF4818	48		\$	\$	\$
CPTF12241224\$\$\$CPTF18241824\$\$\$\$CPTF2424242424\$\$\$CPTF30243024\$\$\$\$CPTF36243624\$\$\$\$CPTF42244224\$\$\$\$CPTF4244824\$\$\$\$CPTF4245424\$\$\$\$CPTF60246024\$\$\$\$CPTF12301230\$\$\$\$CPTF12301830\$\$\$\$CPTF24302430\$\$\$\$CPTF30303030\$\$\$\$CPTF36303630\$\$\$\$CPTF42304230\$\$\$\$CPTF48304830\$\$\$\$		CPTF5418	54	18	\$	\$	
CPTF18241824\$\$\$CPTF2424242424\$\$\$CPTF30243024\$\$\$\$CPTF36243624\$\$\$\$CPTF42244224\$\$\$\$CPTF4244824\$\$\$\$CPTF54245424\$\$\$\$CPTF60246024\$\$\$\$CPTF12301230\$\$\$\$CPTF18301830\$\$\$\$CPTF24302430\$\$\$\$CPTF30303030\$\$\$\$CPTF42304230\$\$\$\$CPTF4304830\$\$\$\$		CPTF6018	60	18	\$	\$	\$
CPTF24242424\$\$CPTF30243024\$\$\$CPTF36243624\$\$\$CPTF42244224\$\$\$CPTF42244824\$\$\$CPTF4245424\$\$\$CPTF50246024\$\$\$CPTF60246024\$\$\$CPTF12301230\$\$\$CPTF18301830\$\$\$CPTF24302430\$\$\$CPTF30303030\$\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF1224	12	24	\$	\$	\$
CPTF3024       30       24       \$       \$       \$         CPTF3624       36       24       \$       \$       \$       \$         CPTF3624       36       24       \$       \$       \$       \$       \$         CPTF4224       42       24       \$       \$       \$       \$       \$       \$         CPTF4224       42       24       \$       \$       \$       \$       \$       \$         CPTF5424       54       24       \$       \$       \$       \$       \$       \$         CPTF6024       60       24       \$       \$       \$       \$       \$       \$         CPTF1230       12       30       \$       \$       \$       \$       \$       \$         CPTF1830       18       30       \$       \$       \$       \$       \$       \$       \$       \$         CPTF2430       24       30       \$ </td <td></td> <td>CPTF1824</td> <td>-</td> <td></td> <td>\$</td> <td>\$</td> <td>\$</td>		CPTF1824	-		\$	\$	\$
CPTF36243624\$\$\$CPTF42244224\$\$\$\$CPTF48244824\$\$\$\$CPTF54245424\$\$\$\$CPTF60246024\$\$\$\$CPTF12301230\$\$\$\$CPTF18301830\$\$\$\$CPTF24302430\$\$\$\$CPTF30303030\$\$\$\$CPTF36303630\$\$\$\$CPTF42304230\$\$\$\$CPTF48304830\$\$\$\$		CPTF2424	24	24	\$	\$	\$
CPTF4224       42       24       \$       \$       \$         CPTF4824       48       24       \$       \$       \$       \$         CPTF5424       54       24       \$       \$       \$       \$       \$         CPTF6024       60       24       \$       \$       \$       \$       \$       \$         CPTF1230       12       30       \$       \$       \$       \$       \$       \$         CPTF1230       12       30       \$       \$       \$       \$       \$       \$         CPTF1230       12       30       \$       \$       \$       \$       \$       \$         CPTF1830       18       30       \$       \$       \$       \$       \$       \$         CPTF2430       24       30       \$       <		CPTF3024		24	\$	\$	\$
CPTF48244824\$\$\$CPTF54245424\$\$\$\$CPTF60246024\$\$\$\$CPTF12301230\$\$\$\$CPTF18301830\$\$\$\$CPTF24302430\$\$\$\$CPTF30303030\$\$\$\$CPTF36303630\$\$\$\$CPTF42304230\$\$\$\$CPTF48304830\$\$\$\$		CPTF3624			\$	\$	•
CPTF54245424\$\$CPTF60246024\$\$\$CPTF12301230\$\$\$CPTF18301830\$\$\$CPTF24302430\$\$\$CPTF30303030\$\$\$CPTF36303630\$\$\$CPTF42304230\$\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF4224	42	24	\$	\$	\$
CPTF60246024\$\$\$CPTF12301230\$\$\$\$CPTF18301830\$\$\$\$CPTF24302430\$\$\$\$CPTF30303030\$\$\$\$CPTF36303630\$\$\$\$CPTF42304230\$\$\$\$CPTF48304830\$\$\$\$		CPTF4824	-		\$		
CPTF12301230\$\$\$CPTF18301830\$\$\$\$CPTF24302430\$\$\$\$CPTF30303030\$\$\$\$CPTF36303630\$\$\$\$CPTF42304230\$\$\$\$CPTF42304830\$\$\$\$		CPTF5424	54	24	\$	\$	\$
CPTF18301830\$\$CPTF24302430\$\$\$CPTF30303030\$\$\$CPTF36303630\$\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF6024			\$		•
CPTF24302430\$\$CPTF30303030\$\$\$CPTF36303630\$\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF1230				•	•
CPTF30303030\$\$CPTF36303630\$\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF1830	-	30	\$	\$	
CPTF36303630\$\$CPTF42304230\$\$\$CPTF48304830\$\$\$		CPTF2430			\$	\$	•
CPTF4230         42         30         \$         \$           CPTF4830         48         30         \$         \$         \$							•
CPTF4830 48 30 \$ \$							
		CPTF4230					· .
CPTF5430 54 30 \$ \$		CPTF4830	-		\$		
		CPTF5430	-		· ·		
CPTF6030 60 30 \$ \$ \$		CPTF6030	60	30	\$	\$	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gauge, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




TO ORDER:

Select the product number and then add the codes for fabric selection.

For example, to order a Crescendo 12" x 12" Build Your Own Fabric Acoustic Tile (CPTF1212), w/ 8068 Gravel Interlude Fabric (8068), select

Product Number CPTF1212 8068 Fabrc Selecton

88



Base Product (CPTF) Presentation View

Description         PRODUCT Number         WIDTH         HEGHT         Orade X         Ometa D         Orade X           Build-Your-Own Fabric Acoustic Tile         CPTF1236         12         36         \$         \$         \$         \$           • One fabric tile         CPTF2436         24         36         \$         \$         \$         \$           • Four nylon hooks included         Fabric tiles noise reduction coefficient rated 0.65         CPTF4336         42         36         \$         <						
During-rout-own Pabric Actours:         CPTF 1836         18         36         \$         \$           The         CPTF 2436         24         36         \$         \$         \$           • One fabric file         CPTF 3036         30         36         \$         \$         \$           • Four nyion hooks included         Fabric files noise reduction coefficient rated 0.65         CPTF 4836         42         36         \$         \$         \$           CPTF 1836         54         36         \$         \$         \$         \$         \$           CPTF 4836         54         36         \$         \$         \$         \$         \$           CPTF 4836         54         36         \$         \$         \$         \$         \$           CPTF 1842         18         42         \$         \$         \$         \$         \$         \$           CPTF 1842         18         42         \$         \$         \$         \$         \$         \$         \$           CPTF 1842         24         42         \$         \$         \$         \$         \$         \$         \$           CPTF 1842         24         8         \$ <th>DESCRIPTION</th> <th>PRODUCT NUMBER</th> <th></th> <th></th> <th>Grade A</th> <th></th>	DESCRIPTION	PRODUCT NUMBER			Grade A	
Tile         CPTF1836         18         36         \$         \$         \$           • One fabric tile         CPTF2436         24         36         \$	Build-Your-Own Fabric Acoustic	CPTF1236	12	36	\$	\$ \$
One fabric tile         CPTF3036         30         36         \$         \$           • Fabric tiles noise reduction coefficient rated 0.65         CPTF3036         36         36         \$		CPTF1836	18	36	\$	\$ \$
CPTF3636       36       36       36       \$       \$       \$         Fabric tiles noise reduction coefficient rated 0.65       CPTF4236       42       36       \$		CPTF2436	24	36	\$	\$ \$
<ul> <li>Four nylon hooks included</li> <li>Fabric tiles noise reduction coefficient rated 0.65</li> <li>CPTF4236</li> <li>CPTF436</li> <li>CPTF436</li> <li>CPTF436</li> <li>CPTF436</li> <li>S</li> <li>CPTF6036</li> <li>GO</li> /ul>	One fabric tile	CPTF3036	30	36	\$	\$ \$
• Fabric tiles noise reduction coefficient rated 0.65       CPTF4236       42       36       \$       \$       \$         CPTF4366       48       36       \$ <td></td> <td>CPTF3636</td> <td>36</td> <td>36</td> <td>\$</td> <td>\$ \$</td>		CPTF3636	36	36	\$	\$ \$
CPTF5436       54       36       \$		CPTF4236	42	36	\$	\$ \$
CPTF6036       60       36       \$	coefficient rated 0.65	CPTF4836	48	36	\$	\$ \$
CPTF1242       12       42       \$       \$       \$         CPTF1842       18       42       \$       \$       \$       \$         CPTF3442       24       42       \$       \$       \$       \$       \$         CPTF3042       30       42       \$       \$       \$       \$       \$       \$         CPTF3642       36       42       \$       \$       \$       \$       \$       \$         CPTF3642       48       42       \$       \$       \$       \$       \$       \$         CPTF4422       44       42       \$<		CPTF5436	54	36	\$	\$ \$
CPTF1842       18       42       \$       \$       \$         CPTF2442       24       42       \$       \$       \$       \$         CPTF3042       30       42       \$       \$       \$       \$       \$         CPTF3642       36       42       \$       \$       \$       \$       \$       \$         CPTF4242       42       42       \$       \$       \$       \$       \$       \$         CPTF4842       48       42       \$       \$       \$       \$       \$       \$         CPTF6422       60       42       \$       \$       \$       \$       \$       \$       \$         CPTF642       60       42       \$       \$       \$       \$       \$       \$       \$       \$         CPTF642       60       42       \$ <td< td=""><td></td><td>CPTF6036</td><td>60</td><td>36</td><td>\$</td><td>\$ \$</td></td<>		CPTF6036	60	36	\$	\$ \$
CPTF2442       24       42       \$       \$       \$         CPTF3042       30       42       \$       \$       \$       \$         CPTF3042       36       42       \$       \$       \$       \$       \$         CPTF3642       42       42       \$       \$       \$       \$       \$       \$         CPTF4242       42       42       \$       \$       \$       \$       \$       \$         CPTF4842       48       42       \$       \$       \$       \$       \$       \$         CPTF6042       60       42       \$       \$       \$       \$       \$       \$       \$         CPTF1248       12       48       \$       \$       \$       \$       \$       \$       \$       \$         CPTF1484       18       48       \$       <		CPTF1242	12	42	\$	\$ \$
CPTF3042       30       42       \$       \$       \$         CPTF3642       36       42       \$       \$       \$       \$         CPTF4242       42       42       \$       \$       \$       \$       \$         CPTF4842       48       42       \$       \$       \$       \$       \$       \$         CPTF6422       54       42       \$       \$       \$       \$       \$       \$         CPTF6422       60       42       \$       \$       \$       \$       \$       \$         CPTF1248       12       48       \$       \$       \$       \$       \$       \$       \$       \$         CPTF1248       12       48       \$		CPTF1842	18	42	\$	\$ \$
CPTF3642       36       42       \$       \$       \$         CPTF4242       42       42       \$       \$       \$       \$         CPTF4842       48       42       \$       \$       \$       \$       \$         CPTF5442       54       42       \$       \$       \$       \$       \$       \$         CPTF6042       60       42       \$       \$       \$       \$       \$       \$         CPTF1248       12       48       \$       \$       \$       \$       \$       \$         CPTF1248       12       48       \$       \$       \$       \$       \$       \$         CPTF1248       24       48       \$       \$       \$       \$       \$       \$         CPTF3048       30       48       \$       \$       \$       \$       \$       \$       \$       \$         CPTF3048       30       48       \$ </td <td></td> <td>CPTF2442</td> <td>24</td> <td>42</td> <td>\$</td> <td>\$ \$</td>		CPTF2442	24	42	\$	\$ \$
CPTF4242       42       42       \$       \$       \$       \$         CPTF4842       48       42       \$		CPTF3042	30	42	\$	\$ \$
CPTF48424842\$\$CPTF54425442\$\$\$CPTF60426042\$\$\$CPTF12481248\$\$\$CPTF12481248\$\$\$CPTF12482448\$\$\$CPTF30483048\$\$\$CPTF36483648\$\$\$CPTF36483648\$\$\$CPTF36483648\$\$\$CPTF42484248\$\$\$CPTF48484848\$\$\$CPTF54485448\$\$\$CPTF60486048\$\$\$CPTF12541254\$\$\$CPTF12541254\$\$\$CPTF30543054\$\$\$CPTF30543654\$\$\$CPTF48544854\$\$\$CPTF48544854\$\$\$CPTF48544854\$\$\$CPTF48544854\$\$\$CPTF545454\$\$\$\$		CPTF3642	36	42	\$	\$ \$
CPTF5442       54       42       \$       \$       \$         CPTF6042       60       42       \$       \$       \$       \$         CPTF1248       12       48       \$       \$       \$       \$       \$         CPTF1248       12       48       \$       \$       \$       \$       \$       \$         CPTF1248       18       48       \$       \$       \$       \$       \$       \$         CPTF3048       24       48       \$       \$       \$       \$       \$       \$         CPTF3048       30       48       \$       \$       \$       \$       \$       \$         CPTF3048       36       48       \$       \$       \$       \$       \$       \$         CPTF4248       42       48       \$       <		CPTF4242	42	42	\$	\$ \$
CPTF60426042\$\$CPTF12481248\$\$\$CPTF18481848\$\$\$CPTF24482448\$\$\$CPTF30483048\$\$\$CPTF30483648\$\$\$CPTF36483648\$\$\$CPTF42484248\$\$\$CPTF42484248\$\$\$CPTF48484848\$\$\$CPTF48485448\$\$\$CPTF60486048\$\$\$CPTF12541254\$\$\$CPTF18541854\$\$\$CPTF30543054\$\$\$CPTF36543654\$\$\$CPTF48544854\$\$\$CPTF48544854\$\$\$CPTF485454\$\$\$\$CPTF485454\$\$\$\$CPTF54545454\$\$\$		CPTF4842	48	42	\$	\$ \$
CPTF1248       12       48       \$		CPTF5442	54	42	\$	\$ \$
CPTF1848       18       48       \$		CPTF6042	60	42	\$	\$ \$
CPTF24482448\$\$CPTF30483048\$\$\$CPTF36483648\$\$\$CPTF42484248\$\$\$CPTF42484248\$\$\$CPTF4484848\$\$\$CPTF54485448\$\$\$CPTF60486048\$\$\$CPTF12541254\$\$\$CPTF12541254\$\$\$CPTF12541854\$\$\$CPTF25452454\$\$\$CPTF30543054\$\$\$CPTF36543654\$\$\$CPTF42544254\$\$\$CPTF48544854\$\$\$CPTF545454\$\$\$		CPTF1248	12	48	\$	\$ \$
CPTF3048       30       48       \$		CPTF1848	18	48	\$	\$ \$
CPTF36483648\$\$\$CPTF42484248\$\$\$\$CPTF4848484848\$\$\$CPTF54485448\$\$\$\$CPTF60486048\$\$\$\$CPTF12541254\$\$\$\$CPTF12541254\$\$\$\$CPTF12541854\$\$\$\$CPTF25452454\$\$\$\$CPTF30543054\$\$\$\$CPTF36543654\$\$\$\$CPTF42544254\$\$\$\$CPTF48544854\$\$\$\$CPTF54545454\$\$\$\$		CPTF2448	24	48	\$	\$ \$
CPTF4248       42       48       \$		CPTF3048	30	48	\$	\$ \$
CPTF48484848\$\$CPTF54485448\$\$\$CPTF60486048\$\$\$CPTF12541254\$\$\$CPTF12541254\$\$\$CPTF12541854\$\$\$CPTF24542454\$\$\$CPTF30543054\$\$\$CPTF36543654\$\$\$CPTF42544254\$\$\$CPTF45544854\$\$\$CPTF455454\$\$\$\$		CPTF3648	36	48	\$	\$ \$
CPTF54485448\$\$CPTF60486048\$\$\$CPTF12541254\$\$\$CPTF18541854\$\$\$CPTF24542454\$\$\$CPTF30543054\$\$\$CPTF36543654\$\$\$CPTF42544254\$\$\$CPTF4544854\$\$\$CPTF455454\$\$\$\$		CPTF4248	42	48	\$	\$ \$
CPTF6048       60       48       \$       \$       \$         CPTF1254       12       54       \$       \$       \$       \$       \$         CPTF1254       12       54       \$		CPTF4848	48	48	\$	\$ \$
CPTF12541254\$\$CPTF18541854\$\$\$CPTF24542454\$\$\$CPTF30543054\$\$\$CPTF36543654\$\$\$CPTF42544254\$\$CPTF42544254\$\$CPTF455454\$\$\$CPTF455454\$\$\$		CPTF5448	54	48	\$	\$ \$
CPTF18541854\$\$CPTF24542454\$\$\$CPTF30543054\$\$\$CPTF36543654\$\$\$CPTF42544254\$\$\$CPTF48544854\$\$CPTF545454\$\$\$		CPTF6048		48	\$	\$ \$
CPTF24542454\$\$CPTF30543054\$\$\$CPTF36543654\$\$\$CPTF42544254\$\$\$CPTF48544854\$\$\$CPTF54545454\$\$\$		CPTF1254	12	54	\$	\$ \$
CPTF30543054\$\$CPTF36543654\$\$\$CPTF42544254\$\$\$CPTF48544854\$\$\$CPTF545454\$\$\$		CPTF1854	18	54	\$	\$ \$
CPTF3654       36       54       \$       \$         CPTF4254       42       54       \$       \$       \$         CPTF4254       42       54       \$       \$       \$         CPTF4854       48       54       \$       \$       \$         CPTF5454       54       54       \$       \$       \$		CPTF2454	24	54	\$	\$ \$
CPTF42544254\$\$CPTF48544854\$\$\$CPTF54545454\$\$\$		CPTF3054	30	54	\$	\$ \$
CPTF48544854\$\$CPTF54545454\$\$		CPTF3654	36	54	\$	\$ \$
CPTF5454 54 54 \$ \$		CPTF4254	42	54	\$	\$ \$
		CPTF4854	48	54	\$	\$ \$
CPTF6054 60 54 \$ \$		CPTF5454	54	54	\$	\$ \$
		CPTF6054	60	54	\$	\$ \$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:


Select the product number and then add the codes for fabric selection.

For example, to order a Crescendo 12" x 36" Build Your Own Fabric Acoustic Tile (CPTF1236), w/ 8068 Gravel Interlude Fabric (8068), select

Product Number CPTF1236 8068

89

Fabrc Selecton



Base Product (CPTF) Presentation View

DESCRIPTION	PRODUCT NUMBER			Grade A	
Build-Your-Own Fabric Acoustic	CPTF1260	12	60	\$	\$ \$
Tile	CPTF1860	18	60	\$	\$ \$
	CPTF2460	24	60	\$	\$ \$
One fabric tile	CPTF3060	30	60	\$	\$ \$
Four nylon hooks included	CPTF3660	36	60	\$	\$ \$
<ul> <li>Fabric tiles noise reduction coefficient rated 0.65</li> </ul>	CPTF4260	42	60	\$	\$ \$
coefficient rated 0.65	CPTF4860	48	60	\$	\$ \$
	CPTF5460	54	60	\$	\$ \$
	CPTF6060	60	60	\$	\$ \$
	CPTF1266	12	66	\$	\$ \$
	CPTF1866	18	66	\$	\$ \$
	CPTF2466	24	66	\$	\$ \$
	CPTF3066	30	66	\$	\$ \$
	CPTF3666	36	66	\$	\$ \$
	CPTF4266	42	66	\$	\$ \$
	CPTF4866	48	66	\$	\$ \$
	CPTF5466	54	66	\$	\$ \$
	CPTF6066	60	66	\$	\$ \$
	CPTF1272	12	72	\$	\$ \$
	CPTF1872	18	72	\$	\$ \$
	CPTF2472	24	72	\$	\$ \$
	CPTF3072	30	72	\$	\$ \$
	CPTF3672	36	72	\$	\$ \$
	CPTF4272	42	72	\$	\$ \$
	CPTF4872	48	72	\$	\$ \$
	CPTF5472	54	72	\$	\$ \$
	CPTF6072	60	72	\$	\$ \$
	CPTF1278	12	78	\$	\$ \$
	CPTF1878	18	78	\$	\$ \$
	CPTF2478	24	78	\$	\$ \$
	CPTF3078	30	78	\$	\$ \$
	CPTF3678	36	78	\$	\$ \$
	CPTF4278	42	78	\$	\$ \$
	CPTF4878	48	78	\$	\$ \$
	CPTF5478	54	78	\$	\$ \$
	CPTF6078	60	78	\$	\$ \$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Upholstered tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:


Select the product number and then add the codes for fabric selection.

Product Number

90

For example, to order a Crescendo 12" x 60" Build Your Own Fabric Acoustic Tile (CPTF1260), w/ 8068 Gravel Interlude Fabric (8068), select

CPTF1260 8068 Fabrc Selecton



DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Solid Steel Tile	STS1212	12	12	\$
	STS1812	18	12	\$
	STS2412	24	12	\$
Steel tile adhered to honey-comb	STS3012	30	12	\$
Includes four mounting hooks	STS3612	36	12	\$
C C	STS4212	42	12	\$
	STS4812	48	12	\$
	STS5412	54	12	\$
	STS6012	60	12	\$
	STS1218	12	18	\$
	STS1818	18	18	\$
	STS2418	24	18	\$
	STS3018	30	18	\$
	STS3618	36	18	\$
	STS4218	42	18	\$
	STS4818	48	18	\$
	STS5418	54	18	\$
	STS6018	60	18	\$
	STS1224	12	24	\$
	STS1824	18	24	\$
	STS2424	24	24	\$
	STS3024	30	24	\$
	STS3624	36	24	\$
	STS4224	42	24	\$
	STS4824	48	24	\$
	STS5424	54	24	\$
	STS6024	60	24	\$
	STS1230	12	30	\$
	STS1830	18	30	\$
	STS2430	24	30	\$
	STS3030	30	30	\$
	STS3630	36	30	\$
	STS4230	42	30	\$
	STS4830	48	30	\$
	STS5430	54	30	\$
	STS6030	60	30	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER:

Select the product number and add the codes for desired metal powder-coat finish.

For example, to order a Crescendo 12" x 12" Solid Steel Tile (STS1212), w/ Starlight Silver Paint (34) select




Product Number

STS1212

34

Metal Powder-Coat Finish

CRESCENDO • Systems • Spec Guide



DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Solid Steel Tile	STS1236	12	36	\$
	STS1836	18	36	\$
	STS2436	24	36	\$
Uses top cap from existing panel	STS3036	30	36	\$
section	STS3636	36	36	\$
Magnetic steel tile with dry-erase	STS4236	42	36	\$
<ul> <li>Magnetic steel tile with dry-erase surface (used with alcohol based markers, sold seperately)</li> </ul>	STS4836	48	36	\$
Includes four mounting hooks	STS5436	54	36	\$
C C	STS6036	60	36	\$
	STS3642	36	42	\$
	STS3648	36	48	\$
	STS3654	36	54	\$
	STS3660	36	60	\$
	STS3666	36	66	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER:

Select the product number and add the code for desired metal powder-coat finish.

For example, to order a Crescendo 12" x 36" Solid Steel Tile (STS1236), w/ Starlight Silver Paint (34) select



Metal Powder-Coat Finish

**Build-Your-Own Laminate** 

٠



Base Product (CPTFL) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Laminate Tile	CPTFL1212	12	12	\$
	CPTFL1812	18	12	\$
	CPTFL2412	24	12	\$
Tile is constructed of 0.04" laminate	CPTFL3012	30	12	\$
Tile is constructed of 0.04" laminate face to 1/2" MDF core with 0.04" backing sheet and metal stiffeners	CPTFL3612	36	12	\$
	CPTFL4212	42	12	\$
The edges will be PVC in black only	CPTFL1218	12	18	\$
Four nylon hooks included	CPTFL1818	18	18	\$
,	CPTFL2418	24	18	\$
	CPTFL3018	30	18	\$
	CPTFL3618	36	18	\$
	CPTFL4218	42	18	\$
	CPTFL1224	12	24	\$
	CPTFL1824	18	24	\$
	CPTFL2424	24	24	\$
	CPTFL3024	30	24	\$
	CPTFL3624	36	24	\$
	CPTFL4224	42	24	\$
	CPTFL1230	12	30	\$
	CPTFL1830	18	30	\$
	CPTFL2430	24	30	\$
	CPTFL3030	30	30	\$
	CPTFL3630	36	30	\$
	CPTFL4230	42	30	\$
	CPTFL1236	12	36	\$
	CPTFL1836	18	36	\$
	CPTFL2436	24	36	\$
	CPTFL3036	30	36	\$
	CPTFL3636	36	36	\$
	CPTFL4236	42	36	\$
	CPTFL1242	12	42	\$
	CPTFL1842	18	42	\$
	CPTFL2442	24	42	\$
	CPTFL3042	30	42	\$
	CPTFL3642	36	42	\$
	CPTFL4242	42	42	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .

TO ORDER:


Select the product number and then add the code for laminate selection.

For example, to order a Crescendo 12" x 12" Build-Your-Own Laminate Tile (CPTFL1212), w/ Biltmore Cherry Laminate Finish (4031), select

Product Number CPTFL1212 4031

93

Lamnate Selection



DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Dimpled Steel Tile	STD1212	12	12	\$
	STD1812	18	12	\$
	STD2412	24	12	\$
Steel tile adhered to honey-comb	STD3012	30	12	\$
<ul> <li>Includes four mounting hooks</li> </ul>	STD3612	36	12	\$
····· · · · · · · · · · · · · · · · ·	STD4212	42	12	\$
	STD4812	48	12	\$
	STD5412	54	12	\$
	STD6012	60	12	\$
	STD1218	12	18	\$
	STD1818	18	18	\$
	STD2418	24	18	\$
	STD3018	30	18	\$
	STD3618	36	18	\$
	STD4218	42	18	\$
	STD4818	48	18	\$
	STD5418	54	18	\$
	STD6018	60	18	\$
	STD1224	12	24	\$
	STD1824	18	24	\$
	STD2424	24	24	\$
	STD3024	30	24	\$
	STD3624	36	24	\$
	STD4224	42	24	\$
	STD4824	48	24	\$
	STD5424	54	24	\$
	STD6024	60	24	\$
	STD1230	12	30	\$
	STD1830	18	30	\$
	STD2430	24	30	\$
	STD3030	30	30	\$
	STD3630	36	30	\$
	STD4230	42	30	\$
	STD4830	48	30	\$
	STD5430	54	30	\$
	STD6030	60	30	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER:

Select the product number and add the codes for desired metal powder-coat finish.

For example, to order a Crescendo 12" x 12" Dimpled Steel Tile (STD1212), w/ Starlight Silver Paint (34) select




94

Product Number

STD1212

34

Metal Powder-Coat Finish



DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Dimpled Steel Tile	STD1236	12	36	\$
	STD1836	18	36	\$
	STD2436	24	36	\$
Steel tile adhered to honey-comb	STD3036	30	36	\$
Includes four mounting hooks	STD3636	36	36	\$
<b>3</b>	STD4236	42	36	\$
	STD4836	48	36	\$
	STD5436	54	36	\$
	STD6036	60	36	\$
	STD3642	36	42	\$
	STD3648	36	48	\$
	STD3654	36	54	\$
	STD3660	36	60	\$
	STD3666	36	66	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Tiles are constructed of 20 gage, prefinishedsteel, joined together by injection-molded corner blocks, and spot welded in place

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:

Select the product number and add the code for desired metal powder-coat finish.


For example, to order a Crescendo 12" x 36" Dimpled Steel Tile (STD1236), w/ Starlight Silver Paint (34) select



Finish

95

CRESCENDO • Systems • Spec Guide



Base Product (STP) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Perforated Steel	STP1212	12	12	\$
Tile	STP1812	18	12	\$
	STP2412	24	12	\$
Steel tile with 3/32" diameter holes	STP3012	30	12	\$
<ul> <li>Steel tile with 3/32" diameter holes patterned from the center, solid</li> </ul>	STP3612	36	12	\$
construction (1/16") around the edge	STP4212	42	12	\$
<ul> <li>Sold in set of 2 tiles</li> </ul>	STP4812	48	12	\$
<ul> <li>Includes eight mounting hooks</li> </ul>	STP5412	54	12	\$
c c	STP6012	60	12	\$
	STP1218	12	18	\$
	STP1818	18	18	\$
	STP2418	24	18	\$
	STP3018	30	18	\$
	STP3618	36	18	\$
	STP4218	42	18	\$
	STP4818	48	18	\$
	STP5418	54	18	\$
	STP6018	60	18	\$
	STP1224	12	24	\$
	STP1824	18	24	\$
	STP2424	24	24	\$
	STP3024	30	24	\$
	STP3624	36	24	\$
	STP4224	42	24	\$
	STP4824	48	24	\$
	STP5424	54	24	\$
	STP6024	60	24	\$
	STP1230	12	30	\$
	STP1830	18	30	\$
	STP2430	24	30	\$
	STP3030	30	30	\$
	STP3630	36	30	\$
	STP4230	42	30	\$
	STP4830	48	30	\$
	STP5430	54	30	\$
	STP6030	60	30	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Tiles are constructed of 20 gage, prefinishedsteel, joined together by injection-molded corner blocks, and spot welded in place

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:

Select the product number and add the codes for desired metal powder-coat finish.


For example, to order a Crescendo 12" x 12" Perforated Steel Tile (STP1212), w/ Starlight Silver Paint (34) select



Tile

٠

edge



36 STP1236 12 \$ **Build-Your-Own Perforated Steel** \$ STP1836 18 36 STP2436 24 36 \$ 30 36 \$ STP3036 Steel tile with 3/32" diameter holes patterned from the center, solid construction (1/16") around the STP3636 36 36 \$ \$ STP4236 42 36 STP4836 48 36 \$ Sold in set of 2 tiles 54 \$ STP5436 36 Includes eight mounting hooks STP6036 60 36 \$ \$ STP3642 36 42 STP3648 36 48 \$ 36 54 \$ STP3654 36 60 \$ STP3660 36 66 \$ STP3666

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Tiles are constructed of 20 gage, prefinishedsteel, joined together by injection-molded corner blocks, and spot welded in place

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:

Select the product number and add the code for desired metal powder-coat finish.

For example, to order a Crescendo 12" x 36" Perforated Steel Tile (STP1236), w/ Starlight Silver Paint (34) select



Metal Powder-Coat Finish

97

CRESCENDO • Systems • Spec Guide

Build-Your-Own Tool

•

.



Base Product (PLTT) Presentation View

					2010/10
DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	Slots Available	PRICING
uild-Your-Own Tool Rail Tile	PLTT1212	12	12	10	\$
	PLTT1812	18	12	10	\$
	PLTT2412	24	12	10	\$
Constructed of painted extruded	PLTT3012	30	12	10	\$
aluminum	PLTT3612	36	12	10	\$
Slots accommodate paper management accessories	PLTT4212	42	12	10	\$
Slots available for mounting	PLTT4812	48	12	10	\$
accessories vary	PLTT1218	12	18	15	\$
Mouting hardware included	PLTT1818	18	18	15	\$
C C	PLTT2418	24	18	15	\$
	PLTT3018	30	18	15	\$
	PLTT3618	36	18	15	\$
	PLTT4218	42	18	15	\$
	PLTT4818	48	18	15	\$
	PLTT1224	12	24	20	\$
	PLTT1824	18	24	20	\$
	PLTT2424	24	24	20	\$
	PLTT3024	30	24	20	\$
	PLTT3624	36	24	20	\$
	PLTT4224	42	24	20	\$
	PLTT4824	48	24	20	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER:

Select the product number and then add the code for metal powder-coat selection.


For example, to order a Crescendo 12" x 12" Build-Your-Own Tool Rail Tile (PLTT1212), w/ Starlight Silver Paint (34), select

Product Number PLTT1212 34

> Metal Powder-Coat Fnish

98

### Panel Additions • Raceway




Base Product (CCRTU) **Presentation View** 


DESCRIPTION	PRODUCT NUMBER			Power Access		
Build-Your-Own Fabric Covered	CCRTU1212A	12	12	Pass-thru only	\$ \$	\$
Raceway Tile	CCRTU1812A	18	12	Pass-thru only	\$ \$	\$
-	CCRTU2412A	24	12	1	\$ \$	\$
Eabric raceway tile with field	CCRTU3012A	30	12	2	\$ \$	\$
<ul> <li>Fabric raceway tile with field removable knock-outs, providing</li> </ul>	CCRTU3612A	36	12	2	\$ \$	\$
power location access	CCRTU4212A	42	12	2	\$ \$	\$
<ul> <li>Includes steel trough for data cabling</li> </ul>	CCRTU4812A	48	12	2	\$ \$	\$
<ul> <li>Some tiles only provide jumper pass through and have no cutouts</li> </ul>	CCRTU5412A	54	12	2	\$ \$	\$
pass through and have no cutouts	CCRTU6012A	60	12	2	\$ \$	\$
	CCRTU1218A	12	18	Pass-thru only	\$ \$	\$
	CCRTU1818A	18	18	Pass-thru only	\$ \$	\$
	CCRTU2418A	24	18	1	\$ \$	\$
	CCRTU3018A	30	18	2	\$ \$	\$
	CCRTU3618A	36	18	2	\$ \$	\$
	CCRTU4218A	42	18	2	\$ \$	\$
	CCRTU4818A	48	18	2	\$ \$	\$
	CCRTU5418A	54	18	2	\$ \$	\$
	CCRTU6018A	60	18	2	\$ \$	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame



Base Product (CCRTU) Presentation View



#### TO ORDER:

Select the product number and then add the code for fabric selection.

Product Number

For example, to order a Crescendo 12" x 12" Build-Your-Own Fabric Covered Raceway Tile (CCRTU1212), w/ 8068 Gravel Interlude Fabric (8068), select

CCRTU1212 8068 Fabrc Selecton

### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



CRESCENDO • Systems • Spec Guide

2025 v1.46

### Panel Additions • Raceway




Base Product (CCRTS) Presentation View

DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	Power Access	PRICING
Build-Your-Own Painted Steel	CCRTS1212	12	12	Pass-thru only	\$
Raceway Tile	CCRTS1812	18	12	Pass-thru only	\$
-	CCRTS2412	24	12	1	\$
Steel raceway tile with field	CCRTS3012	30	12	2	\$
<ul> <li>Steel raceway tile with field removable knock-outs, providing</li> </ul>	CCRTS3612	36	12	2	\$
power location access	CCRTS4212	42	12	2	\$
<ul> <li>Includes steel trough for data cabling</li> </ul>	CCRTS4812	48	12	2	\$
Selectable color for knock-out bezel	CCRTS5412	54	12	2	\$
<ul> <li>Some tiles only provide jumper pass through and have no cutouts</li> </ul>	CCRTS6012	60	12	2	\$
pass through and have no cutouts	CCRTS1218	12	18	Pass-thru only	\$
	CCRTS1818	18	18	Pass-thru only	\$
	CCRTS2418	24	18	1	\$
	CCRTS3018	30	18	2	\$
	CCRTS3618	36	18	2	\$
	CCRTS4218	42	18	2	\$
	CCRTS4818	48	18	2	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame



Base Product (CCRTS) Presentation View

**Base Product (CCRTS)** Presentation View

#### TO ORDER:

Select the product number and then add the code for metal powder-coat finish and polyprolyene selection.

Polyprolyene Color Product Number CCRTS1212 34 B

Fabrc Selecton

### NOTES:


- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



For example, to order a Crescendo 12" x 12" Build-Your-Own Painted Steel Raceway Tile (CCRTS1212), w/ Starlight Silver Paint (34) and Black Polyprolyene Bezel (B), select

### 100

### Panel Additions • Raceway




**Base Product (PRTL)** Presentation View


DESCRIPTION	PRODUCT NUMBER	WIDTH		Power Access	PRICING
Build-Your-Own Laminated	PRTL1212	12	12	Pass-thru only	\$
Raceway Tile	PRTL1812	18	12	Pass-thru only	\$
	PRTL2412	24	12	1	\$
<ul> <li>I aminated steel raceway tile with</li> </ul>	PRTL3012	30	12	2	\$
<ul> <li>Laminated steel raceway tile with field removable knock-outs,</li> </ul>	PRTL3612	36	12	2	\$
providing power location access	PRTL4212	42	12	2	\$
<ul> <li>Includes steel trough for data cabling</li> </ul>	PRTL4812	48	12	2	\$
<ul> <li>Selectable color for knock-out bezel</li> </ul>	PRTL5412	54	12	2	\$
<ul> <li>Some tiles only provide jumper pass through and have no cutouts</li> </ul>	PRTL6012	60	12	2	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Extruded aluminum frame joined by steel corner bracket plates, supported by PVC extrusion which slides into the aluminum frame



**Base Product (PRTL)** Presentation View



Base Product (PRTL) Presentation View

#### TO ORDER:

Select the product number and then add the code for laminate finish and polyprolyene selection.

Product Number Polyprolyene Color

PRTL1212 4031 B

Lamnate Selection


For example, to order a Crescendo 12" x 12" Build-Your-Own Laminated Raceway Tile (PRTL1212), w/ Biltmore Cherry Laminate (4031) and Black Polyprolyene Bezel (B), select

101

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .





DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Steel Marker Tile	CCSTM1212	12	12	\$
Build-Tour-Own Steel Marker The	CCSTM1812	18	12	\$
	CCSTM2412	24	12	\$
Magnetic steel tile with dry-erase	CCSTM3012	30	12	\$
<ul> <li>Magnetic steel tile with dry-erase surface (used with alcohol based markers, sold seperately)</li> </ul>	CCSTM3612	36	12	\$
	CCSTM4212	42	12	\$
Includes four mounting hooks	CCSTM4812	48	12	\$
	CCSTM5412	54	12	\$
	CCSTM6012	60	12	\$
	CCSTM1218	12	18	\$
	CCSTM1818	18	18	\$
	CCSTM2418	24	18	\$
	CCSTM3018	30	18	\$
	CCSTM3618	36	18	\$
	CCSTM4218	42	18	\$
	CCSTM4818	48	18	\$
	CCSTM5418	54	18	\$
	CCSTM6018	60	18	\$
	CCSTM1224	12	24	\$
	CCSTM1824	18	24	\$
	CCSTM2424	24	24	\$
	CCSTM3024	30	24	\$
	CCSTM3624	36	24	\$
	CCSTM4224	42	24	\$
	CCSTM4824	48	24	\$
	CCSTM5424	54	24	\$
	CCSTM6024	60	24	\$
	CCSTM1230	12	30	\$
	CCSTM1830	18	30	\$
	CCSTM2430	24	30	\$
	CCSTM3030	30	30	\$
	CCSTM3630	36	30	\$
	CCSTM4230	42	30	\$
	CCSTM4830	48	30	\$
	CCSTM5430	54	30	\$
	CCSTM6030	60	30	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER: Select the product number.

For example, to order a Crescendo 12" x 12" Steel Marker Tile (CCSTM1212), select


CCSTM1212

Product Number

CRESCENDO • Systems • Spec Guide

Build-Your-Ow

٠



DESCRIPTION	PRODUCT NUMBER	WIDTH	HEIGHT	PRICING
Build-Your-Own Steel Marker Tile	CCSTM1236	12	36	\$
	CCSTM1836	18	36	\$
	CCSTM2436	24	36	\$
Magnetic steel tile with dry-erase surface (used with alcohol based markers, sold seperately) Includes four mounting hooks	CCSTM3036	30	36	\$
	CCSTM3636	36	36	\$
	CCSTM4236	42	36	\$
	CCSTM4836	48	36	\$
	CCSTM5436	54	36	\$
	CCSTM6036	60	36	\$
	CCSTM3642	36	42	\$
	CCSTM3648	36	48	\$
	CCSTM3654	36	54	\$
	CCSTM3660	36	60	\$
	CCSTM3666	36	66	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Tiles have a frame made of 7/16" thick perforated mineral fiberboard and 3/8" thick fiberglass overlay, hung on the frame by an injectionmolded hook
- Tiles are constructed of 20 gage, pre-finishedsteel, joined together by injection-molded corner blocks, and spot welded in place

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .




TO ORDER ITEMS ON THIS PAGE:

Select the product number.

For example, to order a Crescendo 12" x 36" Steel Marker Tile (CCSTM1236), select

Product Number CCSTM1236

### **Build-Your-Own • Components**



# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Purchase as needed for space planning

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



Pgs. 119120

Frame Components (Rails)

Pg. 121

0

Frame Components (Connectors)

### Build-Your-Own • Trim

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	PRICING
Unupholstered Universal Trim	UTF12	12	\$
(Full Height)	UTF18	18	\$
	UTF24	24	\$
Unupholstered & trim colored	UTF30	30	\$
Purchase to match panel height	UTF36	36	\$
	UTF42	42	\$
	UTF48	48	\$
	UTF54	54	\$
	UTF60	60	\$
	UTF66	66	\$
	UTF72	72	\$
	UTF78	78	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	Grade A	Grade B	Grade C
Upholstered Universal Trim	UTFF12	12	\$	\$	\$
(Full Height)	UTFF18	18	\$	\$	\$
	UTFF24	24	\$	\$	\$
Upholstered	UTFF30	30	\$	\$	\$
•	UTFF36	36	\$	\$	\$
<ul> <li>Purchase accordingly to match panel height</li> </ul>	UTFF42	42	\$	\$	\$
	UTFF48	48	\$	\$	\$
	UTFF54	54	\$	\$	\$
	UTFF60	60	\$	\$	\$
	UTFF66	66	\$	\$	\$
	UTFF72	72	\$	\$	\$
	UTFF78	78	\$	\$	\$
	UTFF84	84	\$	\$	\$

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



TO ORDER:

Select the product number and then add the codes for the desired fabric selection.

Base Product (UTF)

For example, to order a Crescendo 12" Upholstered Universal Trim (UTFF12), w/ 8068 Gravel Interlude (8068), select

Product Number

UTFF12 8068 Fabrc Selecton

CRESCENDO • Systems • Spec Guide

### **Build-Your-Own • Trim**



**Base Product (UTH)** 

DESCRIPTION	PRODUCT NUMBER	Height Difference	PRICING
Unupholstered Universal Trim (Height-Change)	UTH6	6	\$
	UTH12	12	\$
	UTH18	18	\$
<ul> <li>Unupholstered &amp; trim colored</li> <li>Purchase accordingly by difference between two panel heights</li> </ul>	UTH24	24	\$
	UTH30	30	\$
	UTH36	36	\$
	UTH42	42	\$
	UTH48	48	\$
	UTH54	54	\$

CRESCENDO
-----------

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' Assemble and alsossemble modules with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	Grade A	
Upholstered Universal Trim (Height-Change)	UTHF6	6	\$	\$ \$
	UTHF12	12	\$	\$ \$
	UTHF18	18	\$	\$ \$
Upholstered & trim colored	UTHF24	24	\$	\$ \$
<ul> <li>Purchase accordingly by panel height</li> </ul>	UTHF30	30	\$	\$ \$
	UTHF36	36	\$	\$ \$
	UTHF42	42	\$	\$ \$
	UTHF48	48	\$	\$ \$
	UTHF54	54	\$	\$ \$

106

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .




TO ORDER: Select the product number and then add the codes for the desired fabric selection.

For example, to order a Crescendo 12" Upholstered Universal Trim (UTHF12), w/ 8068 Gravel Interlude (8068), select

Product Number UTHF12 8068

Fabrc Selecton

### Build-Your-Own • Trim



#### Base Product (464040)



#### Base Product (464044)



Base Product (465309)

DESCRIPTION	PRODUCT NUMBER	"A" Panel Height	PRICING
Metal Universal Trim	46404012	12	\$
(Full Height)	46404018	18	\$
	46404024	24	\$
Aluminum metal sleeve trim cover	46404030	30	\$
<ul> <li>Purchase accordingly by panel</li> </ul>	46404036	36	\$
height	46404042	42	\$
	46404048	48	\$
	46404054	54	\$
	46404060	60	\$
	46404066	66	\$
	46404078	78	\$
DESCRIPTION	PRODUCT NUMBER	HEIGHT Difference	PRICING

Becord non			
Metal Universal Trim	46404412	18	\$
(Height-Change)	46404418	24	\$
	46404424	30	\$
<ul> <li>Aluminum metal sleeve trim cover</li> <li>Purchase accordingly by panel height difference</li> </ul>	46404430	36	\$
	46404436	42	\$
	46404442	48	\$
		,	

DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
Metal End-of-Run Cap	46530924	24	\$
	46530930	30	\$
	46530936	36	\$
Aluminum metal sleeve trim cover	46530942	42	\$
For use with lifted and tech panels	46530948	48	\$
	46530954	54	\$
	46530960	60	\$
	46530966	66	\$
	46530972	72	\$
	46530978	78	\$
	46530984	84	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stastemple indules with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER: Select the product number and then add the codes for the desired metal powder-coat finish.

For example, to order a Crescendo 12" Upholstered Universal Trim (464040F12), w/ Starlight Silver Metal Powder-Coat finish (34), select

107

Product Number

464040F12 34



2025 v1.46

Metal Powder-Coat Fnish

CRESCENDO • Systems • Spec Guide

## Build-Your-Own • Stackable Trim

DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
Unupholstered Universal Trim	UTHS12	12	\$
(Stackable)	UTHS18	18	\$
	UTHS24	24	\$



#### **Base Product (UTHSF)**

DESCRIPTION	PRODUCT NUMBER	HEIGHT	Grade A	
Upholstered Universal Trim (Stackable)	UTHSF12	12	\$	\$ \$
	UTHSF18	18	\$	\$ \$
	UTHSF24	24	\$	\$ \$

Upholstered ٠

panel height

Purchase accordingly by stacking panel height

Unupholstered & trim colored

Purchase accordingly by stacking

Ŷ	÷	÷	
\$	\$	\$	
\$	\$	\$	

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
Aluminum Universal Trim	46533012	12	\$
(Stackable)	46533018	18	\$
(,	46533024	24	\$

108

- Selectable metal powder-coat finish
- Purchase accordingly by stacking panel height

TO ORDER: Select the product number and then add the codes for the desired color finish. For example, to order a Crescendo 12" Unupholstered Universal Trim (Stackable) (UTHS12), w/ Black Poly Color (B), select	Product Number UTHS12 B PolyColor	N
TO ORDER: Select the product number and then add the codes for the desired fabric selection. For example, to order a Crescendo 12" Upholstered Universal Trim (Stackable) (UTHSF12), w/ 8068 Gravel Interlude (8068), select	Product Number UTHSF12 8068 FabrcSelecton	
		:
TO ORDER: Select the product number and then add the codes for the desired metal powder-coat finish.	Product Number	

For example, to order a Crescendo 12" Aluminum Universal Trim (Stackable) (46533012), w/ Starlight Silver Metal Powder-Coat Finish (34), select



#### DTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423




## Build-Your-Own • Trim

In-Line

color

Trim Height-Change Trim (End-of-Run)

Plastic material & Polypropylene



DESCRIPTION	PRODUCT NUMBER	HEIGHT Difference	PRICING
Line Height-Change Trim	CCVET12	12	\$
	CCVET18	18	\$
Plastic material & Polypropylene color Purchase accordingly by the difference between two panel heights Inloudes platic trim and end-of-run top & bottom cap	CCVET24	24	\$
	CCVET30	30	\$
	CCVET36	36	\$
	CCVET42	42	\$
	CCVET48	48	\$
	CCVET54	54	\$

46009312

46009318

46009324

46009330

46009336

46009342

46009348

46009354

460030

12

18

24

30

36

42

48

54

N/a

\$

\$

\$

\$

\$

\$

\$

\$

\$



- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stastemple indules with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions



Base Product (460093)

$\square$	
°−−{ _	

•	Plastic material & Polypropylene color

Plastic End-of-Run Top Cap

Used to fill-in difference between ٠ top caps



	DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING	NOTES:
	Plastic End-of-Run Bottom Cap	460028	N/a	\$	<ul> <li>Product dimensions are given in approximate inches</li> </ul>
					<ul> <li>Appearance of product may vary from descriptions</li> </ul>
	<ul> <li>Plastic material &amp; Polypropylene color</li> <li>Top cap for 4-way Intersections</li> </ul>				<ul> <li>When ordering Fabric Panels, the higher grade value will determine the price quote</li> <li>Power accessories are sold separately</li> </ul>
Base Product (460028)					<ul> <li>Vertical posts are sold separately</li> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>
TO ORDER ITEMS ON THIS PAGE: Select the product number and desired Polypropyler	ne (Poly) color.		Product Number		
For example, to order a Crescendo 12" Panel Plas	tic Top Cap (CCVET12), w/ Black Polypropylene Colo	or (B), select	CCVET12 B PalyCate	ſ	
			100		



Base Product (460030)

### Build-Your-Own • Trim

powder-coat finish



DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
Metal Trim Height-Change Trim	46533106	6	\$
Metal Trim Height-Change Trim (End-of-Run)	46533112	12	\$
	46533118	18	\$
Aluminum material & metal	46533124	24	\$
powder-coat finish	46533130	30	\$
	46533136	36	\$
	46533142	42	\$
	46533148	48	\$
	46533154	54	\$



PRODUCT NUMBER		PRICING
465310	N/a	\$
400010	TV U	Ψ

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' Assemble and alsossemble modules with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

Base Product (465310)

Base Product (465331)

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER ITEMS ON THIS PAGE:

Select the product number and desired Polypropylene (Poly) color.

For example, to order a Crescendo 6" Aluminum Trim Height-Change Trim (End-of-Run) (46533106), w/ Starlight Silver Metal Powder-Coat finish (34), select



Product Number

В

Fnish

110




Base Product (460089)

	DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Panel Plastic Top Cap		46004012	12	\$
		46004018	18	\$
•	Plastic material & Polypropylene color	46004024	24	\$
•	Purchase accordingly to panel     width	46004030	30	\$
	width	46004036	36	\$
		46004042	42	\$
		46004048	48	\$
	46004054	54	\$	
		46004060	60	\$


# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' Assemble and alsossemble modules with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions



Base Product (460091)

DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
Plastic Top Cap Splice Plate	460365	N/a	\$
<ul> <li>Plastic material &amp; Polypropylene color</li> <li>Used to fill-in difference between top caps</li> </ul>			



^			opeonications	11101110	
	Plastic Trim Condition	460090	N/a	\$	
	(1-Way, Dead End)			<ul><li>NOTES:</li><li>Product dimensions are given in</li></ul>	
	<ul> <li>Plastic material &amp; Polypropylene color</li> </ul>				<ul> <li>approximate inches</li> <li>Appearance of product may vary from descriptions</li> </ul>
	Top cap for 4-way Intersections				When ordering Fabric Panels, the higher grade value will determine the
Base Product (460042)					price quote
					<ul> <li>Power accessories are sold separately</li> <li>Vertical posts are sold separately</li> <li>Noise Reduction Coefficient is based on the test method ASTM C-423</li> </ul>
TO ORDER ITEMS ON THIS PAGE: Select the product number and desired Polypropylene (F	Poly) color.		Product Number		
For example, to order a Crescendo 12" Panel Plastic 1	Top Cap (46004012), w/ Black Polypropylene Colo	r (B), select	46004012 B Paly Cala	ſ	

111



CRESCENDO • Systems • Spec Guide

Plastic material & Polypropylene

Plastic material & Polypropylene

Top cap for right angle 2-way

Top cap for inline 2-way

**Plastic Trim Condition** (180 Degree Cap)

color

Intersections


**Plastic Trim Condition** 

(90 Degree Cap)

Intersections

color


.




Base Product (460089)









460089

460088

N/a

N/a

\$

\$

\$





	Plastic Trim Condition (4-Way Cap)	460042	N/a	\$
Base Product (460042)	<ul> <li>Plastic material &amp; Polypropylene color</li> <li>Top cap for 4-way Intersections</li> </ul>			
TO ORDER ITEMS ON THIS PAGE: Select the product number and desired Polypropylene of For example, to order a Crescendo Plastic Trim Cond		ne Color (B), select	Product Number I 460089 PolyColor PolyColor	] r


112

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

- NOTES: • Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- . Noise Reduction Coefficient is based on the test method ASTM C-423









Base	Product	(4610)	27)



Base Product (461028)



-			
ваse	Product	(461)	029

DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
Plastic Trim Condition	461027	N/a	\$
(120 Degree 1-Way Cap)			

Plastic material & Polypropylene color

Plastic material & Polypropylene

Top cap for 120 Degree 2-way

Top cap for 120 Degree 1-Way Intersections

**Plastic Trim Condition** 

color

Intersections

•

(120 Degree 2-Way Cap)

20
ne

N/a

\$

**CRESCENDO** 

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
Plastic Trim Condition	461029	N/a	\$
(120 Degree 3-Way Cap)			

461028

٠ Plastic material & Polypropylene color

Top cap for 120 Degree 3-way Intersections ٠

N	OTES:
	Droduc

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- . Noise Reduction Coefficient is based on the test method ASTM C-423



#### TO ORDER ITEMS ON THIS PAGE:

Select the product number and desired Polypropylene (Poly) color.

For example, to order a Crescendo Plastic Trim Condition (120 Degree 1-Way) (461027), w/ Black Polypropylene Color (B), select




CRESCENDO • Systems • Spec Guide

Aluminur

•

٠





DESCRIPTION	PRODUCT NUMBER		PRICING
Aluminum Top Cap	46530812	12	\$
	46530818	18	\$
Aluminum top trim cap	46530824	24	\$
Purchase accordingly by panel width Square Profile Includes splice plate (465347)	46530830	30	\$
	46530836	36	\$
	46530842	42	\$
	46530848	48	\$
	46530854	54	\$
	46530860	60	\$

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Conditional Aluminum Top Cap	46532912	12	\$
Conditional Aluminum Top Cap (Height-Change)	46532918	18	\$
	46532924	24	\$
Aluminum top trim cap notched for	46532930	30	\$
<ul> <li>Aluminum top trim cap notched for change of height conditions</li> <li>Purchase accordingly by panel width</li> <li>Square Profile</li> </ul>	46532936	36	\$
	46532942	42	\$
	46532948	48	\$
	46532954	54	\$
	46532960	60	\$


N/a

\$

465347


# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions



	DESCRIPTION
	Aluminum Top Cap Splice Plate (Replacement)
Annan and	Aluminum construction & metal

- powder-coat finish •
  - Used to fill-in difference between top caps



Base Product (460091)

$\sim$	DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING	
	Aluminum Trim Condition	465314	N/a	\$	
	(1-Way, Dead End)				
	<ul> <li>Aluminum construction &amp; metal powder-coat finish</li> </ul>	-			
	<ul> <li>Used at dead end conditions</li> </ul>				•
Base Product (465314)					
		I			•
TO ORDER ITEMS ON THIS PAGE: Select the product number and desired metal powder-co	coat finish.		Product Number		
For example, to order a Crescendo 12" Aluminum Top Cap (46530812), w/ Starlight Silver Metal Powder-Coat (34), select					
	· · · · · · · ·		Metal Powder Fnish	Coat	

### NOTES: Product dimensions are given in

- approximate inches Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



Aluminum construction & metal

**Aluminum Trim Condition** (180 Degree Cap)

powder-coat finish

Intersections

(90 Degree Cap)

•

Top cap for inline 2-way


**Aluminum Trim Condition** 

powder-coat finish

Intersections

Aluminum construction & metal

Top cap for right angle 2-way




#### Base Product (465315)









DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
Aluminum Trim Condition (3-Way Cap)	465316	N/a	\$
<ul> <li>Aluminum construction &amp; metal powder-coat finish</li> <li>Top cap for 3-way Intersections</li> </ul>			

465315

465311


N/a

N/a

\$

\$





	DESCRIPTION	PRODUCT NUMBER		PRICING	
	Aluminum Trim Condition	465317	N/a	\$	
Base Product (465317)	<ul> <li>(4-Way Cap)</li> <li>Aluminum construction &amp; metal powder-coat finish</li> <li>Top cap for 4-way Intersections</li> </ul>				NOTES: Product dir approximal Appearance description When orden higher grace price quote Power acce Vertical poo Noise Redu on the test
TO ORDER ITEMS ON THIS PAGE: Select the product number and desired metal powder- For example, to order a Crescendo Aluminum Trim (		Metal Powder-Coat finish (	Product Number 465311 34 Meta Powder Frich	] -Coat	
			115		

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

- limensions are given in nate inches
- nce of product may vary from ons
- dering Fabric Panels, the rade value will determine the ote
- cessories are sold separately
- posts are sold separately
- duction Coefficient is based st method ASTM C-423



Aluminum construction & metal

**Aluminum Trim Condition** (120 Degree Dead End Cap)

powder-coat finish

Intersections

•

٠

Top cap for inline 2-way

**Aluminum Trim Condition** 


Aluminum construction & metal

Top cap for 120 degree angle 2-


(120 Degree 2-Way)

powder-coat finish

way Intersections




#### Base Product (465352)





Base Product (465351)

Base Product (465350)



	DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
	inum Trim Condition	465350	N/a	\$
• Alu	uminum construction & metal wder-coat finish			

465352

465351

• Top cap for 3-way Intersections



Product Number

N/a

N/a

\$

\$

For example, to order a Crescendo Aluminum Trim Condition (120 Degree Dead End) (465352), w/ Starlight Silver Metal Powder-Coat finish (34), select

465352	34
	Metal Powde
	Fnish

34

Powder-Coat

1	1	^
		n

# **CRESCENDO**


- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

- NOTES:
- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based . on the test method ASTM C-423




### CRESCENDO • Systems • Spec Guide

### Build-Your-Own • Base Trim




٠



Base Product (461218) Assembled, View of Side with Knockouts



Base Product (461217)



Base Product (CC460343)

#### C46001712 12 0 \$ Domestic Power Base Trim/ Raceway (Holes on Both Sides) 18 0 \$ C46001718 24 \$ C46001724 1 30 \$ C46001730 2 Consists of pre-assembled bottom and two covers C46001736 36 2 \$ Ships standard with removable filler 42 2 \$ C46001742 plates for data/electrail (24" and wider) C46001748 48 2 \$ C46001754 54 2 \$ 60 2 \$ C46001760

_					
	DESCRIPTION	PRODUCT NUMBER	WIDTH		PRICING
Domestic Power Base Trim/ Raceway (Holes on One Side)		46121824	24	1	\$
		46121830	30	2	\$
		46121836	36	2	\$
•	Consists of pre-assembled bottom	46121842	42	2	\$
and two co	and two covers	46121848	48	2	\$
<ul> <li>Ships state</li> </ul>	Ships standard with removable filler plates for data/electrail (24" and	46121854	54	2	\$
	wider)	46121860	60	2	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Domestic Power Base Trim/	46121724	24	\$
Raceway (No Holes)	46121730	30	\$
	46121736	36	\$
Consists of pre-assembled bottom	46121742	42	\$
<ul> <li>Consists of pre-assembled bottom and two covers</li> </ul>	46121748	48	\$
	46121754	54	\$
	46121760	60	\$

DESCRIPTION	PRODUCT NUMBER	WIDTH		PRICING
Chicago Power Base Trim/	CC46034324	24	1	\$
Chicago Power Base Trim/ Raceway (Holes on Both Sides)	CC46034330	30	2	\$
	CC46034336	36	2	\$
Consists of pre-assembled bottom	CC46034342	42	2	\$
and two covers	CC46034348	48	2	\$
<ul> <li>Ships standard with removable filler plates for data/electrical (24" and</li> </ul>	CC46034354	54	2	\$
wider)	CC46034360	60	2	\$

117

#### TO ORDER ITEMS ON THIS PAGE:

Select the product number and desired metal powder-coat finish.

For example, to order a Crescendo 12" Domestic Power Base Trim/Raceway (Holes on Both Sides) (C46001712), w/ Starlight Silver Metal Powder-Coat (34), select



Metal Powder-Coat Fnish

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price auote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



## Build-Your-Own • Base Trim



DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
Plastic Trim Condition (90 Degree Base)	460039	6" High	\$
	-		
<ul> <li>Plastic material &amp; Polypropylene color</li> </ul>			

Base Product (460088)

Base Product (460091)

Plastic material & Polypropylene color
Base Trim for right angle 2-way Intersections



# **Plastic Trim Condition** (3-Way Base) Plastic material & Polyprop color

Base trim for 3-way ("T") . Intersections

		opcontoutorio	
	460038	6" High	\$
pylene			

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER ITEMS ON THIS PAGE:

Select the product number and desired Polypropylene (Poly) color.

For example, to order a Crescendo Plastic Trim Condition (180 Degree) (460089), w/ Black Polypropylene Color (B), select

118


Product Number

460089

В

Poly Color

### **Build-Your-Own • Frame Components**



### The essence of modularity and reconfiguration in today's ever changing office environment

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$


\$

\$

\$

- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

Base Product (460021)





119



### **Build-Your-Own • Frame Componets**



#### Base Product (461037)

Base Product (460955)

DESCRIPTION	PRODUCT NUMBER	HEIGHT	PRICING
Intersection Light Block Tube	46103712	12	\$
Interestion Light Brook russ	46103718	18	\$
	46103724	24	\$
	46103730	30	\$
	46103736	36	\$
	46103742	42	\$
	46103748	48	\$
	46103754	54	\$
	46103760	60	\$
	46103766	66	\$
	46103772	72	\$
	46103778	78	\$
	46103784	84	\$

DESCRIPTION	PRODUCT NUMBER	Specifications	PRICING
Corner Connector Block	460955	N/a	\$
(120 Degree)			

Black Only

- 0.080" thick extruded aluminum ٠ with three insert locations
- Shoulder bolts sold separately ٠

### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions

**CRESCENDO** 

• Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System

Accommodates all standard types of cables, easily customized with frame laid management

Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them

Same Universal Trim as Intersection

The essence of modularity and reconfiguration in today's ever changing office environment

Finishes

Conditions

- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423 .



TO ORDER ITEMS ON THIS PAGE:

For example, to order a Crescendo 12" Inersection Light Block Tube (46103712), select

Product Number 46103712


120

Select the product number.


### **Build-Your-Own • Frame Components**




Base Product (460002)



Base Product (460630) Assembled, View of Side with Knockouts



Base	Product	(HLB)



Base Product (HLBxxSET)

#### TO ORDER ITEMS ON THIS PAGE:



For example, to order a Crescendo 12" Horizontal Rail (46000212), select

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Horizontal Rail	46000212	12	\$
	46000218	18	\$
	46000224	24	\$
Black Only	46000230	30	\$
	46000236	36	\$
	46000242	42	\$
	46000248	48	\$
	46000254	54	\$
	46000260	60	\$

DESCRIPTION	PRODUCT NUMBER	WIDTH	PRICING
Enhanced Horizontal Rail	46063012B	12	\$
	46063018B	18	\$
	46063024B	24	\$
Closed Section Contains welded-in	46063030B	30	\$
"u" channel for unsupported returns	46063036B	36	\$
Black Only	46063042B	42	\$
<ul> <li>Does not work with Chicago electric</li> </ul>	46063048B	48	\$
electric	46063054B	54	\$
	46063060B	60	\$

# **CRESCENDO**

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Same Universal Trim as Intersection Conditions

DESCRIPTION	PRODUCT NUMBER	WIDTH	Number of Light Blocks	PRICING
Horizontal Light Block	HLB12	12	1	\$
	HLB12SET	12	2	\$
	HLB18	18	1	\$
Used to accommodate panels that	HLB18SET	18	2	\$
<ul> <li>Used to accommodate panels that require light block when replacing the horizontal rail within</li> </ul>	HLB24	24	1	\$
segmeneted panels	HLB24SET	24	2	\$
5	HLB30	30	1	\$
	HLB30SET	30	2	\$
	HLB36	36	1	\$
	HLB36SET	36	2	\$
	HLB42	42	1	\$
	HLB42SET	42	2	\$
	HLB48	48	1	\$
	HLB48SET	48	2	\$
	HLB54	54	1	\$
	HLB54SET	54	2	\$
	HLB60	60	1	\$
	HLB60SET	60	2	\$

Product Number

46000212

NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### **Crescendo • Finishes**

Polypr	opylene (POLY) Colors			
Color f product contains ad color option, the se	Selection ditional components with a lection will be matched)			
Plastic Trim Style	Metal Trim Style			
ack (B)	Black (27)	Black	Grey	Light Tone
y (G)	Gray (29)	В	G	L
	Light Tone (32)			
t Tone (L)	Cottonwood (35)			
d (S)	Sand (28)			
0 440	Warm Gray (33)			
m Grey (W)	Starlight Silver (34)			
	Metal Powder Coat			
	incluir on der cout			
		Black		
		Black 27	Sand 28	Gray 29
		Black 27	Sand 28	Gray 29
				Gray 29 Cottonwood

Sand S

Light Tone

32

# CRESCENDO

- The essence of modularity and reconfiguration in today's ever changing office environment
- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Quality is our priority, due to differences in stocks, piece to piece variation may occur
- We have made every effort to represent textures and colors of finishes and textiles. However we cannot guarentee 100% accuracy, due to variations that occur in the printing process
- Not all finishes are available for all product lines offered by UNICOR OFG
- Samples are available upon request
- In some products, finishes may come in coordinating pairs, such as:
  - Cottonwood Metal-Powder Coat (35) & Light Tone Polypropylene (L)
  - Starlight Silver Metal-Powder Coat (34) & Warm Grey Polypropylene (W)
- To locate your local UNICOR OFG Sales Representative, go online to www.unicor.gov/OFGSalesReps.aspx
- To view a complete list of finishes available to UNICOR OFG products and how to request samples, go online to www.unicor.gov/

#### NOTES:

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### **Crescendo** • Finishes

#### Laminate

Name	Code	Name	Code	Name	Code	Name	
5th Ave Elm	PLM0677	Executive Mahogany	PLM0775	Natural Oak	PLM2503	Sterling Ash	1
Amber Cherry	y PLM4030	Fashion Grey	PLM0787	Natural-Tigris	PLM4669	Stone Grafix	
Amber Maple	e PLM0472	Flax Gauze	PLM2513	Neo Walnut	PLM8207	Studio Teak	
Astro Strandz	z PLM8223	Flax Linen	PLM4990	Neutral Twill	PLM0163	Twilight Zephyr	
Beigewood	PLM7850	Florence Walnut	PLM8208	Neutral White	PLM2516	Vapor Strandz	
Biltmore Cherr	ry <b>PLM4031</b>	Fog	PLM0374	New Age Oak	PLM0104	Veranda Teak	
Black	PLM0209	Folkstone	PLM2517	Noble Mahogany	PLM0220	Washington Oak	
Blackbird	PLM8205	Fo kstone Grafix	PLM0503	North Sea	PLM0401	White Barn	
Brighton Waln	ut <b>PLM4032</b>	Ginger Root Maple	PLM3247	Oiled Soapstone	PLM4044	White Tigris	
Buka Bark	PLM8216	Gloss White Markerboard	PLM2521	Oyster Grey	PLM2519	White Twill	
Canyon Zephy	yr <b>PLM4038</b>	Graphite	PLM2514	Pearl Soapstone	PLM4045	Wild Cherry	
Casual Liner	PLM4944	Graphite Grafix	PLM2507	Pennsylvania Cherry	PLM0392		
Charcoal-Boome	rang PLM6942	Graphite Twill	PLM0166	Pewter Brush	PLM4079		
Citadel	PLM2520	Graystone	PLM2505	Pewter Mesh	PLM4046		
Classic Liner	PLM4943	Grey	PLM4047	Portico Teak	PLM8210		
Colombian Wal	nut PLM4034	Grey Elm	PLM8222	Pumice	PLM2515		
Concrete Stor	e <b>PLM0670</b>	Harvest Maple	PLM8215	Rio	PLM8219		
Cosmic Strand	dz <b>PLM8226</b>	Kensington Maple	PLM4036	Sail White	PLM0058		
Crisp Linen	PLM4942	Khaki Brown	PLM8211	Sarum Twill	PLM0164		
Desert Zephy	r <b>PLM4039</b>	Landmarkwood	PLM8220	Satin Stainless	PLM8224		
Designer Whit	e <b>PLM8212</b>	Lime Stone	PLM2511	Select Cherry	PLM0445		
Dove Grey	PLM1013	Misted Zephyr	PLM4040	Shaker Cherry	PLM4035		
Earthen Twill	PLM0165	Monticello Maple	PLM4037	Sheer Mesh	PLM4100		
Earthen Warp	<b>PLM4052</b>	Mouse	PLM2518	Silver Alchemy	PLM4081		
Earthen Wasl	n <b>PLM2510</b>	Natural Canvas	PLM2509	Silver Oak	PLM8218		
Elemental Stor	ne <b>PLM1005</b>	Natural Maple	PLM2512	Steel Mesh	PLM4068		

#### Upholstery

Please go online to UNICOR OFG website for a complete list and grade of Upholstery Fabric selection.

# CRESCENDO

• The essence of modularity and reconfiguration in today's ever changing office environment

PLM8217

PLM2506

PLM8214

PLM4041

PLM8225

PLM8209

PLM0748 PLM8221

PLM4043

PLM1007 PLM7101

- Assemble and disassemble 'modules' with segmented and stackable panels assembled in any combination, allowing on-module and off-module accessories matching OFG System Finishes
- Accommodates all standard types of cables, easily customized with frame laid management
- Even full-scale renovations are made easier with standardized components letting you order exactly what you need, and re-purpose materials rather than warehousing them
- Quality is our priority, due to differences in stocks, piece to piece variation may occur
- We have made every effort to represent textures and colors of finishes and textiles. However we cannot guarentee 100% accuracy, due to variations that occur in the printing process
- Not all finishes are available for all product lines offered by UNICOR OFG
- Samples are available upon request
- To locate your local UNICOR OFG Sales Representative, go online to www.unicor.gov/OFGSalesReps.aspx
- To view a complete list of finishes available to UNICOR OFG products and how to request samples, go online to www.unicor.gov/

#### NOTES:

2025 v1.46

- Product dimensions are given in approximate inches
- Appearance of product may vary from descriptions
- When ordering Fabric Panels, the higher grade value will determine the price quote
- Power accessories are sold separately
- Vertical posts are sold separately
- Noise Reduction Coefficient is based on the test method ASTM C-423



### **How To Order**

## Credit Card Order Form

### FAX orders to (859) 254-9048 or call (800) 827-3168. Order online at

### www.unicor.gov/ofg.

SHIPPING ADDRESS (NO POST OFFICE BOXES PLEASE)

#### **By Internet**

We're ready to take your electronic order. See us at:

### www.unicor.gov/ofg

#### **By Phone**

Use your government credit card and call UNICOR toll free at:

(800) 827-3168

### □By Fax

Fax your purchase order 24 hours a day to:

(859) 254-9390 Standard Orders(859) 254-9048 Credit Cards

#### □By Mail

Send your purchase order to:

UNICOR Customer Service Center P.O. Box 13640 Lexington, KY 40577-1670

#### **©**Customer Service

For information about products, prices or to request catalogs, call UNICOR Customer Service at (800) 827-3168, Monday-Friday, from 7:45 a.m. to 4:00 p.m. EST or leave a message at other times.

To locate your local OFG Sales Representative, go to **unicor.gov/OFGSalesReps.aspx** 



NAME		
TITLE		
AGENCY		
STREET		
CITY		
TELEPHONE ( )		
E-MAIL		FAX NUMBER MUST BE INCLUDED
CREDIT CARD #	EXE	– PIRATION DATE
SIGNATURE		DATE

Please be sure that all information is complete to avoid delaying your order.

QTY.	Product Number	Raceways Side 1	Raceways Side 2	Glass/ Screen Option	Poly Color	Fabric Side 1	Fabric Side 2	Metal Powder Coat	Unit Price	TOTAL
					e				UBTOTAL	
NOTE: FOR SHIPMENTS OUTSIDE THE CONTIGUOUS U.S., FREIGHT WILL BE BASED UPON RATES AT TIME OF DELIVERY						0		SHIPPING		
THANK YOU FOR YOUR ORDER.					TOTAL					